

IKEA Appliances 2025





Hobs see page 44

Contents

| Appliances you can rely on | 5 |
|-----------------------------------|-----|
| Find your ideal set of appliances | 6 |
| Ovens and microwave ovens | 16 |
| Hobs | 44 |
| Extractor hoods | 60 |
| Fridges and freezers | 78 |
| Dishwashers | 90 |
| Washing machines and dryers | 100 |
| Services | 106 |
| Guarantees | 107 |

Extractor hoods see page 60





Washing machines and tumble dryers see page 100



Ovens and microwave ovens see page 16



Dishwashers **see page 90**Fridges and freezers **see page 78**







Appliances you can rely on

Good kitchen appliances should fit with the people who use them, and we all have different needs, tastes and budgets. At IKEA, we work closely together with our suppliers to share our knowledge about life at home, and they share their expertise with us. Together we create appliances to rely on at prices that fit every size of wallet. To make the selection easier for you, we have categorised our appliances into different levels offering different designs, prices and functionalities.

TILLREDA: Simple and flexible appliances for smaller living spaces or to boost your capacity for bigger gatherings.

LAGAN: Basic functionalities and simple design to make life easier even when you have a limited budget.

IKEA 300: All the basic functionalities you need in an appliance to simplify your everyday life.

IKEA 500: Added functionalities to make your appliance more fun and inspiring, and household work easier.

IKEA 700: All the functionalities you need – and then some, so you can thrive with your appliance. Above and beyond in innovation and design.



Whatever your choice, you can be sure your appliance is made to last. Our entire range comes with a free 5-year guarantee (except TILLREDA and LAGAN, 2 year).



Everything you need

This set comes with all the basic functions you need at an incredibly affordable price. The LAGAN oven, hob, extraction hood and fridge/freezer look smart and go very well together.

All coordinated for a great kitchen experience. You have everything at hand for everyday cooking and baking with everything at hand, all with a 2-year guarantee.





LAGAN oven, white.

905.479.63



LAGAN wall-mounted extraction hood, white.

504.013.83



LAGAN induction hob, plug-in, 2 zones, black.

705.060.96

Connect and cook!

The TILLREDA appliances are easy to install and use thanks to the plug-in/plug-out function, making it ideal for compact kitchens. The induction hob heats up fast and is very economical. You can stow it away or hang it from the wall to make room on the worktop for other tasks.

Putting the handy microwave oven where you want it is no work at all. There's no handle. You just press the door to open it. The perfect solution if you don't have the space for the built-in model.

And a compact fridge for a compact kitchen. Great for dens, cellars, guestrooms, student accommodation or anywhere you want to quickly prepare a drink or a snack.





TILLREDA portable induction hob, white.

104.867.94



TILLREDA microwave oven, white.

504.867.92



TILLREDA fridge, white.

104.969.53

Day-to-day cooling – quick and easy

The appliances in this set come with all the functions you need for everyday use. The smart but simple design make them easy to understand and use.

The LAGAN oven in stainless steel gives your kitchen a classic, timeless look, while the economical MATMÄSSIG induction hob is ideal for quickly cooking up something delicious. The RYTMISK LED lighting illuminated the whole worktop, so you always work safely.





LAGAN oven, stainless steel.

905.479.15



RYTMISK wall-mounted extraction hood, stainless steel.

803.889.69



MATMÄSSIG induction hob, IKEA 300, black.

104.670.93

Modern in every way

The appliances in this set have all the functions of a modern kitchen. A contemporary kitchen has it all – from forced air oven to prepare several dishes at the same time to LED lighting under the extraction hood to

light up the whole hob. Combine with the MATMÄSSIG induction hob to cut energy consumption by up to 40% and halve your time at the cooker.





MATÄLSKARE forced air oven, IKEA 300, stainless steel. 403.687.65



MATÄLSKARE microwave oven, IKEA 300, stainless steel. 403.687.70



MATÄLSKARE wall-mounted extraction hood, stainless steel. 903.688.00



MATMÄSSIG 300 induction hob, black.

104.670.93

The best of both worlds

You can have a gorgeous classic kitchen without old-fashioned, time-consuming appliances. MATTRADITION marries tradition with state of the art.

You can prepare various dishes at the same time in the forced air oven, without the flavours getting mixed

together. And the extraction hood is so quiet you can chat in the kitchen while you work.

Add an energy-efficient GRUNDAD induction hob to bring your cooking to perfection and enjoy a tasty end result.





MATTRADITION forced air oven, IKEA 300, white.

304.117.26



MATTRADITION microwave oven, IKEA 300, white.

304.117.69



MATTRADITION wall-mounted extraction hood, stainless steel.

703.688.01



VILSTA induction hob 59 IKEA 300,

905.577.25

Classically elegant on the outside, everything you could want on the inside

A set of appliances with so many fantastic functions. It's the perfect combination for people who love cooking and baking. The ANRÄTTA forced air oven has a pyrolytic cleaning function that turns grease and bits of

old food to ashes. The SMAKLIG induction hob's flexible bridging zone can be adapted to pots of various shapes and sizes and the BEJUBLAD extraction hood improves access to the zone around the hob.





ANRÄTTA forced air oven with pyrolytic function, IKEA 700, stainless steel.

004.117.18



ANRÄTTA combi microwave oven, IKEA 500. stainless steel.

704.117.67



SMAKLIG induction hob, IKEA 500, black.

504.678.83

Top-class kitchen for healthy steam cooking

With clean lines and a modern expression, KULINARISK forced air oven with pyrolytic function and microwave combi oven are some of our high-end, most innovative appliances.

The self-cleaning function makes it easier for you to clean the oven, as grease and food residue are burned to ashes that can be easily brushed off.

Together with FÖRDELAKTIG induction hob with integrated extractor this set is a great choice for the home chef. The extractor hood automatically adjusts to the heating level on the hob – the higher the heat, the more powerful the extraction capacity.





KULINARISK forced air oven with steam function, IKEA 700, stainless steel 704.210.59



KULINARISK combi microwave with forced air, IKEA 700.

204.168.14



FÖRDELAKTIG induction hob/integrated extractor 60, IKEA 500, black.

405.158.65

A kitchen for foodies

FINSMAKARE is a totally modern kitchen set that provides every function you can need. The oven has a steam function, that seals in flavours and nutrients, resulting in a delicious, succulent dish every time. A press of the button activates the self-cleaning pyrolysis function that turns grease and bits of old food in the oven to ash.

The angled fan makes the area around the hob more accessible.

And, talking about HÖGKLASSIG the fast and energy saving induction hob: the flexible zones adapt to your pots and pans. All in all, a great choice for you who loves to cook.





FINSMAKARE forced air oven with pyrolytic/steam function, IKEA 700.

504.117.30



FINSMAKARE combi microwave with forced air, IKEA 300.

504.117.68



FINSMAKARE wall-mounted extraction hood.

503.891.40



HÖGKLASSIG 700 induction hob, black.

404.678.26



Big cooking in a small space

Make the most of the space you have with TILLREDA microwave oven. Place anywhere, plug-in and cook. Preparing food couldn't be easier. The neat and functional microwave oven makes a small cooking space feel like a big kitchen, and it comes with a 2-year guarantee.

Ovens

Our ovens are designed with care and knowhow to meet all your cooking needs and wants. They come with a wide range of functions and integrated accessories to ensure a great cooking experience every time. Whether you're looking for advanced cooking functions or practical self-cleaning functions: we have the ideal oven for you. Simply choose the oven that suits your cooking style and your kitchen to make your experience even easier.

How to choose your next oven:

01

How often do you use your oven and for what dishes? From simple and user-friendly to state-of-the-art functions and convenience: we have the oven that fits your needs.

02

How many dishes do you cook at the same time? We have our ovens that can hold between 56 and 74 l.

03

What's your style? Whether yours is a traditional or contemporary kitchen, we have an oven to your taste.



Whatever your fancy, you can always be confident your appliance is made for a long life.
The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).



Tips:

Did you know that smooth running over rails are also safer oven rails? That's because you can always place dishes in the oven – and take them out – without burning yourself. No more painful fingers after checking the temperature of your dish in the oven, giving it a stir or adding some fluid.

Did you know that you can clean your oven so that it looks like new again – without getting you hands dirty? The self-cleaning pyrolysis function turns grease and bits of old food in the oven to ash. Just brush it out when it's done.

Types



Conventional ovens

Ideal for people who want a user-friendly oven with top and bottom heating and all the basic functions they need for cooking and baking.



Forced air oven with self-cleaning/ pyrolytic function

Ideal for amateur chefs who are less fond of cleaning up. The ovens have the same functions as regular forced air ovens and they are very easy to clean. Press the button to turn grease and bits of old food to ash. Then wipe the oven off with a cloth.



Forced air ovens

Ideal for people who love cooking. A fan quickly distributes the heat evenly around the oven so you can prepare several dishes at the same time without the flavours getting mixed together.



Forced air oven with steam function

Ideal for people who love cooking. This type has the same functions as forced air ovens, but can also steam cook. The combination of steam and heat seals in flavours and nutrients, while also dishes that are soft and succulent on the inside. and crisp and crunchy on the outside.

Overview

Conventional ovens



LAGAN Usable volume: 74 litres

Forced air ovens



MATÄLSKARE Usable volume: 71 litres



MATTRADITION Usable volume: 71 litres





Usable volume: 72 litres

FORNEBY



BRÄNDBO Usable volume: 72 litres



Usable volume: 71 litres



BEJUBLAD Usable volume: 71 litres

Forced air ovens with self-cleaning/pyrolytic function



Usable volume: 71 litres



Usable volume: 72 litres



MATÄLSKARE Usable volume: 71 litres



MATTRADITION Usable volume: 71 litres



FORNEBY Usable volume: 72 litres

Forced air oven with pyrolytic and steam function



FINSMAKARE Usable volume: 72 litres

Forced air oven with steam function and self-cleaning



MÅGEBO Usable volume: 72 litres



KULINARISK Usable volume: 43 litres



MUTEBO Usable volume: 70 litres

Key characteristics



The **extra generous interior dimensions** with 5 cooling levels provides all the space you need to cook any dish. The volume of our ovens range from 55 to 74 litres.



The **smooth running pull-out rails** give you added grip to ensure you can place dishes in the oven – and take them out – more safely. Quickly take out the dish to check the temperature, give it a stir or add some fluid



The built-in **meat thermometer** with temperature sensor ensures you always serve up the perfect roast.



A smart built-in **timer** tells you when your dish ready.



The user-friendly **touch control panel** gives your kitchen a modern accent and is easy to clean.



The **door** has been give a **special anti-fingerprint treatment** that makes the stainless steel easy to clean.



You can select the precise **preprogrammed cooking setting** for different recipes and food groups to ensure a perfect result every time



Our oven doors are equipped with a ${\bf child\ lock}$ so that kids can safely help out in the kitchen.

Key cooking functions

Top and bottom heating is ideal for crispy dishes and slow-cooker stews.

The **steam cleaning** releases burns, grease and food residue to easily wipe off with the included sponge.

The combination of **steam** and forced air means you benefit from optimal humidity and temperature to ensure dishes that are soft and succulent on the inside, and crisp and crunchy on the outside.

The special **pastry**function enables you to bake biscuits and cakes that retain their moisture.

The **fast defrost** function defrosts your food seven times faster.

The **forced air function** (fan-driven convention) quickly distributes the heat evenly around the oven so you can prepare several dishes at the same time without the flavours getting mixed together.

Full-steam function helps retain vitamins, minerals and nutrients of food. Moisture is not lost, and the flavours are locked in.

Grill meat and vegetables, and take advantage of the hot air circulating from the fan to give your gratins the perfect golden brown finish.

The **warm setting** keeps food warm without turning it soft or burning it.

The oven is easy to clean, thanks to the **self-cleaning pyrolysis** function. Grease and bits of old food are turned to ash. Simply clear them out with a clean cloth.

With the **combined steam** function you combine steam and hot air to get optimal humidity and heat levels, keeping food soft and moist on the inside, and crisp and brown on the outside.

The **bread and pizza** function bakes delicious brown crusts and crunchy bases.

The **fast preheating** function means you don't have to wait long for the oven get to the right temperature.

Ovens



Conventional oven

White. 905.479.63



This oven has all the basic functions you need and is easy to use for your everyday cooking.

LAGAN (A



Conventional oven

Stainless steel. 905.479.15



This oven has all the basic functions you need and is easy to use for your everyday cooking. The clean and simple design matches well with our stainless steel microwave ovens.

Key features

| \bigcirc | Child safety lock |
|------------|-------------------------|
| \bigcirc | Extra spacious inside |
| \bigcirc | Telescopic rails |
| \bigcirc | Meat thermometer |
| \bigcirc | Clock |
| \bigcirc | Digital display |
| \bigcirc | Touch control |
| \bigcirc | Anti-fingerprint |
| \bigcirc | Preset cooking programs |

Programs

| \odot | Top and bottom heat |
|------------|-----------------------------------|
| \bigcirc | Fan forced air convection |
| \bigcirc | Self-cleaning function (pyrolytic |
| \bigcirc | Steam function |
| \bigcirc | Grill function |
| \bigcirc | Bread and Pizza function |
| \bigcirc | Pastry function |
| \bigcirc | Warming program |
| \bigcirc | Quick pre heat |
| | |

Accessories

1 wire shelf. 1 baking tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

MeasurementsUsable volume: 74 litres. W59.4×D56.7×H59.5 cm.

Key features

| \odot | Child safety lock |
|---------|------------------------|
| | Extra spacious inside |
| | Telescopic rails |
| | Meat thermometer |
| | Clock |
| | Digital display |
| | Touch control |
| \odot | Anti-fingerprint |
| | Preset cooking progran |

Programs

| \odot | Top and bottom heat |
|------------|-----------------------------------|
| | Fan forced air convection |
| | Self-cleaning function (pyrolytic |
| \bigcirc | Steam function |
| \bigcirc | Grill function |
| | Bread and Pizza function |
| | Pastry function |
| | Warming program |
| \bigcirc | Quick pre heat |
| | Defrost function |

Accessories

1 wire shelf.

1 baking tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements Usable volume: 74 litres. W59.4×D56.7×H59.5 cm.

Forced air ovens

MATÄLSKARE (A.

Forced air oven **IKFA 300**

Stainless steel. 403.687.65



This oven has the basic functions you need and is easy to use every day of the week. The fan forced air convection spreads the heat so you can cook several different dishes at the same time.



Matching microwave oven

MATÄLSKARE Stainless steel. 403.687.70

Key features

Child safety lock Extra spacious inside Meat thermometer Rotary knobs Anti-fingerprint Preset cooking programs

Programs

 \odot Top and bottom heat \odot Fan forced air convection Grill function Bread and Pizza function Pastry function

Warming program

Defrost function

 $\langle \rangle$

Accessories 1 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 71 litres. W59.4×D55×H59.5 cm.

MATTRADITION (A)



Forced air oven **KFA 300**

Stainless steel. 003.687.67



A traditional-style oven with the modern conveniences you need every day. The fan forced air convection allows you to cook multiple dishes at the same time.



Matching microwave oven

MATTRADITION

Stainless steel. 603.687.69

Key features

Child safety lock Extra spacious inside Telescopic rails Meat thermometer Clock Rotary knobs Anti-fingerprint Preset cooking programs

Programs \odot Top and bottom heat Fan forced air convection Grill function Bread and Pizza function Pastry function Warming program Quick pre heat $\langle \rangle$ Defrost function

Accessories

1 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 71 litres. W59.4×D55×H59.5 cm.

MATTRADITION A



Forced air oven **IKFA 300**

Black. 804.117.24



A traditional-style oven with the modern conveniences you need every day. The fan forced air convection allows you to cook multiple dishes at the same time.



Matching microwave

MATTRADITION Black, 104,117,70

Key features

 \bigcirc Child safety lock \odot Extra spacious inside Meat thermometer Clock Rotary knobs Anti-fingerprint Preset cooking programs

Programs

 \odot Top and bottom heat \odot Fan forced air convection Self-cleaning function (pyrolytic) $\langle \rangle$ Grill function Bread and Pizza function \bigcirc Pastry function Warming program Quick pre heat $\langle \nabla \rangle$

Defrost function

Accessories

1 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 71 litres. W59.4×D55×H59.5 cm.

Forced air ovens

MATTRADITION (A)



Forced air oven **IKFA 300**

White. 304.117.26



A traditional-style oven with the modern conveniences you need every day. The fan forced air convection allows you to cook multiple dishes at the same time.



Child safety lock

Telescopic rails

Rotary knobs

Anti-fingerprint Preset cooking programs

Meat thermometer

Extra spacious inside

Matching microwave oven

MATTRADITION 304.117.69



Forced air oven **IKEA 500**

Stainless steel, 604,117,20



A traditional-style oven with the modern conveniences you need every day. The fan forced air convection allows you to cook multiple dishes at the same time.



Matching microwave oven

ANRÄTTA Stainless steel.

704 117 67



Key features

Child safety lock Õ Extra spacious inside Telescopic rails

Preset cooking programs

Programs

Key features

 \odot Top and bottom heat \odot Fan forced air convection Self-cleaning function (pyrolytic) Grill function Bread and Pizza function

Pastry function

Warming program

 $\langle \rangle$ Defrost function

Accessories

1 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Usable volume: 71 litres. W59.4×D55×H59.5 cm.

Clock Digital display Rotary knobs

Anti-fingerprint

Programs

Top and bottom heat Fan forced air convection Grill function Bread and Pizza function Pastry function Warming program Quick pre heat

Defrost function

Accessories

1 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A+ (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Usable volume: 71 litres. W59.5×D55×H59.5 cm.



Forced air oven **IKEA 500**

White glass. 604.116.64



Many smart functions and a clean design. Fan forced air convection spreads the heat evenly and quickly so you can cook several dishes at



Matching microwave oven **BEJUBLAD** White.

Key features

| Child safety lock |
|-------------------------|
| Extra spacious inside |
| Telescopic rails |
| Meat thermometer |
| Clock |
| Digital display |
| Rotary knobs |
| Touch control |
| Anti-fingerprint |
| Preset cooking programs |
| |

| Programs | | |
|------------|------------------------------------|--|
| \odot | Top and bottom heat | |
| \odot | Fan forced air convection | |
| \bigcirc | Self-cleaning function (pyrolytic) | |
| \bigcirc | Steam function | |
| \odot | Grill function | |
| \bigcirc | Bread and Pizza function | |
| \odot | Pastry function | |
| \bigcirc | Warming program | |
| \odot | Quick pre heat | |
| \bigcirc | Defrost function | |

Accessories

1 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A+ (from D to A+++).
No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 71 litres. W59.5×D55×H59.5 cm.



Forced air oven **IKEA 500**

Black, 605,576,56



Oven with a clean, matt black design and smart functions. Fan-forced air convection spreads heat evenly and quickly so you can cook several dishes at once.



Forced air oven with direct steam **IKEA 500**

Stainless steel, 305,577,90



A traditional-style oven with all the modern functions you need. Plenty of space and fanforced air convection so you can cook several dishes at once.



Forced air oven with direct steam **IKEA 500**

Black, 605,568,88



A traditional-style oven with all the modern functions you need. Plenty of space and fanforced air convection so you can cook several dishes at once.



Matching combi microwave **FORNEBY** 205 569 08



Matching combi microwave **FORNEBY** Stainless steel. 805.577.83



Matching combi microwave **FORNEBY** Black. 205.569.08

Key features

Child safety lock \odot Extra spacious inside Meat thermometer Clock Digital display Rotary knobs Anti-fingerprint Preset cooking programs

Programs

 \odot Top and bottom heat \odot Fan forced air convection Grill function Bread and Pizza function Pastry function Warming program Quick pre heat

Accessories

 $\langle \rangle$

1 wire shelf included. 1 baking tray included. 1 grill tray included.

Defrost function

Technical info

Energy class: A+ (from D to A+++).
No plug is included. Installation to be carried out by a qualified installer.

Measurements

Usable volume: 72 litres. W59.4×D56.7×H58.9 cm.

Key features

Child safety lock Õ Extra spacious inside Telescopic rails Meat thermometer Clock Digital display Rotary knobs Anti-fingerprint Preset cooking programs

Programs \bigcirc Top and bottom heat Fan forced air convection Self-cleaning function (pyrolytic) Direct steam function Grill function Bread and Pizza function Pastry function Warming program Quick pre heat $\langle \rangle$ Defrost function

Accessories

1 wire shelves included. 1 baking tray included. 1 grill tray included. 1 set of telescopic rails included.

Technical info

Energy class: A+ (from D to A+++). No plug is included. Installation to be carried out by a qualified installer.

Measurements

Usable volume: 72 litres. W59.4×D56.7×H58.9 cm.

Key features

 \bigcirc Child safety lock \odot Extra spacious inside Ø Telescopic rails Meat thermometer $\widecheck{\oslash}$ Clock Ø Digital display \odot Rotary knobs Anti-fingerprint Preset cooking programs

Programs

 \odot Top and bottom heat \odot Fan forced air convection Self-cleaning function (pyrolytic) \bigcirc Direct steam function $\langle \rangle$ Grill function \bigcirc Bread and Pizza function Pastry function Warming program

Accessories

 $\langle \rangle$

2 wire shelves included. 1 baking tray included. 1 grill tray included. 1 set of telescopic rails included.

Quick pre heat

Defrost function

Technical info

Energy class: A+ (from D to A+++).
No plug is included. Installation to be carried out by a qualified installer.

Measurements

Usable volume: 72 litres. W59.4×D56.7×H58.9 cm.

Forced air ovens with pyrolytic function

MATTRADITION (A)



Pyrolytic oven **IKEA 500**

Stainless steel. 903.702.09



A traditional-style oven with the modern functions you need. Besides self-cleaning, it has fan-forced air convection which spreads the heat evenly.



Child safety lock

Extra spacious inside

Meat thermometer

Rotary knobs

Matching microwave oven

MATTRADITION

Stainless steel. 603 687 69



Pyrolytic oven

IKEA 500

Stainless steel, 103,702,08



This oven has the basic functions you need and is easy to use every day of the week. The fan-forced air convection spreads the heat so you can cook several different dishes at the same time.



Matching microwave oven

MATÄLSKARE Stainless steel. 403.687.70

 \bigcirc Child safety lock

Extra spacious inside

Clock

Rotary knobs

Touch control

Anti-fingerprint

Preset cooking programs

Programs

 $\overline{\langle}$

 \odot

Key features

 \odot Top and bottom heat

Anti-fingerprint

Fan forced air convection

Preset cooking programs

 \odot Self-cleaning function (pyrolytic)

Grill function

Bread and Pizza function

 $\langle \rangle$ Pastry function

Warming program

Quick pre heat

 $\langle \rangle$ Defrost function

Accessories

2 wire shelves included.

1 baking tray included.

1 grill tray included.

Technical info

Energy class: A+ (from D to A+++).

No plug is included. Installation to be carried out by a qualified installer.

Measurements

Usable volume: 71 litres. W59.5×D56.9×H59.5 cm.

Key features

Meat thermometer

Programs

Top and bottom heat

 \bigcirc Fan forced air convection

Self-cleaning function (pyrolytic)

Grill function

Bread and Pizza function

Pastry function

Warming program

Quick pre heat

 $\langle \rangle$ Defrost function

Accessories
2 wire shelves included.

1 baking tray included. 1 grill tray included.

Technical info Energy class: A+ (from D to A+++).

No plug is included. Installation to be carried out by a qualified installer.

Measurements
Usable volume: 71 litres. W59.5×D56.9×H59.5 cm.

ANRÄTTA (A**



ecocheques

Forced air oven with pyrolytic function IKEA 700

Stainless steel, 004,117,18



This self-cleaning oven is packed with function, ideal for preparing different meals. Fan forced air convection lets you cook several dishes at



Matching microwave oven **ANRÄTTA** Stainless steel. 704 117 67

Kev features

 \bigcirc Child safety lock

 \odot Extra spacious inside

 \odot Telescopic rails

Ø Meat thermometer

Ø Clock

 \odot Digital display

 \odot Rotary knobs

 $\check{\oslash}$ Anti-fingerprint

Preset cooking programs

Programs

 \odot Top and bottom heat

 $\langle \rangle$ Fan forced air convection \odot

Self-cleaning function (pyrolytic)

 $\widecheck{\oslash}$ Grill function

 \bigcirc Bread and Pizza function

Ø Pastry function

Ø Warming program

 \bigcirc Quick pre heat

Defrost function

Accessories 2 wire shelf.

1 baking tray.

1 grill tray.

Technical info

Energy class: A+ (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements
Usable volume: 71 litres. W59.5×D55.0×H59.5 cm.



Forced air oven with direct steam and pyrolytic cleaning IKEA 700

Black. 605.568.88



A traditional-style oven with all the modern functions. It's selfcleaning and has fan-forced air convection so you can cook several dishes at once.



Matching combi microwave oven

FORNEBY Stainless steel 205.569.08

Key features

| \odot | Child safety lock |
|------------|-------------------------|
| \odot | Extra spacious inside |
| \odot | Telescopic rails |
| \odot | Meat thermometer |
| \odot | Clock |
| \odot | Digital display |
| \odot | Rotary knobs |
| | Touch control |
| \bigcirc | Anti-fingerprint |
| | Preset cooking programs |

Drograme

| Fiogi | riogianis | |
|---------|------------------------------------|--|
| \odot | Top and bottom heat | |
| \odot | Fan forced air convection | |
| \odot | Self-cleaning function (pyrolytic) | |
| \odot | Direct steam function | |
| \odot | Grill function | |
| \odot | Bread and Pizza function | |
| | Pastry function | |
| | Warming program | |
| | Quick pre heat | |

 \odot

Accessories 2 wire shelves included. 1 baking tray included. 1 grill tray included.

1 integrated meat probe included. 1 set of telescopic rails included.

Defrost function

Technical info

Energy class: A+ (from D to A+++). No plug is included. Installation to be carried out by a qualified installer.

Measurements

Usable volume: 72 litres. W59.4×D56.7×H58.9 cm.

KULINARISK (A**)



ecocheques

Forced air oven with pyrolytic function

Stainless steel. 704.210.59



Large interior and plenty of options. It's self-cleaning and can cook several dishes at once. The touch control makes the oven easy to use.



Matching combi microwave oven

KULINARISK

Stainless steel 204.168.14

Kev features

| \bigcirc | Child safety lock |
|------------|-------------------------|
| Ø | Extra spacious inside |
| \bigcirc | Telescopic rails |
| \bigcirc | Meat thermometer |
| \bigcirc | Clock |
| \bigcirc | Digital display |
| | Rotary knobs |
| \odot | Touch control |
| \odot | Anti-fingerprint |
| \odot | Preset cooking programs |
| | |

| Progr | Programs | |
|---------|------------------------------------|--|
| \odot | Top and bottom heat | |
| \odot | Fan forced air convection | |
| \odot | Self-cleaning function (pyrolytic) | |
| | Steam function | |
| \odot | Grill function | |
| \odot | Bread and Pizza function | |
| \odot | Pastry function | |
| \odot | Warming program | |

Quick pre heat

Defrost function

Accessories

 \odot

 \odot

2 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A+ (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 72 litres. W59.4×D56.7×H58.9 cm.

Forced air ovens with pyrolytic and steam function



ecocheques

Forced air oven with pyrolytic and steam function

Black. 504.117.30



Perfect for those who cook a lot, with a spacious interior, touch control and self-cleaning. The steam function makes food tasty while retaining nutrients.



Matching combi microwave oven

FINSMAKARE Black 504.117.68

Key features

| (\checkmark) | Child safety lock |
|----------------|-----------------------|
| \odot | Extra spacious inside |
| \odot | Telescopic rails |
| \odot | Meat thermometer |
| \odot | Clock |
| \odot | Digital display |
| | Potany knobs |

 \odot Touch control/rotary knob Anti-fingerprint

 $\langle \vee \rangle$ Preset cooking programs

Programs

| og. | uiiis | | | | |
|---------|------------------------------------|--|--|--|--|
| \odot | Top and bottom heat | | | | |
| \odot | Fan forced air convection | | | | |
| \odot | Self-cleaning function (pyrolytic) | | | | |
| \odot | Combined steam function | | | | |
| \odot | Grill function | | | | |
| \odot | Bread and Pizza function | | | | |
| \odot | Pastry function | | | | |
| \odot | Warming program | | | | |

Quick pre heat

Defrost function

Accessories

 \odot

 \odot

2 wire shelf. 1 baking tray. 1 grill tray.

Technical info

Energy class: A+ (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 72 litres. W59.4×D56.7×H58.9 cm.

Forced air ovens with steam functions and self-cleaning

MÅGEBO



ecocheques

Forced air oven with combined steam IKEA 500

Black. 905.570.61



Beyond the givens like a spacious 5-level interior and telescopic rails for easy unloading, this oven creates steam at regular intervals to retain nutrients and ensure food remains moist and scrumptious.



Matching microwave **MÅGEBO** Black 105.570.55

| key leatures | | | | |
|--------------|---------------------------|--|--|--|
| \odot | Child safety lock | | | |
| \odot | Extra spacious inside | | | |
| \bigcirc | Telescopic rails | | | |
| | Meat thermometer | | | |
| \odot | Clock | | | |
| \odot | Digital display | | | |
| \bigcirc | Touch control/Rotary knob | | | |
| | Anti-fingerprint | | | |
| \odot | Preset cooking programs | | | |
| \odot | Preset cooking programs | | | |
| Progra | ams | | | |

| \odot | Top and bottom heat |
|---------|--------------------------------|
| \odot | Fan forced air convection |
| \odot | Self-cleaning function (steam) |
| \odot | Combined steam function |
| \odot | Grill function |
| \odot | Bread and Pizza function |
| \odot | Pastry function |
| \odot | Warming program |
| \odot | Quick pre heat |
| \odot | Defrost function |

Accessories

2 wire shelves included. 1 baking tray included. 1 grill tray included. 1 set of telescopic rails included.

Technical info

Energy class: A+ (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 72 litres. W59.5×D54.6××H59.0 cm.



Forced air oven with full steam **IKEA 700**

Stainless steel. 105.570.41



A full-steam oven with many functions to make food preparation easier and healthier. Together with air-forced convection and assisted cooking programmes, your cooking is taken to a whole new level.



Matching microwave oven

KULINARISK

204.168.14

Key features

- Child safety lock
- Extra spacious inside
 - Telescopic rails
- Meat thermometer
 - Clock
- Digital display
- Touch control/Rotary knob
- 000000000 Anti-fingerprint
- Preset cooking programs
- Preset cooking programs

Programs

- \odot Top and bottom heat
- 000000000 Fan forced air convection
- Self-cleaning function (steam)
- Full steam function
- Grill function
- Bread and Pizza function
- Pastry function
- Warming program
- Quick pre heat
- $\overline{\bigcirc}$ Defrost function

Accessories

- 1 wire shelf included.
- 1 baking tray included.
- 1 grill tray included.
- 1 integrated meat probe included.
- 1 perforated and 1 unperforated stainless steel oven
- 1 set of fully extendable telescopic rails included.

Technical info

Energy class: A+ (from D to A+++).

No plug is included. Installation to be carried out by a qualified installer.

Measurements

Usable volume: 77 litres. W59.5×D56.7×H59.4 cm.

KULINARISK 🔼



Steam oven

Stainless steel, 704,168,21



A smaller oven with many functions to make food both healthier and tastier. You can cook with pure steam to retain the nutrients, getting the right crispiness on the outside and moistness on the inside.

Key features

- Child safety lock
- Extra spacious inside
- Meat thermometer
- Clock
- Digital display
- Touch control
- Anti-fingerprint
- Preset cooking programs
- Preset cooking programs

Programs

- Top and bottom heat
- Fan forced air convection
- Self-cleaning function (steam)
- Full steam function
- Grill function
- Bread and Pizza function
- Pastry function
- Warming program
- Quick pre heat
- Defrost function

Accessories

- 1 wire shelf.
- 1 baking tray.
- 1 grill tray.

Technical info

Energy class: A (from D to A+++). No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 43 litres. W59.4×D56.7×H45.5 cm.

Find your perfect partner in steam

This comparison table shows which type of steam function each oven has. Full steam, combined steam and/or direct steam. It also shows the type of cleaning function. Self-cleaning or pyrolytic cleaning.

| | Forced air | Full steam | Combined steam | Direct steam | Self- cleaning |
|-------------------------------------|---------------|---------------|-------------------|-----------------|-----------------------|
| MUTEBO 105.570.41 | | | | _ | Steam cleaning |
| KULINARISK 704.570.21 | | | | _ | Steam cleaning |
| FINSMAKARE 504.117.30 | | _ | | _ | Pyrolytic cleaning |
| MAGEBO 905.570.61 | | _ | | _ | Steam cleaning |
| FORNEBY 105.568.95 305.568.99 | | _ | _ | | Pyrolytic cleaning |
| FORNEBY 605.568.88 305.577.90 | | _ | _ | | Steam cleaning |



Microwave ovens

Microwave ovens aren't what they used to be. In fact, they've become much better – a wide range of functions lets you grill, bake, steam and crisp, apart from defrosting and reheating. What's more, the combination of forced air and microwaves in our microwave combi ovens reduces both cooking time and energy consumption. Being a microwave oven and regular oven in one, it's a practical choice for smaller kitchens, or if you cook a lot of food and need an extra oven.

How to choose your next microwave oven:

01

How often do you use your microwave oven and for what dishes? From simple and user-friendly microwave ovens to more advanced microwave ovens and combi microwave ovens with an extensive set of functions.

02

How many dishes do you cook at the same time? A combi microwave oven packs all the functions you need into a single appliance and gives you an extra oven when you invite the whole family over.

03

What's your style? Whether yours is a traditional or contemporary kitchen, we have a microwave oven to your taste.



Whatever your fancy, you can always be confident your appliance is made for a long life. The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).



Sustainability

It doesn't have to take hours or a huge amount of energy top prepare dishes in the oven. Our combi microwave ovens incorporate a forced air oven and a microwave oven for faster baking, grilling and roasting, as well as heating up and defrosting food. That saves

you time with preparation, so you can spend more time enjoying your delicious home-made dishes with your guests. And the shorter cooling times also cut you energy consumption, helping you live more sustainably.

Tips:

Did you know that the cooking time is considerably shorter when you use a combi microwave oven that twins a microwave function with a forced air function? You save time and cut you energy consumption. And the results are always stellar.

Did you know that, as well as using the available space smartly, installing a microwave oven in a high or wall cabinet also creates a ergonomic workflow that fits your needs perfectly?

Types



Microwave ovens

Ideal when you want to heat up or defrost food and drink quickly and easily. Some of our microwaves have the grill function that allows you to cook thin cuts of meat and vegetables or to brown gratins and steaks. Some of our models also include a crisp function allowing you to cook food.



Microwave oven combis

This is a microwave oven and a forced air oven in one. Ideal for people who want a versatile appliance. You use it as a microwave to quickly defrost or heat something up and as an oven to grill, bake and roast. Combine the two functions to save time and cut your energy consumption without compromising on flavour.

Overview

Microwave ovens



TILLREDA Volume: 20 l



VÄRMD Volume: 20 l



MATÄLSKARE Volume: 22 l.



MATTRADITION Volume: 22 l.



MATTRADITION Volume: 22 l.



MATTRADITION Volume: 22 l.



ANRÄTTA Volume: 31 l.



BEJUBLAD Volume: 31 l.



MÅGEBO Volume: 34 l.

Microwave oven combis



FORNEBY Volume: 43 l.



FORNEBY Volume: 43 l.



KULINARISK Volume: 43 l.



FINSMAKARE Volume: 43 l.

Key characteristics



A smart built-in **timer** tells you when your dish ready. The timer gives you full control of the cooking time.



The user-friendly **touch control panel** gives your kitchen a modern accent and is easy to clean.



The **door has been give a special anti-fingerprint treatment** that makes the stainless steel easy to clean.



Our oven doors are equipped with a ${\it child lock}$ so that kids can safely help out in the kitchen.



The safety lock keeps children from accidentally turning the oven on. It activates automatically (1 minute after the microwave oven returns to stand-by mode), which means the control panel cannot be used unless you open and close the door.

Microwave oven functions



With the **crisp function** you can bake a crunchy pizza, pie or other dish faster than in a traditional oven. Perfect for eggs, bacon, sausages and hamburgers.



Grill meat and vegetables, and take advantage of the hot air circulating from the fan to give your gratins the perfect golden brown finish



Working against the clock? Use the ${\bf quick\ start}$ function to heat up your food and drink in no time.



Defrost frozen food faster. The **defrost function** is ideal for frozen meat, poultry, fish, vegetables and bread.

Oven functions

Top and bottom heating is ideal for crispy dishes and slow-cooker stews.

The **forced air function** (fan-driven convention) quickly distributes the heat evenly around the oven so you can prepare several dishes at the same time without the flavours getting mixed together.

The **bread and pizza function** bakes delicious brown crusts and crunchy bases.

You can select the precise **preprogrammed cooking setting** for different recipes and food groups to ensure a perfect result every time.

Microwave ovens

TILLREDA

Microwave oven

White. 504.867.92



| food o | ing food couldn't be easier – simply turn the knobs and your r beverage will be ready in no time. This handy, small-size vave oven is easy to place just about anywhere. |
|-----------|--|
| Key fea | tures |
| ○ Ch | ild safety lock |
| ✓ Tin | ner/clock |
| O Tot | uch control |
| O An | ti fingerprint |
| Microw | ave programs |
| Qu | ickstart |
| Au | to/Jet defrost |
| O Cri | sp function |
| O Gri | ll function |
| Oven p | rograms |
| ОТО | and bottom heating |
| Far | n forced air convection |
| ○ Bre | ead and pizza baking |
| O Pre | eset cooking programs |
| Installa | tion |
| O Wa | Il cabinet |
| Hig | gh cabinet |
| Ba | se cabinet |
| ✓ Free | estanding |
| Accesso | ries |
| 1 rotatin | g glass plate. |
| Technic | hal info |

VÄRMD

Microwave oven IKEA 300

Black. 104.306.98



A perfect choice when you need a reliable microwave oven that heats and defrosts food. Basic function and easy to use.

| \bigcirc | Child safety lock |
|--------------------|---------------------------|
| $\tilde{\Diamond}$ | Timer/clock |
| \sim | Touch control |
| \sim | Anti fingerprint |
| | Anti inigerprint |
| Mic | rowave programs |
| \odot | Quickstart |
| \odot | Auto/Jet defrost |
| | Crisp function |
| | Grill function |
| | |
| Ove | en programs |
| | Top and bottom heating |
| | Fan forced air convection |
| Ō | Bread and pizza baking |
| $\tilde{\bigcirc}$ | Preset cooking programs |
| | |
| Inst | tallation |
| \odot | Wall cabinet |
| \odot | High cabinet |
| Ō | Base cabinet |
| | Freestanding |
| | |
| Acc | essories |
| | |

Key features

1 rotating glass plate.

Technichal info

Max microwave power: 800W. Plug included.

Measurements

Usable volume: 20 litres. W59.5×D33.5×H34.7 cm.

Max microwave power: 700W.

Plug included.

Measurements

Usable volume: 20 litres. W43.9×D34.0×H25.8 cm.

MATÄLSKARE

Microwave oven IKEA 300

Stainless steel. 403.687.70



This easy-to-use microwave has all the basic functions you need and spreads the heat evenly and quickly. The clean design fits the MATÄLSKARE oven or any of our other stainless steel ovens.

Key features

| \odot | Child | safety | lock |
|---------|-------|--------|------|
| | | | |

Anti fingerprint

Microwave programs

| \sim | |
|--|------------|
| $\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$ | Quickstart |
| | |

Auto/Jet defrost

Orisp function

Grill function

Oven programs

| () | Ton | and | hottom | heating |
|-----|-----|-----|--------|---------|
| | | | | |

Fan forced air convection

Bread and pizza baking

Preset cooking programs

Installation

Wall cabinet

High cabinet

Base cabinet
Freestanding

Accessories

1 rotating glass plate.

1 steam cooking set.

Technichal info

Max microwave power: 750W. Plug included.

Measurements

Usable volume: 22 litres. W59.5×D32.0×H39.3 cm.

MATTRADITION

Microwave oven IKEA 300

Stainless steel. 603.687.69



This easy-to-use microwave has all the basic functions you need and spreads the heat evenly and quickly. It's designed to match our traditional kitchens and perfectly fits with MATTRADITION oven.

Key features

| $\langle \nabla \rangle$ | Child | safety | locl |
|--------------------------|--------|--------|------|
| (*) | Cillia | Saicty | IOCI |

Timer/clock

Touch contro

Anti fingerprint

Microwave programs

Quickstart

Auto/Jet defrost

Crisp function

Grill function

Oven programs

| \bigcirc | Ton | and | hottom | heating |
|------------|-----|-----|--------|---------|
| | | | | |

Fan forced air convection

Bread and pizza baking

Preset cooking programs

Installation

✓ Wall cabinet

High cabinet

Base cabinet

Freestanding

Accessories

1 rotating glass plate.

1 steam cooking set.

Technichal info

Max microwave power: 750W. Plug included.

Measurements

Usable volume: 22 litres. W59.5×D32.0×H39.3 cm.

Microwave ovens

MATTRADITION

Microwave oven IKEA 300

Black. 104.117.70



This easy-to-use microwave has all the basic functions you need and spreads the heat evenly and quickly. It's designed to match our traditional kitchens and perfectly fits with MATTRADITION oven in black.

| Key features |
|---------------------------|
| Child safety lock |
| Timer/clock |
| O Touch control |
| Anti fingerprint |
| Microwave programs |
| Quickstart |
| Auto/Jet defrost |
| Crisp function |
| Grill function |
| Oven programs |
| O Top and bottom heating |
| Fan forced air convection |
| Bread and pizza baking |
| Preset cooking programs |

Accessories

Installation

Wall cabinet
High cabinet
Base cabinet
Freestanding

1 rotating glass plate. 1 steam cooking set.

Technichal info

Max microwave power: 750W. Plug included.

Measurements

Usable volume: 22 litres. W59.5×D32.0×H39.3 cm.

MATTRADITION

Microwave oven IKEA 300

White. 304.117.69



This easy-to-use microwave has all the basic functions you need and spreads the heat evenly and quickly. It's designed to match our traditional kitchens and perfectly fits with MATTRADITION oven in white.

| \odot | Child safety lock |
|---------|-------------------|
| \odot | Timer/clock |
| | Touch control |
| | Anti fingerprint |
| | |
| Mic | rowave programs |
| | Ouiskatart |

Key features

| \otimes | Quickstart |
|-----------|------------------|
| \odot | Auto/Jet defrost |
| | Crisp function |
| | Grill function |

Oven programs

| \cup | Top and bottom neating |
|--------|---------------------------|
| | Fan forced air convection |
| | Bread and pizza baking |
| | Preset cooking programs |

Installation

| \odot | Wall cabinet | | |
|---------|--------------|--|--|
| \odot | High cabinet | | |
| | Base cabinet | | |
| | Freestanding | | |

Accessories

1 rotating glass plate. 1 steam cooking set.

Technichal info

Max microwave power: 750W. Plug included.

Measurements

Usable volume: 22 litres. W59.5×D32.0×H39.3 cm.

ANRÄTTA

Microwave oven IKEA 500

Stainless steel, 704,117,67



All the benefits of a microwave, plus clever features like a crisper that produces a perfectly crisp pie bottom and a grill that's ideal for searing meat or veggies. Matches perfectly with ANRÄTTA oven.

| | _ | | |
|-----|-----|----|-----|
| Kev | fos | tu | rac |
| | | | |

| (2) | Child | safety | lock |
|-----|-------|--------|------|
| | | | |

- (Timer/clock
- O Touch control
- Anti fingerprint

Microwave programs

- Quickstart
- Auto/Jet defrost
- Crisp function
- Grill function

Oven programs

- Top and bottom heating
- Fan forced air convection
- Bread and pizza baking
- Preset cooking programs

Installation

- Wall cabinet
- High cabinet
- Base cabinet

Accessories

Freestanding

- 1 rotating glass plate.
- 1 crisp handle/plate.

Technichal info

Max microwave power: 1000W. No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 31 litres. W59.5×D46.8×H39.7 cm.

BEJUBLAD

Microwave oven IKEA 500

White, 904,117,47



All the benefits of a microwave, plus clever features like a crisper that produces a perfectly crisp pie bottom and a grill that's ideal for searing meat or veggies. Matches perfectly with BEJUBLAD oven.

Key features

- Child safety lock
- O Touch control
- Anti fingerprint

Microwave programs

- Quickstart
- Auto/Jet defrost
- Crisp function

Oven programs

- O Top and bottom heating
- Fan forced air convection
- Bread and pizza baking
- Preset cooking programs

Installation

- Wall cabinet
- High cabinet
- Base cabinet
- Freestanding

Accessories

- 1 rotating glass plate.
- 1 crisp handle/plate.

Technichal info

Max microwave power: 1000W. No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 31 litres. W59.5×D46.8×H39.7 cm.

Microwave ovens

MÅGEBO

Microwave oven IKEA 500

Black. 105.570.55



MÅGEBO microwave oven is bursting with clever features like Quick start, Auto defrost and Auto cook. As a special treat, the grill function gives meats and veggies that perfectly crisp surface all around.

Key features

| Child safety lock | $\langle \nabla \rangle$ | Child | safety | lock |
|-------------------|--------------------------|-------|--------|------|
|-------------------|--------------------------|-------|--------|------|

✓ Timer/clock

| ,) | т | | | - | h. | - | _ | n | tr | 0 | |
|-----|---|---|---|---|----|---|---|----|----|---|--|
| | 1 | U | u | L | 11 | _ | U | 11 | u | U | |

Anti fingerprint

Microwave programs

| \odot | Quickstart |
|---------|------------|
|---------|------------|

| \supset | Auto/Jet | defros |
|-----------|----------|--------|
| | | |

Grill functionOven programs

O Top and bottom heating

| _ | | | | | |
|-----|------|--------|-----|-------|--------|
| ·) | Ean | forced | air | conv | oction |
| . / | raii | IUICEU | all | COLLA | CLUUI |

Preset cooking programs

Installation

○ Wall cabinet

| ah cahine |
|-----------|
| |

Base cabinet

Freestanding

Accessories

1 microwave oven grill grid included.

Technichal info

Max microwave power: 1000W.

No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 34 litres. W59.5×D46.8×H39.7 cm.

Microwave combi with forced air

FORNEBY

Microwave combi with forced air IKEA 500

Black. 205.569.08



A microwave and oven combination in a traditional style with a spacious interior. Ideal for smaller kitchens or if you cook a lot and need an extra oven. It is designed to perfectly match FORNEBY oven.

Key features

| $\overline{}$ | | | |
|---------------|-------|--------|------|
| (~) | Child | safety | lock |

O Touch contro

Anti fingerprint

Microwave programs

Quickstart

Auto/Jet defrost

Grill function

Oven programs

Top and bottom heating

Fan forced air convection

Bread and pizza baking

Preset cooking programs

Installation

○ Wall cabinet

High cabinet

Base cabinet

Freestanding

Accessories

1 glass bottom tray included.

1 wire shelf included.

1 baking tray included.

Technichal info

Max microwave power: 1000W.

No plug included. Wired-in installation. Installation to be made by a qualified installer

Measurements

Usable volume: 43 litres. W59.4×D56.7×H45.5 cm.

Crisp function

Bread and pizza baking

FORNEBY

Microwave combi with forced air IKEA 500

Stainless steel. 805.577.83



A microwave and oven combination in a traditional style with a spacious interior. Ideal for smaller kitchens or if you cook a lot and need an extra oven. It is designed to perfectly match FORNEBY oven.

Key features

| | | Chi | اما مما | fati. | امماد |
|---|---|-----|---------|-------|-------|
| ۱ | ~ | Chi | ld sa | tetv | lock |

| = | | |
|----|-------------|--|
| _ | | |
| ~) | Timer/clock | |
| | | |

| () | To | uch | con | trol |
|--------|-----|------|------|------|
| \cup | 101 | ucii | COII | UUI |

Anti fingerprint

Microwave programs

| \otimes | Quickstart |
|-----------|------------|
|-----------|------------|

| \odot | Auto/Jet | defros |
|---------|----------|--------|
|---------|----------|--------|

Oven programs

| $\langle \rangle$ | Top and | bottom | heating |
|-------------------|---------|--------|---------|
| | | | |

| (\bigcirc) | Fan | forced | air | convectio | r |
|----------------|-----|--------|-----|-----------|---|
| | | | | | |

Preset cooking programs

Installation

○ Wall cabinet

| $\overline{}$ | | |
|---------------|------|--------|
| (~/) | High | cahine |

 \odot Base cabinet

Freestanding

Accessories 1 glass bottom tray included.

1 wire shelf included.

1 baking tray included.

Technichal info

Max microwave power: 1000W. No plug included. Wired-in installation. Installation to be made by a qualified installer.

Measurements

Usable volume: 43 litres. W59.4×D56.7×H45.5 cm.

KULINARISK

Microwave combi with forced air IKEA 700

Stainless steel. 204.168.14



A microwave and oven combo that has a large interior and is packed with functions – a practical choice for smaller kitchens or if you cook a lot and need an extra oven. Matches other KULINARISK appliances.

Key features

| \bigcirc | Chil | d ca | foty | lock |
|------------|------|------|------|------|
| | | | | |

Touch control

Anti fingerprint

Microwave programs

Quickstart

Auto/Jet defrost

Grill function

Oven programs

Top and bottom heating

Fan forced air convection

 $\langle \rangle$ Bread and pizza baking

Preset cooking programs

Installation

Wall cabinet

High cabinet

Base cabinet

Freestanding

Accessories

1 glass bottom tray.

1 wire shelf. 1 baking tray.

Technichal info

Max microwave power: 1000W. No plug included. Installation required.

Measurements

Usable volume: 43 litres. W59.4×D56.7×H45.5 cm.

Grill function

Bread and pizza baking

Hobs

A cook's best friend, the kitchen hob is central to everyday cooking. Our energy-saving induction hobs deliver fast and precise cooking results, are very easy to use and include all the functions you may need. Each has its own unique features and a variety of sizes – choose between one to several flexible zones – to perfectly suit your kitchen and your cooking style.

How to choose your next hob:

01

How often do you use your hob? We have everything from portable one-zone

hobs to high-quality gas

and induction hobs.

02

How many dishes do you cook at the same time? Choose from a small hob with one or two heat zones or extra wide hobs for large pots and pans.

03

What kind of cook are you? If you like to have control of everything, choose an induction or gas hob or combine the two with domino hobs. You can also choose a hob with flexible zones, which you adapt to the size and shape of your pot or pan.



Whatever your fancy, you can always be confident your appliance is made for a long life.
The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).



Not all zones can be used simultaneously at high power

The cooking zones are paired into 2 groups (left or right), each which is connected to a phase with a maximum power supply. If you are using more than one zone connected to the same phase, a power management system kicks in to ensure they do not exceed the maximum power supply. This means that the power of the previously activated cooking zone will be reduced. If you want maximum power in two pans, they need to be in opposite groups.

Whats's that noise?

When your induction hob makes noises, it is perfectly normal. You may hear a low humming sound, whistling or ticking. It is all part of the induction technology and simply means your hob is doing its job. If you are curious, have a look in the user manual and get acquainted with the different types of noises and why they occur.

Sustainability

Save time and energy while you cook!

Like to cook but don't always have enough time? Induction hobs heat up your pots and pans in a super efficient way. That means faster cooking and more time to sit and enjoy great home cooked meals with family or friends. Because induction hobs only heat your cookware, they use less electricity and they're safer.

Types



Induction hobs

Induction hobs work 50% faster and consume 40% less energy. You can select every function and set the temperature with the push of a button.



Induction hob with integrated extractor hood

You don't need an extraction hood above a hob with built-in extraction. This is the perfect solution for a kitchen island. The built-in extractor adapts to the situation: the hotter the air, the more powerful the suction.



Gas hobs

Gas hobs are more than simply professional looking kit for ambitious amateur cooks. They heat up fast and they are ideal for searing and frying.

Overview

Induction hobs



TILLREDA 30 cm



TILLREDA 30 cm



LAGAN 30 cm



LAGAN 56 cm



VÄLBILDAD 300 29 cm



VILSTA 59 cm



MATMÄSSIG 59 cm



TREVLIG 59 cm



KOLSTAN 58 cm



KOLSTAN 58 cm



SMAKLIG 59 cm



HÖGKLASSIG 700 59 cm



BLIXTSNABB 700 78 cm



ROGESTAD 78 cm

Induction hob with integrated extractor hood



FÖDELAKTIG 500 60 cm



FÖDELAKTIG 700 83 cm

Gas hobs



SKÅLAN 59 cm



SKÅLAN 59 cm



SKÅLAN 74 cm



VASASTAN 59 cm




VASASTAN 74 cm

Induction hob characteristics



A **portable** hob is ideal for compact kitchens or when you need an extra cooking zone. Portable and easy to stow away when not in use to keep the worktop uncluttered and available for other activities. Just plug it in when you need it.



Select the number of cooking zones you need, based on your cooking requirements and the number of dishes you prepare at the same time. We have hobs with 1, 2, 3 and 4 heating zones. Also consider the width: clearly, the bigger the hob, the more space you have for pots and pans.



Activate the **pause function** to temporarily power down all active zones. Press again to resume cooking at the same temperature. It's a convenient way to stay safe of you're interrupted without having to wait for the hob to get back up to the desired temperature.



Press the **child lock** button for 4 seconds to lock the hob. Press again for 4 seconds to unlock. You can also do this when your cleaning the hob to ensure you don't activate zones by accident.



The **individual timers** in each zone help you keep a close eye on every part of your dish. Ideal for cooking eggs, rice and pasta.



The **touch/press control panel** makes it easy to precisely set the temperature with the +/– buttons.



The **touch/slide control panel** gives you precise control of the temperature in each zone. You can select every function and set the temperature with the push of a button.



The integrated extractor unclutters your kitchen as you can do without a hood above the cooking zone. The extractor adapts to the situation: the hotter the hob, the more powerful the suction.




The **bridging function** allows you to merge two cooking zones into one to accommodate large pots for special recipes and special occasions.



Use the heating zone together or separately to create a **flexible cooking zone** that suits pots and pan in various shapes and sizes.



The **power booster** delivers additional power to a single cooking zone, perfect for boiling water. The booster can be set with just one touch.



If you like cooking, you'll love the **cooking mode preset**. Move the pot to the flexible zone for a low, medium or high temperature.

INDUCTION HOB

TILLREDA

Portable induction hob, 1 zone

White, 805,901,55





Ideal for compact kitchens or when you need an extra cooking zone. Portable and easy to stow away when not in use to keep the worktop uncluttered and available for other activities.

Key characteristics

- ✓ Portable
- Pause function

- Booster
- Bridging function
- O Flexible zone
- Touch and press control panel
- O Touch and slide control panel
- Ocoking mode preset
- Integrated extractor hood

Technical information

Power cord included. Cooking zone dimensions: 1×175 mm. Cooking zone power: 1×1200W.

Current: 10A.

Dimensions 27×30×6.2 cm.

Weight 3 kg.

TILLREDA

Portable induction hob, 2 zones

White, 705,931,21





Ideal for compact kitchens or when you need an extra cooking zone. Portable and easy to stow away when not in use to keep the worktop uncluttered and available for other activities.

Key characteristics

- ✓ Portable
- ② 2 zones
- Pause function

- Booster
- Bridging function
- Flexible zone
- Touch and press control panel
- O Touch and slide control panel
- Ocoking mode preset
- Integrated extractor hood

Technical information

Power cord included.

Cooking zone dimensions: 1×158 mm and 1×170 mm. Cooking zone power: 1×1200W and 1x2000W. Current: 15A.

Dimensions 28×52×6.2 cm. Weight 4.5 kg.

LAGAN

Induction hob, plug-in, 1 zone

Black. 605.055.68





This 1-zone induction hob lets you set the temperature quickly and precisely. The surface is easy to rub clean after use. And the hob is very easy to install. Just plug it in and start cooking!

Key characteristics

- ⊘ Portable
- 2 zones
- Pause function
- O Child lock
- Booster
- Bridging function
- O Flexible zone
- Touch and press control panel
- O Touch and slide control panel
- Ocoking mode preset
- Integrated extractor hood

Technical information


Power cord included. Cooking zone dimensions: 1×150 mm. Cooking zone power: 2000W. Current: 10A.

Dimensions 30×38×5.9 cm. Weight 35 kg.

LAGAN

Induction hob, plug-in, 2 zones

Black. 705.060.96



This 2-zone induction hob lets you set the temperature quickly and precisely. The surface is easy to rub clean after use. And the hob is very easy to install. Just plug it in and start cooking!

in each zone.

Key characteristics

✓ Portable

2 zones Pause function

Booster

Bridging function

O Flexible zone

⊙ Touch and press control panel

O Touch and slide control panel

Ocoking mode preset

Integrated extractor hood

Technical information

Power cord included.

Cooking zone dimensions: 1×145 mm and 1×150 mm. Cooking zone power: 1×1200W and 1x2000W. Current: 15A.

Dimensions

56×38×5.7 cm. Weight 6.5 kg.

VÄLBILDAD 300

Induction hob

Black. 204.675.92





This energy-efficient 2-zone induction hob is ideal when you don't have much space. It comes with a set of clever functions, including a timer and a booster

Key characteristics

O Portable

② 2 zones

Pause function

Ohild lock

⊘ Timer

Booster

Bridging function

O Flexible zone

Touch and press control panel

O Touch and slide control panel

Ocoking mode preset

Integrated extractor hood

Technical information

Power cord included. This appliance should be installed by a qualified installer. Cooking zone dimensions: 2×160 mm. Cooking zone power: 2×1400W.

Current: 2x16A.

Dimensions 29×52 cm.

VILSTA

IKEA 300 Induction hob

Black. 905.577.25





This energy-efficient induction hob has the basic functions you need. It is quick, efficient and has 4 cooking zones that will have you cooking to perfection.

Key features

Portable

Number of zones: 4

Child lock

○ Timer

Touch and slide

✓ Touch and press

O Pause function

Integrated extrator

Functions

Booster

Bridge function

Flexible zone

Pre-set cooking mode

Technical information

Cable for wired-in installation included in the package. Installation to be made by a qualified installer. Cooking zone measurements: 2×145 mm, 1×210 mm, 1×180 mm.

Cooking zone efficiency: 2×1400W, 1×2200W, 1×1700W.

Current:2×16A or 1×32A.

Dimensions

59×52 cm.

INDUCTION HOB

MATMÄSSIG

IKEA 300 Induction hob

Black. 104.670.93



TREVLIG

IKEA 300 Induction hob

Black. 504.678.35



KOLSTAN

IKEA 500 Induction hob

Black. 805.594.66





This induction hob has all the basic functions, plus 2 cooking zones with power booster, ideal for boiling water, stir-frying or searing meat. The child lock keeps small helping hands out of danger.



This induction hob has all the basic functions, plus 4 cooking zones with power booster, ideal for boiling water, stir-frying or searing meat. The child lock keeps small helping hands out of danger.



A clean design and energy-efficient induction. The bridging function allows you to connect 2 cooking zones into 1 large one so you can use larger or oddsize pots.

Key features

O Portable

Number of zones: 4

Child lock

O Touch and slide

✓ Touch and press

Pause function

Integrated extrator

Key features

OPortable

Number of zones: 4

Child lock

✓ Timer

Touch and slide

O Touch and press

Pause function

Integrated extrator

Key features

O Portable

Number of zones: 4

Child lock

✓ Timer

O Touch and slide

O Touch and press

Pause function

Integrated extrator

Functions

Booster (2)

Bridge function

Flexible zone

Pre-set cooking mode

Functions

Booster (4)

Bridge function

Flexible zone

Pre-set cooking mode

Functions

Booster (4)

Bridge function

Flexible zone

Pre-set cooking mode

Technical informationPlug not included. Wired-in installation. Installation to be made by a qualified installer.

Cooking zone measurements: 2×180 mm, 1×145 mm, 1×210mm.
Cooking zone efficiency: 1×2300W, 2×1800W,

Current: 2×16A or 1×32A.

Dimensions 59×52 cm.

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified installer.

Cooking zone measurements: 2×180 mm, 1×145 mm, 1×210mm.
Cooking zone efficiency: 1×2100W, 2×1800W,

Current: 2×16A or 1×32A.

Dimensions

59×51 cm.

Technical informationPlug not included. Wired-in installation. Installation to be made by a qualified installer.

Cooking zone measurements: 2×210x190 mm, 1×200 mm, 1×145 mm. Cooking zone efficiency: 2×2100W, 1×2300W,

Current: 2×16A or 1×32A.

Dimensions

58×52 cm.

KOLSTAN

IKEA 500 Induction hob

White, 105, 594, 60





A clean design and energy-efficient induction. The bridging function allows you to connect 2 cooking zones into 1 large one so you can use larger or oddsize pots.

Key features

O Portable

Number of zones: 4

Child lock

O Touch and slide

O Touch and press

Pause function

Integrated extrator

Functions

O Booster (4)

Bridge function

Flexible zone

Pre-set cooking mode

Technical informationPlug not included. Wired-in installation. Installation to be made by a qualified installer.

Cooking zone measurements: 2×210×190 mm, 1×200 mm, 1×145 mm. Cooking zone efficiency: 2×2100W, 1×2300W,

1×1400W.

Current: 2×16A or 1×32A.

Dimensions 58×52 cm.

SMAKLIG

IKEA 500 Induction hob

Black. 504.678.83





A clean design and energy-efficient induction. 4 power boosters provide rapid heat and the bridging function allows you to connect 2 cooking zones into 1 large one so you can use larger or odd-size pots.

Key features

OPortable

Number of zones: 4

Child lock

✓ Timer

O Touch and slide

Touch and press

Pause function

Integrated extrator

Functions

Booster (4)

Bridge function

O Flexible zone

Pre-set cooking mode

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified installer.

Cooking zone measurements: 2×180×230 mm,

1×145 mm, 1×210mm. Cooking zone efficiency: 1×2100W, 2×1750W, 1×1200W. Current: 2×16A or 1×32A.

Dimensions

59×51 cm.

ROGESTAD

IKEA 500 Induction hob

Black. 705.595.13





A wide, energy-efficient induction hob with clean design. Each zone has a power booster and the bridge function allows you to pair 2 cooking zones into 1 large one – ideal for larger or odd-size pots.

Key features

O Portable

Number of zones: 4

Child lock

O Touch and slide

O Touch and press

Pause function

Integrated extrator

Functions

Booster (4)

Bridge function

Flexible zone

Pre-set cooking mode

Technical informationPlug not included. Wired-in installation. Installation to be made by a qualified installer. Cooking zone measurements: 2×210×190 mm,

1×200 mm, 1×160 mm. Cooking zone efficiency: 2×2100W, 1×2300W,

Current:2×16A or 1×32A.

Dimensions 78×52 cm.

INDUCTION HOB

HÖGKLASSIG **IKEA 700 Induction hob**

Black. 404.678.26





Looks as good as it cooks with black glass, a sleek bevelled edge and a variety of functions. It is quick, energy-efficient and you can adjust to low, medium or high heat simply by sliding the pot or pan.

Key features

O Portable

Number of zones: 4

O Child lock

✓ Touch and slide

O Touch and press

Pause function

Integrated extrator

Functions

O Booster (4)

⊗ Bridge function

Flexible zone

Pre-set cooking mode

Technical informationPlug not included. Wired-in installation. Installation to be made by a qualified installer.
Cooking zone measurements: 2×220×220 mm, 2×170×265mm.
Cooking zone efficiency: 4×2300W.
Current: 2×16A or 1×32A.

Dimensions 59×52 cm.

BLIXTSNABB

IKEA 700 Induction hob

Black. 604.678.30





This wide hob has a sleek beveled edge and all the functions a master chef needs. With 5 cooking zones there is plenty of space for all the things you have cooking.

Key features

OPortable

Number of zones: 5

Child lock

✓ Timer

✓ Touch and slide

O Touch and press

Pause function

Integrated extrator

Functions

Booster (5)

Bridge function

Pre-set cooking mode

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified installer. Cooking zone measurements: 2×220×220 mm, 2×180×210mm, 1×210mm. Cooking zone efficiency: 5×2300W. Current: 2×16A or 1×32A.

Dimensions

78×52 cm.

INDUCTION HOB WITH INTEGRATED EXTRACTOR

FÖRDELAKTIG 500



Induction hob with integrated extractor hood

Black. 405.158.65





No need for a fixed extractor hood – you can place this hob anywhere you please. This streamlined induction hob comes with a built-in extractor that activates automatically - the hotter the temperature, the harder it works.

Key characteristics

Portable

 \bigcirc 4 zones

 \odot Pause function

 $\langle \rangle$ Child lock

 $\langle \vee \rangle$ Timer

 \odot Booster

Bridging function

Touch and press control panel

 $\langle \rangle$ Touch and slide control panel

Cooking mode preset

 $\langle \rangle$ Integrated extractor hood

Technical information

Power cord included. Wired-in installation. This appliance should be installed by a qualified installer.

Cooking zone dimensions: 2×210×190mm, 1×145mm and 1×200mm.

Cooking zone power: 2×2100W, 1×2300W and 1×1400W.

Current: 1×32A/2×16A/3×16A.

Technical data:

Energy efficiency class: A+.

Extraction rate with booster function: 630 m³/h.

Extraction rate: 500 m³/h.

Noise level at maximum recirculation speed: 66 dB (A).

Extraction rate in recirculation mode: 370 m³/h.

Noise level at maximum recirculation speed: 71 dB (A).

Power: 220W.

Dimensions 60×52 cm.

FÖRDELAKTIG 700



Induction hob with integrated extractor hood

Black, 504,494,03





This is a flexible induction hob and efficient extraction hood in one. As a result, you don't have an extraction hood above the cooking surface - ideal in open kitchens with an island.

Key characteristics

Portable

 \bigcirc 4 zones

 \odot Pause function

Child lock

Timer

 \odot Booster

 \odot Bridging function

 $\langle \rangle$ Flexible zone

Touch and press control panel

 $\langle \rangle$ Touch and slide control panel

 \odot Cooking mode preset

Integrated extractor hood

Technical information

Power cord included. Wired-in installation.

This appliance should be installed by a qualified installer.

Cooking zone dimensions: 4×220×185 mm.

Cooking zone power: 4×2100W (4×3700W with booster) Current: 2x16A or 1x32A.

Technical data:

Energy efficiency class: A++.

Extraction rate with booster function: 700 m³/h.

Extraction rate: 550 m³/h.

Noise level at maximum recirculation speed: 66 dB (A).

Extraction rate in recirculation mode: 380 m³/h.

Noise level at maximum recirculation speed: 73 dB (A).

Power: 220W.

Dimensions 83×52 cm.

HOB ACCESSORIES



NYTTIG hob separator, 60 cm. You don't need a partition when you install a hob in a cabinet with drawers.
You don't need one when you install a hob in a base cabinet for an integrated oven.

White

102.432.96

GAS HOBS

SKÅLAN IKEA 300 gas hob

Stainless steel. 205.234.23





A gas hob in stainless steel with electronic ignition that starts up with the turn of a knob. No wobbling pots or pans thanks to the sturdy cast iron supports that make cooking safer.

Key features

✓ 4 zones



Electrical ignition

Wok support

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified installer. Cooking zone measurements/efficiency: Right front: 5 cm –1000W. Left front: 11.5 cm – 4000W. Left rear: 6.2 cm – 1850W. Right rear: 6.2 cm -1850W.

Included Cord/cable included. Installation kit included. Conversion kit included.

Dimensions

59.4×51 cm.

SKÅLAN IKEA 300 gas hob

Black. 305.302.77





A gas hob with a bold black finish and electronic ignition that starts it up with the turn of a knob. No wobbling pots or pans thanks to the sturdy cast iron supports that make cooking safer.

Key features

 \odot 4 zones

 \bigcirc Electrical ignition

Wok support

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified installer. Cooking zone measurements/efficiency: Right front: 5 cm –1000W. Left front: 11.5 cm – 4000W. Left rear: 6.2 cm – 1850W. Right rear: 6.2 cm -1850W.

Included
Cord/cable included. Installation kit included. Conversion kit included.

Dimensions 59.4×51 cm.

SKÅLAN

IKEA 500 gas hob

Stainless steel. 905.235.80





A gas hob in stainless steel with electronic ignition that starts up with the turn of a knob. No wobbling pots or pans thanks to the sturdy cast iron supports that make cooking safer.

Key features

 \odot 5 zones

 \odot Electrical ignition

Wok support

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified installer. Cooking zone measurements/efficiency: Right front: 6.2 cm – 2000W. Left front: 5 cm – 1000W. Left rear: 9.4 cm - 3000W. Right rear: 6.2 cm - 2000W. Centre: 11.5 cm - 4000W.

Included

Cord/cable included. Installation kit included. Conversion kit included.

Dimensions 74.4×51 cm.

GAS HOBS

VASASTAN

IKEA 500 gas hob

Glass/white. 105.241.83





A gas hob in white with electronic ignition that starts up with the turn of a knob. The sleek glass surface is easy to clean and the sturdy cast iron supports prevent pots from wobbling.

Key features

 \odot 4 zones

 \odot Electrical ignition

Wok support

Technical informationPlug not included. Wired-in installation.
Installation to be made by a qualified installer. Cooking zone measurements/efficiency: Right front: 5 cm –1000W. Left front: 11.5 cm –3000W. Left rear: 6.2 cm - 2000W. Right rear: 6.2 cm - 2000W.

Included

Cord/cable included. Installation kit included. Conversion kit included.

Dimensions 59×51 cm.

VASASTAN

IKEA 700 gas hob

Glass/black. 405.236.05





A 5-zone gas hob with a bold look for the aspiring chef. Electronic ignition and a sleek, easy-clean glass surface. No wobbling pots or pans thanks to the sturdy cast iron supports that make cooking safer.

Key features

 \odot 5 zones

 \odot Electrical ignition

Wok support

Technical information

Plug not included. Wired-in installation. Installation to be made by a qualified

Cooking zone measurements/efficiency: Right front: 5 cm –1000W. Left front: 6.2 cm – 2000W. Left rear: 6.2 cm - 2000W.

Right rear: 6.2 cm - 4000W. Centre: 11.5 cm - 4000W.

Included

Cord/cable included. Installation kit included. Conversion kit included.

Dimensions

74×51 cm.



Extractor hoods

An extractor hood helps keep your kitchen air clean and free from smells, steam and grease. Our models now come with different air caption capacities, which means they have all been optimised to only extract the air that needs to leave the house, while keeping warm or cool air inside. And since an extractor hood is also an important visual element in any kitchen, we have a wide range of wall-mounted, built-in, or ceilingmounted models to suit different room settings and needs.

When choosing an extraction hood you should bear the following in mind:

01

02

03

How wide is your hob? Your extraction hood must be at least as wide. How is your kitchen set up? A quiet extraction hood is advisable if you live in an open-plan home. Do you have air extraction or do you prefer a charcoal filter? Check whether the extraction hood can connect to the outside vent. If not, you will need to choose an extraction hood with a charcoal filter. That extracts the grease and smells out of the air and replaces it with clean air.



Whatever your fancy, you can always be confident your appliance is made for a long life.
The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).




Airborne acoustic noise emissions

Appliance noise levels are measured in decibels (dB). Our extraction hoods are tested in setting 3 to determine the dB level.

The noise level of your extraction hood is influenced by:

- Installation type. Extraction mode or recirculation mode.
- Length and diameter of the vent pipe between the extraction hood and the outside vent. The longer the vent pipe and the smaller its diameter, the louder it will be.
- 90° bends. The more bends in a vent pipe, the louder it will be.

The decibel levels are stated in the product information, allowing you to compare the and choose the extraction hood that fits your needs and wants.



Tip/note

Every 6dB rise doubles the noise level. So 66dB is twice as loud as 60dB and 72dB is four times as loud as 60dB.

Extractor hood types



Built-in extractor hood

If you are looking for a harmonious, streamlined kitchen, choose an integrated extraction hood with a front that goes with the rest of your kitchen.



Ceiling-mounted extraction hoods

A ceiling-mounted extractor hood is the ideal solution for a cooking island.



Wall-mounted extraction hoods

Our wall-mounted extraction hoods are available in lots of shapes, sizes and styles. Choose an original extraction hood or one that matches your other appliances and the look of your kitchen. Ensure the extraction hood is at least as wide as your hob or even a little wider to get the best performance.

Tips

Did you know that your extraction hood works more efficiently if you turn it on five minutes before you start cooking? In this case, the air will be circulated and the extraction hood will do a better job of removing cooking odours. Leave the extraction hood on for 10-15 minutes afterwards to allow it to remove the last of the odours from the kitchen.

Overview

Built-in extractor hoods







UNDERVERK 60 cm



UNDERVERK 80 cm

Ceiling-mounted extraction hoods



SVÄVANDE 90 cm



OMNEJD 90 cm

Wall-mounted extraction hoods



LAGAN 60 cm



LAGAN 60 cm



RYTMISK 60 cm



RYTMISK 90 cm



60 cm

MATÄLSKARE 60 cm



60 cm

MATTRADITION



BALANSERAD 80 cm



UPPFRISKANDE 80 cm



FOKUSERA 70 cm



FULLSTÄNDIG 80 cm



BEMÖTA 66 cm



FINSMAKARE 70 cm



FÖLJANDE 80 cm



KULINARISK 90 cm

Extractor hood characteristics



All extraction hoods are equipped with low-energy **LED lighting**. This lightning typically works for the whole life of the extraction hood, illuminating the whole hob, which makes it easy to get your tasks done.



When you prepare a lot of different ingredients, your kitchen will be permeated by various odours. The **booster function** is the ideal solution. It gets the extractor fan working even faster than the highest setting for up to six minutes to remove strong cooking odours.



You can also set the light level with the **dimmer switch**. Brighter when you are cooking, cosier when you are dining.



The user-friendly **touch control** panel is easy to clean and gives you kitchen a modern accent.



Built-in extractor hoods

LAGAN D



Wall mounted extractor hood

White. 504.013.83





A kitchen hood with LED lighting and all the basic functions you need. Can be mounted in a wall cabinet for a uniform look in the kitchen. Combine with LAGAN oven and LAGAN hob.

Key features

LED lighting

Booster function Dimmable lighting

Touch control

Technical information

Energy class: D (from E to A++). Extraction rate in exhaust mode: 273 m³/h. Noise level at max exhaust speed: 71 dB (A). Extraction rate in re-circulation mode: 75 m³/h. Noise level at max re-circulation speed: 71 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 125. For re-circulation installation: Please use charcoal filter NYTTIG FIL 900.

Measurements

Width: 60.0 cm. Depth: 51.0 cm. Height: 13.0 cm. Cord length: 1.3 m. Motor power: 115W.

LAGAN (C)



Wall mounted extractor hood

Stainless steel. 203.889.67





A kitchen hood with LED lighting and all the basic functions you need. Can be mounted in a wall cabinet for a uniform look in the kitchen. Combine with LAGAN oven and LAGAN hob.

Key features

 \bigcirc

LED lighting Booster function

Dimmable lighting

Touch control

Technical information

Energy class: C (from E to A++). Extraction rate in exhaust mode: 322 m³/h. Noise level at max exhaust speed: 73 dB (A). Extraction rate in re-circulation mode: 116 m³/h. Noise level at max re-circulation speed: 77 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 125. For re-circulation installation: Please use charcoal filter NYTTIG FIL 900.

Measurements

Width: 60.0 cm. Depth: 51.0 cm. Height: 13.0 cm. Cord length: 1.3 m. Motor power: 115W.

UTDRAG B

Built-in extractor hood

Stainless steel. 103.891.42





Prefer a hidden hood? UTDRAG built-in extractor hood with LED lighting is mounted almost invisibly in a wall cabinet. You start it and adjust the extraction area by pulling out the hood's lower part.

Key features

LED lightingBooster functionDimmable lightingTouch control

Technical information

Energy class: B (from E to A++). Extraction rate in exhaust mode: 340 m³/h. Noise level at max. exhaust speed: 67 dB (A). Extraction rate in re-circulation mode: 140 m³/h. Noise level at max. re-circulation speed: 72 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 120. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 59.9 cm. Depth: 38.7-64.4 cm. Height: 21.5 cm. Cord length: 1.0 m. Motor power: 110W.

UNDERVERK A*

Built-in extractor hood Stainless steel. 703.891.39







A powerful hood hidden in the cabinet – you just choose a door you like to get a uniform look in the kitchen. A LED lighting strip gives even work lighting – making cooking more comfortable.

Key features

LED lighting
 Booster function
 Dimmable lighting
 Touch control

Technical information

Energy class: A+ (from E to A++). Extraction rate in exhaust mode: 630 m³/h. Noise level at max. exhaust speed: 64 dB (A). Extraction rate in re-circulation mode: 365 m³/h. Noise level at max. re-circulation speed: 79 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150.
For re-circulation installation: Please use charcoal filter NYTTIG FIL 500.
For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 59.9 cm. Depth: 35.8 cm. Height: 24.5 cm. Cord length: 1.0 m. Motor power: 250W.

Built-in extractor hoods

UNDERVERK A**



ecocheques

Built-in extractor hood Stainless steel. 103.939.74



A powerful hood hidden in the cabinet – you just choose a door you like to get a uniform look in the kitchen. A LED lighting strip gives even work lighting - making cooking more comfortable.

Key features

LED lighting Booster function Dimmable lighting

Technical information

Energy class: A+ (from E to A++). Extraction rate in exhaust mode: 630 m³/h. Noise level at max. exhaust speed: 64 dB (A). Extraction rate in re-circulation mode: 365 m³/h. Noise level at max. re-circulation speed: 79 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 500. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 79.9 cm. Depth: 35.8 cm. Height: 24.5 cm. Cord length: 1.0 m. Motor power: 250W.

Wall mounted extractor hods

RYTMISK B



Wall mounted extractor hood

Stainless steel. 803.889.69





Classic hood with all the basic functions needed. The timeless stainless steel design fits most kitchens and all of our other stainless steel appliances. A LED lighting strip gives even work lighting.

Key features

LED lighting Dimmable lighting

Technical information

Energy class: B (from E to A++). Extraction rate in exhaust mode: 400 m³/h. Noise level at max. exhaust speed: 66 dB (A). Extraction rate in re-circulation mode: 190 m³/h. Noise level at max. re-circulation speed: 71 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 400.

Measurements

Width: 59.8 cm. Depth: 47.1 cm. Height in exhaust mode: 62.0-99.5 cm. Height in re-circulation mode: 71.5-99.5 cm. Width of chimney: 16.7 cm. Depth of chimney: 16.9 cm. Cord length: 1.0 m. Motor power: 110W.

RYTMISK



Wall mounted extractor hood

Stainless steel. 703.893.42





Classic hood with all the basic functions needed. The timeless stainless steel design fits most kitchens and all of our other stainless steel appliances. A LED lighting strip gives even work lighting.

Key features

LED lighting

Booster fund

Dimmable lighting

- I I I I I

Technical information

Energy class: B (from E to A++). Extraction rate in exhaust mode: 400 m³/h. Noise level at max exhaust speed: 65 dB (A). Extraction rate in re-circulation mode: 190 m³/h. Noise level at max re-circulation speed: 70 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 400.

Measurements

Width: 89.8 cm.
Depth: 47.1 cm.
Height in exhaust mode: 62.0-99.5 cm.
Height in re-circulation mode: 71.5-99.5 cm.
Width of chimney: 16.7 cm.
Depth of chimney: 16.9 cm.
Cord length: 1.2 m.
Motor power: 110W.

MATÄLSKARE



Wall mounted extractor hood

Stainless steel. 903.688.00





This hood with clean, straight lines fits perfectly in a modern kitchen. A LED light strip provides even lighting and the low noise level allows you to easily talk with your friends while cooking.

Key features

LED lighting

Booster function

O Dimmable lighting

Technical information

Energy class: A (from E to A++).
Extraction rate in exhaust mode: 511 m³/h.
Noise level at max exhaust speed: 65 dB (A).
Extraction rate in re-circulation mode: 398 m³/h.
Noise level at max re-circulation speed: 70 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 559. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 59.8 cm.
Depth: 45.8 cm.
Height in exhaust mode: 63.5-107.5 cm.
Height in re-circulation mode: 63.5-108.8 cm.
Width of chimney: 23.7 cm.
Depth of chimney: 24.7 cm.
Cord length: 1.2 m.
Motor power: 210W.

Wall mounted extractor hods

MATÄLSKARE



Wall mounted extractor hood Black. 103.889.77





This hood with clean, straight lines fits perfectly in a modern kitchen. A LED light strip provides even lighting and the low noise level allows you to easily talk with your friends while cooking.

Key features

LED lighting

Booster function

Dimmable lighting

Technical information

Energy class: A (from E to A++). Extraction rate in exhaust mode: 511 m³/h. Noise level at max exhaust speed: 65 dB (A). Extraction rate in re-circulation mode: 398 m³/h. Noise level at max re-circulation speed: 70 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 559. For this installation also NYTTIG TUB 150 is required.

Measurements

Motor power: 210W.

Width: 59.8 cm.
Depth: 45.8 cm.
Height in exhaust mode: 63.5-107.5 cm.
Height in re-circulation mode: 63.5-108.8 cm.
Width of chimney: 23.7 cm.
Depth of chimney: 24.7 cm.
Cord length: 1.2 cm.

MATTRADITION



Wall mounted extractor hood Stainless steel. 703.688.01





This hood with round, soft edges fits perfectly in a traditional kitchen. A LED light strip provides even lighting and the low noise level allows you to easily talk with your friends while cooking.

Key features

LED lightingBooster functionDimmable lighting

Technical information

Energy class: A (from E to A++). Extraction rate in exhaust mode: 552 m³/h. Noise level at max exhaust speed: 63 dB (A). Extraction rate in re-circulation mode: 371 m³/h. Noise level at max re-circulation speed: 70 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 440. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 59.8 cm.
Depth: 45.8 cm.
Height in exhaust mode: 74.5-106.7 cm.
Height in re-circulation mode: 74.5-114.2 cm.
Width of chimney: 23.7 cm.
Depth of chimney: 24.7 cm.
Cord length: 1.3 m.
Motor power: 210W.

MATTRADITION



Wall mounted extractor hood Black. 703.891.44





This hood with round, soft edges fits perfectly in a traditional kitchen. A LED light strip provides even lighting and the low noise level allows you to easily talk with your friends while cooking.

Key features

LED lightingBooster functionDimmable lighting

Touch contro

Technical information

Energy class: A (from E to A++). Extraction rate in exhaust mode: 552 m³/h. Noise level at max exhaust speed: 65 dB (A). Extraction rate in re-circulation mode: 398 m³/h. Noise level at max re-circulation speed: 71 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150.
For re-circulation installation: Please use charcoal filter NYTTIG FIL 440.
For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 59.8 cm.
Depth: 45.8 cm.
Height in exhaust mode: 74.5-106.7 cm.
Height in re-circulation mode: 74.5-114.2 cm.
Width of chimney: 23.7 cm.
Depth of chimney: 24.7 cm.
Cord length: 1.3 m.
Motor power: 210W.

MATTRADITION



Wall mounted extractor hood White. 403.891.45





This hood with round, soft edges fits perfectly in a traditional kitchen. A LED light strip provides even lighting and the low noise level allows you to easily talk with your friends while cooking.

Key features

LED lightingBooster functionDimmable lightingTouch control

Technical information

Energy class: A (from E to A++). Extraction rate in exhaust mode: 552 m³/h. Noise level at max exhaust speed: 65 dB (A). Extraction rate in re-circulation mode: 398 m³/h. Noise level at max re-circulation speed: 71 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150.
For re-circulation installation: Please use charcoal filter NYTTIG FIL 440.
For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 59.8 cm. Depth: 45.8 cm. Height in exhaus

Height in exhaust mode: 74.5-106.7 cm. Height in re-circulation mode: 74.5-114.2 cm. Width of chimney: 24.7 cm.

Depth of chimney: 23.7 cm. Cord length: 1.3 m. Motor power: 210W.

Wall mounted extractor hods

BALANSERAD (A**)



ecocheques


UPPFRISKANDE (A)



ecocheques

Wall mounted extractor hood

Stainless steel/glass. 505.269.91







The glass creates a light and airy impression. Easy access to the controls in front, a LED lighting strip gives even light and the large extraction area picks up fumes effectively, also with larger hobs.

Key features

 $\langle \rangle$

LED lighting Booster function



Technical information

Energy class: A+ (from E to A++). Extraction rate in exhaust mode with booster function: 753 m³/h. Extraction rate in exhaust mode: 453 m³/h. Noise level at max exhaust speed: 61 dB (A). Extraction rate in re-circulation mode: 422 m³/h. Noise level at max re-circulation speed: 70 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 559. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 79.8 cm. Depth: 45.2 cm. Height in exhaust mode: 73.4-126.2 cm. Height in re-circulation mode: 69.6-119.5 cm. Width of chimney: 31.0 cm. Depth of chimney: 29.0 cm. Cord length: 1.3 m. Motor power: 210W.





A powerful hood with LED lighting, where you decide the look; mounted inside a wall cabinet or out in the open, with a visible chimney. Either way, the robust steel will be part of your kitchen design.

Key features

LED lighting

 \bigcirc \odot

Booster function Dimmable lighting

Technical information

Energy efficiency class: A+ (from E to A++)
Extraction rate in exhausting mode with booster function: 724 m³/h.
Extraction rate in exhausting mode: 430 m³/h.
Noise level at max. exhaust speed: 57 dB (A). Extraction rate in re-circulation mode: 354 m³/h. Noise level at max. re-circulation speed: 69 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 440. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 80.0 cm. Depth: 51.0 cm. Height in exhaust mode: 75.0-103.0 cm. Height in re-circulation mode: 73.5-109.0 cm. width of chimney: 24.0 cm. Depth of chimney: 25.0 cm. Cord length: 1.3 m. Motor power 270W.

FOKUSERA (A**)





FULLSTÄNDIG

White, 705,270,08



ecocheques

Wall mounted extractor hood

Black. 205.269.97







A fan that will be seen with its bold, distinctive design, while being easy to place in any kitchen. A LED lighting strip gives even light – making it more convenient for you to cook.

Key features

LED lighting Booster function Dimmable lighting

Technical information

Energy class: A+ (from E to A++). Extraction rate in exhaust mode: 669 m³/h. Noise level at max exhaust speed: 57 dB (A). Extraction rate in re-circulation mode: 384 m³/h. Noise level at max re-circulation speed: 69 dB (A).



For ducted installation: Please use NYTTIG TUB 150.
For re-circulation installation: Please use charcoal filter NYTTIG FIL 440. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 69.8 cm. Depth: 45.0 cm. Height in exhaust mode: 77.0-101.4 cm. Height in re-circulation mode: 77.0-108.3 cm. Width of chimney: 31.0 cm. Depth of chimney: 25.0 cm. Cord length: 1.3 m. Motor power: 260W.





This hood has a different design that gives character to any kitchen. And it still fits almost everywhere. A LED lighting strip gives even lighting - making cooking more comfortable.

Key features

LED lighting Booster function Dimmable lighting

Technical information

Energy class: A+ (from E to A++). Extraction rate in exhaust mode: 640 m³/h. Noise level at max exhaust speed: 63 dB (A). Extraction rate in re-circulation mode: 383 m³/h. Noise level at max re-circulation speed: 68 dB (A).



Installation

For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 440. For this installation also NYTTIG TUB 150 is required.

Measurements Width: 79.8 cm. Depth: 49.8 cm. Height in exhaust mode: 75.6-102.3 cm. Height in re-circulation mode: 75.6-109.5 cm. Width of chimney: 24.0 cm. Depth of chimney: 25.0 cm. Cord length: 1.3 m. Motor power: 260W

Wall mounted extractor hods

BEMÖTA





FINSMAKARE A"

Black. 503.891.40

Wall mounted extractor hood





Wall mounted extractor hood

Stainless steel. 903.893.36





Energy-efficient hood with a design that makes working by the hob easier. The booster function especially reduces strong smells, and the LED lighting strip gives you even and comfortable work lighting.

Key features

 \odot LED lighting

 $\langle \rangle$ Booster function

 \odot Dimmable lighting

Technical information

Energy class: A++ (from E to A++). Extraction rate in exhaust mode with booster function: 700 m³/h. Extraction rate in exhaust mode: 380 m³/h. Noise level at max exhaust speed: 60 dB (A). Extraction rate in re-circulation mode: 380 m³/h. Noise level at max re-circulation speed: 78 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 500. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 69.8 cm. Depth: 38.1 cm. Height in exhaust mode: 81.5-106.5 cm. Height in re-circulation mode: 91.2-118.5 cm. Width of chimney: 30.0 cm. Depth of chimney: 20.0 cm.

Cord length: 1.0 m Motor power: 270W.





A clean, modern design with an easy-care glass surface. The extractor hood's angle makes the hob area more accessible and two dimmable LED lighting strips give even light - so it's easier to cook.

Key features

 \odot

LED lighting

 $\langle \rangle$ Booster function

Dimmable lighting

 \bigcirc Touch control

Technical information

Energy class: A++ (from E to A++). Extraction rate in exhaust mode with booster function: 740 m³/h. Extraction rate in exhaust mode: 400 m³/h. Noise level at max exhaust speed: 59 dB (A). Extraction rate in re-circulation mode: 380 m³/h. Noise level at max re-circulation speed: 74 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 500. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 69.8 cm. Depth: 38.4 cm.

Height in exhaust mode: 78.2-105.7 cm. Height in re-circulation mode: 90.7-115.7 cm.

Width of chimney: 29.8 cm. Depth of chimney: 20.0 cm. Cord length: 1.0 m.

Motor power: 270W.

FÖLJANDE A









Wall mounted extractor hood

Stainless steel, 205,217,06





The spice rack and rails for hanging utensils clears up space on your worktop and enhances the traditional look in your kitchen. A LED lighting strip gives even light - making it more convenient to cook.

Key features

LED lighting $\langle \rangle$ Booster function

Dimmable lighting \odot

Technical information

Energy class: A++ (from E to A++). Extraction rate in exhaust mode with booster function: 813 m³/h. Extraction rate in exhaust mode: 437 m³/h. Noise level at max exhaust speed: 59 dB (A). Extraction rate in re-circulation mode: 296 m³/h. Noise level at max re-circulation speed: 67 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 440. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 80.0 cm. Depth: 48.0 cm. Height in exhaust mode: 99.0-153.5 cm. Height in re-circulation mode: 99.0-153.5 cm. Width of chimney: 27.9 cm. Depth of chimney: 24.0 cm. Cord length: 1.0 m. Motor power: 160W.

KULINARISK (A**) ecocheques

Wall mounted extractor hood

Stainless steel/glass. 303.831.44





A clean design with modern functions like touch control. A large extraction area picks up fumes and a dimmable LED lighting strip gives even light. Matches other appliances in the KULINARISK series.

Key features

 \odot

LED lighting

 \bigcirc Booster function

Dimmable lighting

 \bigcirc Touch control

Technical information

Energy class: A++ (from E to A++). Extraction rate in exhaust mode with booster function: 700 m³/h. Extraction rate in exhaust mode: 380 m³/h. Noise level at max exhaust speed: 59 dB (A). Extraction rate in re-circulation mode: 340 m³/h. Noise level at max re-circulation speed: 74 dB (A).



For ducted installation: Please use NYTTIG TUB 150 For re-circulation installation: Please use charcoal filter NYTTIG FIL 650. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 89.8 cm. Depth: 46.0 cm. Height in exhaust mode: 73.0-89.0 cm. Height in re-circulation mode: 73.0-101.0 cm. Width of chimney: 30.0 cm. Depth of chimney: 26.0 cm. Cord length: 1.0 m. Motor power: 270W.

Ceiling mounted extractor hoods





OMNEJD A*** ecocheques

Stainless steel, 105,217,35

Ceiling-mounted extractor hood



Ceiling-mounted extractor hood

Stainless steel, 403,890,89







The spice rack and rails for hanging utensils clears up space on the worktop and inspires cooking. The large extraction area suits larger hobs and a dimmable LED lighting strip gives even light.

Timeless stainless steel design gives a stylish look. The large extraction area takes care of cooking fumes effectively, even from large hobs, and LED lighting spreads even light on the kitchen island.

Key features

LED lighting $\langle \rangle$ Booster function \odot Dimmable lighting Touch control

Technical information

Energy class: A+ (from E to A++). Extraction rate in exhaust mode with booster function: 710 m³/h. Extraction rate in exhaust mode: 360 m³/h. Noise level at max exhaust speed: 60 dB (A). Extraction rate in re-circulation mode: 350 m³/h. Noise level at max re-circulation speed: 75 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 650. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 89.8 cm. Depth: 59.8 cm. Height in exhaust mode: 74.0-102.5 cm. Height in re-circulation mode: 83.0-107.5 cm. Width of chimney: 35.0 cm. Depth of chimney: 29.0 cm. Cord length: 1.0 m. Motor power: 270W.

Key features

 \odot

 \bigcirc

LED lighting

Technical information

Booster function

Dimmable lighting

Energy class: A++ (from E to A++). Extraction rate in exhaust mode with booster function: 813 m³/h. Extraction rate in exhaust mode: 437 m³/h. Noise level at max exhaust speed: 59 dB (A). Extraction rate in re-circulation mode: 296 m³/h. Noise level at max re-circulation speed: 67 dB (A).



For ducted installation: Please use NYTTIG TUB 150. For re-circulation installation: Please use charcoal filter NYTTIG FIL 440. For this installation also NYTTIG TUB 150 is required.

Measurements

Width: 90.0 cm. Depth: 60.0 cm. Height in exhaust mode: 104.0-131.0 cm. Height in re-circulation mode: 104.0-131.0 cm. Width of chimney: 27.7 cm. Depth of chimney: 27.8 cm. Cord length: 1.3 m. Motor power: 160W.

EXTRACTOR HOOD ACCESSORIES

Charcoal filters

Our charcoal filters efficiently absorb cooking odours in re-circulation mode. If you clean it every three months it will serve you for 2-3 years.





904.213.36

NYTTIG FIL 120 charcoal filter.





NYTTIG FIL 400 charcoal filter.

704.019.47





NYTTIG FIL 440 charcoal filter.

704.019.52





NYTTIG FIL 500 charcoal filter.

004.019.55



NYTTIG FIL 559 charcoal filter.

900.279.72



NYTTIG FIL 650 charcoal filter.

003.953.51



NYTTIG FIL 900 charcoal filter.

604.019.57

Flexible pipes



NYTTIG TUB 125 flexible pipe.

600.899.85



NYTTIG TUB 150 flexible pipe.

902.502.59

Fridges and freezers

Yes, an IKEA fridge or freezer keeps your food fresh for longer, but they do so much more to help make your life a little nicer. There are plenty of features for storing and enjoying your food in the best way possible—like, a chill mode for glass bottles, fan cooling for consistent temperatures, electronic displays for settings and functions, and fast freezing (just to name a few).

How to choose your next fridge and freezer:

01

How much food do you store in your fridge or freezer? How many people are in your family? Do you pop to the shop often? We have fridges and freezers with various dimensions to choose from.

02

Like a specific function or accessories to make it easier to keep your fridge/ freezer neat and tidy? We have something for every need.

03

What's your favourite style and what works in your kitchen? Choose freestanding appliances to catch the eye in your kitchen or prefer built-in appliances for a streamlined look.



Whatever your fancy, you can always be confident your appliance is made for a long life.
The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).



Sustainability

Did you know that approximately a third of all food produced in the world is not eaten? That's like dumping every third bag of groceries straight into the bin! IKEA fridges and freezers are packed with clever features to help you keep you food fresh for longer. And throwing out more food saves you money and time on your shop.

Tips

Did you know that a built-in fan keeps you food fresher for longer. The fan spreads cool air to keep the temperature the same in the whole fridge. When the temperature is the same everywhere you can place food and drink wherever you want to.

Did you know that defrosting and scraping ice out the freezer is history? The no-frost function automatically regulates the humidity to prevent ice from forming.

Fridge and freezer types



Integrated

For harmonious look, **install** your fridge /freezer behind the same fronts as the rest of your kitchen.



Integrated under worktop

In a compact kitchen, or if you don't cook much, you can also place a fridge/freezer between two cabinets **under the worktop**.



Freestanding

If you prefer an eye-catching fridge/freezer for your kitchen, go for **freestanding** appliances. These also provide more space than integrated fridges/freezers without taking up more space.

Overview

Under worktop fridges and freezers



TYLLSNÄS IKEA 500 Usable volume: 92/15 litres



FASTNÄS IKEA 500 Usable volume: 130 litres

Integrated fridges and freezers



LAGAN freezer Usable volume: 85 litres



LAGAN fridge Usable volume: 126 litres



IKEA 500 Usable volume: 174/16 litres



LUMNÄS IKEA 500 Usable volume: 205 litres



RISNÄS IKEA 500 Usable volume: 192/79 litres



RÅKALL IKEA 500 Usable volume: 153/79 litres



TINAD IKEA 500 Usable volume: 210/79 litres



FORSNÄS fridge IKEA 700 Usable volume: 310 litres



FORSNÄS freezer IKEA 700 Usable volume: 212 litres



IKEA 700 Usable volume: 194/62 litres



KÖLDGRADER IKEA 700 Usable volume: 213/61 litres

Freestanding fridges and freezers



TILLREDA Usable volume:



LAGAN Usable volume:



LAGAN Usable volume: 115/59 litres



LAGAN Usable volume: 197/65 litres



VINDÅS **IKEA 300** Usable volume: 223/120 litres



ALINGSÅS IKEA 500 Usable volume: 210/106 litres



IKEA 700 Usable volume: 249/106 litres



RIBBENÅS IKEA 700 Usable volume: 347/169 litres

Key features



A built-in **cooling fan** spreads the air and maintains a consistent temperature throughout, allowing you to make use of the entire space and store all types of food and beverages anywhere.



You'll never ever have to defrost or scrap ice again! The **no frost** function automatically regulates the humidity levels to prevent frost and ice to spread on food or in the fridge.



The **touch control panel** makes it easy to select the right functions and temperature settings, whether you are cooling dessert, freezing fresh vegetables or going on vacation.



Integrated **LED light** technology illuminates every corner. The light source is maintenance-free, lasts the lifetime of the appliance and makes it easier for you to see what food and drinks you have.

Functions

Vacation mode allows you to keep the empty fridge closed while you're away without a bad odour forming.

The **fast cooling** mode allows you to quickly cool down fresh food and beverage, perfect after major groceries shopping.

With **fast freeze** you can quickly reduce the temperature to lock in the freshness and nutrients of food, even in large amounts.

With **bottle chill mode**, an alarm sounds at the end of the cool down time. Perfect if you want to chill glass bottles in the freezer or to cool food.

If the door of the appliance is not properly closed the **door alarm** will make a sound to remind you to close it.

The **temperature alarm** warns you if there is a sudden temperature increase caused by a malfunction.

Your food stays fresh and tasty longer when you set the optimal temperature for what you are storing in the **variable temperature drawer**.

Interior accessories

Don't forget all the yummies in the back of the fridge! This shelf pulls out and revolves, so you can see and reach the smallest jars hiding in the back. A smart addition to your fridge or cabinet.



SNURRAD storage turntable, transparent.

905.061.04



INTEGRATED FRIDGES



Integrated fridge

005.728.53

LUMNÄS (E



IKFA 500 Integrated fridge 305.728.56

HÅLLNÄS (E)



IKEA 500 Integrated fridge with freezer compartment 005.728.67



A small fridge for smaller-sized kitchens. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen. Combines well with LAGAN freezer.



A medium-sized fridge with adjustable shelves that let you adapt the space to your needs. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen.



Medium-sized with small freezer compartment and adjustable shelves so you can adapt the space to your needs. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen.

Key features

Fan – cooling

No frost/automatic defrost

 \odot Led light

Functions

Vacation mode

Fast cooling

Fast freeze

Bottle chill

Door alarm

Key features

Fan – cooling

Fast cooling

Fast freeze

Bottle chill

Door alarm

Temperature alarm

4 adjustable shelves included.

No frost/automatic defrost

Led light

Functions

Accessories

Functions

 \odot

Key features

Vacation mode Fast cooling

Led light

Fan – cooling

No frost/automatic defrost

Fast freeze

Bottle chill

Accessories

Temperature alarm

Freezer compartment. 3 adjustable shelves included. 1 crisper is included.

Accessories

3 adjustable shelves included. 1 crisper is included.

Temperature alarm

Technical information

Technical information

1 crisper is included.

Energy effiency class: E (from G to A). Energy consumption: 101 kWh/year. Noise level: 35 dB (A). Connection cable included.

Volume/litres: 205.

Technical information

Energy effiency class: E (from G to A). Energy consumption: 149 kWh/year. Noise level: 35 dB (A). Connection cable included.

Volume/litres: 174/16.

Volume/litres: 126.

Noise level: 29 dB (A). Connection cable included.

Energy effiency class: E (from G to A). Energy consumption: 92 kWh/year.

Measurements

W54×D55.5×H85.5 cm.

Measurements

W54×D55×H122.5 cm.

Measurements W54×D55×H122.5 cm.

83

INTEGRATED FRIDGES

FORSNÄS



IKFA 700 Integrated fridge 305.729.84



ecocheques

INTEGRATED FREEZERS





Integrated freezer

005.728.48





IKFA 700 Integrated freezer 005.729.90



ecocheques



A spacious and energy-efficient fridge with touch control. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen. Combines well with FORSNÄS freezer.



Small freezer with transparent drawers so you see what's inside. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen. Combines well with LAGAN fridge.



A spacious freezer with touch control and auto defrost. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen. Combines well with FORSNÄS fridge. You can set the appliance to work in freezer or fridge mode.

Key features

- Fan cooling
- No frost/automatic defrost
- \bigcirc Led light
- Touch control $\langle \rangle$

Functions

- Vacation mode
- \odot Fast cooling
- Bottle chill \bigcirc Door alarm
- Temperature alarm

Accessories

- 5 adjustable shelves included.
- 1 bottle shelf included.
- 1 humidity controlled crisper included.
- 1 crisper is included.

Technical informationEnergy effiency class: D (from G to A).
Energy consumption: 91 kWh/year. Noise level: 35 dB (A). Connection cable included.

Volume/litres: 310.

Measurements W54×D55×H178.5 cm.

Key features

- Fan cooling
- No frost/automatic defrost
 - Led light

Functions

- Vacation mode
- Fast cooling
- Bottle chill
- Door alarm
- Temperature alarm
- 1 freezer flap included.
- 2 freezer drawers included.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 168 kWh/year Noise level: 37 dB (A) Connection cable included.

Volume/litres: 85.

Measurements W54×D55×H85.5 cm.

Accessories

Vacation mode

Led light

Fast cooling \odot Fast freeze

Bottle chill

Functions

Key features

Fan – cooling

No frost/automatic defrost

Door alarm

Temperature alarm

Accessories

- 4 adjustable shelves included.
- 4 freezer drawers included.

Technical information

Energy effiency class: D (from G to A). Energy consumption: 189 kWh/year. Noise level: 35 dB (A). Connection cable included.

Volume/litres: 212.

Measurements

W54×D55×H178.5 cm.

INTEGRATED FRIDGES/FREEZERS





IKFA 500 Integrated fridge/freezer 105.730.60



A fridge/freezer combo with touch-control and adjustable shelves so you can adapt the space to your needs. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen.

RÅKALL 6



IKFA 500 Integrated fridge/freezer 805.728.68





IKFA 500 Integrated fridge/freezer 005.728.72



A fridge/freezer combo with adjustable shelves so you can adapt the space to your needs. For a uniform look, hide it inside a cabinet with a door that matches the rest of your kitchen.



A fridge/freezer combo with adjustable shelves and bottle rack so you can adapt the space to your needs.

Key features

Fan - cooling

No frost/automatic defrost

 \bigcirc Led light

 \odot Touch control

Functions

Vacation mode

Fast cooling \odot

 \odot Fast freeze Bottle chill

Door alarm

Temperature alarm

Accessories

3 adjustable shelves included.

1 crisper is included.

1 fixed shelf included.

2 freezer drawers included. 1 ice scraper included.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 226 kWh/year. Noise level: 38 dB (A). Connection cable included.

Volume/litres: 192/79.

Measurements W54×D55×H178.5 cm.

Key features

No frost/automatic defrost

Vacation mode

3 freezer drawers.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 219 kWh/year. Noise level: 35 dB (A). Connection cable included.

Volume/litres: 153/79.

Measurements W54.5×D54.5×H157.6 cm.

Fan – cooling

Led light

Touch control

Functions

Fast cooling

Bottle chill

Door alarm

Temperature alarm

Accessories

3 adjustable shelves.

1 crisper.

1 ice scraper.

1 bottle shelf. 1 crisper. 3 freezer drawers.

Key features

Functions

 \odot

Fan – cooling

Vacation mode

Fast cooling

Bottle chill

Door alarm

3 adjustable shelves.

Temperature alarm

Led light

No frost/automatic defrost

1 ice scraper.

Accessories

Technical informationEnergy efficiency class: E (from G to A).
Energy consumption: 225 kWh/year Noise level: 35 dB (A). Connection cable included.

Volume/litres: 210/79

Measurements

W54×D54.5×H185 cm.

INTEGRATED FRIDGES/FREEZERS

KÖLDGRADER

IKFA 750 Integrated fridge/freezer 505.527.44



A spacious fridge/freezer combo with auto defrost and smart storage solutions to keep your food fresh longer.

UNDER COUNTER FRIDGES AND FREEZERS

TYLLSNÄS **[**

IKEA 500 Integrated under worktop fridge with freezer compartment 105.683.51

FASTNÄS (E)

IKFA 500 Integrated under worktop fridge 105.680.06



Small fridge with freezer compartment, so you have all-in-one for small space living. Placing it under the worktop between two cabinets with a door that matches the kitchen creates a uniform style.



Practical for smaller spaces since you can place this small fridge under the worktop between two cabinets. For a uniform look, add a door that matches the rest of your kitchen.

Key features

Fan – cooling

No frost/Automatic defrost \odot

 \odot Led light

 $\langle \vee \rangle$ Touch control

Functions

Vacation mode

Fast cooling \odot

 \odot Fast freeze

 \odot Bottle chill

 $\langle \rangle$ Door alarm

 $\langle \rangle$ Temperature alarm

Accessories

4 adjustable shelves.

2 crispers.

1 egg tray. 3 freezer drawers.

1 Ice cube tray.

2 freezer blocks.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 215 kWh/year Noise level: 36 dB (A). Connection cable included.

Volume/litres: 213/61.

Measurements W54×D54.9×H188.4 cm.

Key features

Fan – cooling

No frost/automatic defrost

Led light

Functions

Vacation mode

Fast cooling

Bottle chill

Door alarm

Accessories

1 adjustable shelf included.

Temperature alarm

1 crisper is included.

Key features

Fan – cooling

No frost/automatic defrost

Led light

Functions

Vacation mode

Bottle chill Door alarm

Temperature alarm

Accessories

2 adjustable shelves included.

1 crisper is included.

Technical information

Energy effiency class: E (from G to A). Energy consumption: 145 kWh/year. Noise level: 37 dB (A). Connection cable included.

Volume/litres: 92/15.

Measurements

W59.5×D55.2×H81.5 cm.

Technical information

Energy effiency class: E (from G to A). Energy consumption: 92 kWh/year. Noise level: 35 dB (A). Connection cable included.

Volume/litres: 130.

Measurements

W59.5×D55.2×H81.5 cm.

FREESTANDING FRIDGES



Fridae

White. 605.787.29

LAGAN (E

Fridge with freezer compartment White. 305.788.01

LAGAN (E

Fridge/freezer

White. 105.679.26



A small fridge for a small-sized kitchen. Also handy in the den, basement, guest house, dorm room or wherever you may want quick access to a beverage or snack.



This freestanding fridge with freezer compartment has all the basic functions you need. The small size is ideal for small-sized kitchens. The adjustable shelves allow you to adapt the space inside.



This freestanding fridge/freezer combo has all the basic functions you need. It has adjustable shelves so you can adapt the space, and the transparent drawers make it easy to see what's inside.

Key features

- Fan cooling No frost/automatic defrost
-) Led light O Touch control

Functions

- Fast freeze
- O Bottle chill
- O Door alarm
- O Temperature alarm

Accessories

1 shelf.

1 water tray for defrost.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 80 kWh/year. Noise level: 41 dB (A). Connection cable included.

Volume/litres: 43.

Measurements W47.2×D45×H49.2 cm.

Key features

- Fan cooling
 - No frost/automatic defrost
- ✓ Led light

Functions

- Vacation mode

- Bottle chill
- Temperature alarm

- Accessories
 1 adjustable shelf included.
- 1 crisper is included.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 143 kWh/year Noise level: 41 dB (A). Connection cable included.

Volume/litres: 97/16.

Measurements

W55×D57×H83.2 cm.

Key features

- Fan cooling
- No frost/Automatic defrost
- Led light

Functions

- Vacation mode

- Bottle chill
- Temperature alarm

Accessories

- 2 adjustable shelves included. 1 crisper is included. Fully extendable freezer compartment.
- 2 freezer drawers included.

Technical information

Energy effiency class: E (from G to A). Energy consumption: 195 kWh/year. Noise level: 38 dB (A). Connection cable included.

Volume/litres: 115/59.

Measurements

W50×D54×H141.8 cm.

FREESTANDING FRIDGES/FREEZERS

LAGAN



Fridge/freezer

White. 005.712.93



This freestanding fridge/freezer combo has all the basic functions you need. It has adjustable shelves so you can adapt the space, and the transparent drawers make it easy to see what's inside.

VINDÅS



IKEA 300 Fridge/freezer Stainless. 105.680.68

ALINGSÅS D



IKFA 500 Fridge/freezer Stainless. 205.679.59



ecocheques



This fridge/freezer in stainless steel has a clean, simple design with integrated handles for a sleek look. Adjustable storage bins in the fridge door allow you to fit bottles of different heights.



A fridge/freezer with hidden handles for a sleek look. It has an integrated fan that circulates the air for a consistent temperature, a humidity controlled crisper drawer as well as automatic defrost.

Key features

- Fan cooling
 - No frost/Automatic defrost
- \odot Led light
- \odot Touch control

Functions

- Vacation mode
- Fast cooling
- \odot Fast freeze Bottle chill
- Temperature alarm

Accessories

- 3 shelves included.
- 1 crisper is included.
- 2 freezer drawers included.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 204 kWh/year Noise level: 38 dB (A)

Volume/litres: 197/65.

Measurements W54.7×D56.8×H177.3 cm.

Kev features

- Fan cooling
- No frost/Automatic defrost
- Led light

Functions

- Vacation mode
- Bottle chill
- Temperature alarm

Accessories

- 1 crisper is included.
- 3 freezer drawers included. 3 shelves included.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 244 kWh/year Noise level: 38 dB (A) Power supply cable with plug included.

Volume/litres: 223/120.

Measurements

W59.5×D68.5×H185.7 cm.

Key features

- Fan cooling
- \odot No frost/Automatic defrost
- $\langle \rangle$ Led light
- Touch control \bigcirc

Functions

- ✓ Vacation mode
- \odot Fast freeze
- Bottle chill
- \odot Door alarm
- Temperature alarm

Accessories

- 1 humidity controlled crisper included.
- 2 shelves included.

3 freezer drawers included.
Drawer for storing seafood, meat and dairy products.

Technical information

Energy efficiency class: D (from G to A). Energy consumption: 198 kWh/year Noise level: 35 dB (A). Power supply cable with plug included.

Volume/litres: 210/106.

Measurements

W59.5×D66.3×H186.5 cm.

FREESTANDING FRIDGES/FREEZERS

MÖLNÅS



IKEA 700 Fridge/freezer Stainless. 705.608.42

RIBBENÅS ()



IKEA 700 French door fridge/freezer Stainless. 905.807.59



An energy-efficient fridge/freezer in stainless steel with hidden handles for a sleek look. Overflowing grocery bags are no match as both fridge and freezer compartments are generously sized.



This stainless steel fridge/freezer caters to food lovers and large households. Great overview and easy reach. Food stays fresh longer by adapting the temperature in the variable temperature drawer.

Key features

- Fan cooling
- \odot No frost/Automatic defrost
- \odot Led light
- \odot Touch control

Functions

- ✓ Vacation mode
- Fast freeze \odot
- Bottle chill
- Door alarm
- Temperature alarm

Accessories

- 3 adjustable shelves included. 1 humidity controlled crisper included.
 Drawer for storing seafood, meat and dairy products.
 3 freezer drawers included.

Technical information

Energy efficiency class: C (from G to A). Energy consumption: 170 kWh/year Noise level: 35 dB (A)
Power supply cable with plug included.

Volume/litres: 249/106.

Measurements

W59.5×D66.3×H203.5 cm.

Key features

- Fan cooling
- No frost/Automatic defrost
- Led light
- Touch control

Functions

- Vacation mode
- Fast cooling
- Fast freeze
- Bottle chill
- \odot Door alarm
- Temperature alarm
- Variable temperature drawer

Accessories

- 2 adjustable shelves included.
- 2 crispers included.
- 2 large freezer drawers with compartments.

Technical information

Energy efficiency class: E (from G to A). Energy consumption: 306 kWh/year Noise level: 35 dB (A) Power supply cable with plug included.

Volume/litres: 347/169.

Measurements

W83.3×D65.3×H189.8 cm.

Dishwashers

Our integrated dishwashers are designed to be fitted with your choice of door for a seamless match with the rest of your kitchen. The tall interiors provide generous space for dishes and there are several clever features like the delayed-start function that allows you to run the dishwasher when you want to take advantage of off-peak utility rates. There's also an AutoOpen function that automatically opens the door at the end of the cycle to improve drying performance.

How to choose your next dishwasher:

01

02

How much room do you have and how many people are in your family? We have dishwashers in various shapes and sizes.

Need special programs? Like three tiers to pack more into a wash? You have plenty of space for all your dirty dishes, so your kitchen always look neat and tidy.

Sustainability

Take a seat and relax, while you watch your water bill tumble! The dishwasher does the job while you enjoy a meal or a do something else that's more fun. A dishwasher consumes less water and energy than dishwashing by hand. So as well as living more sustainably, you also save time and your bills are lower.




Whatever your fancy, you can always be confident your appliance is made for a long life. The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).

Tips

Did you know that all our dishwashers are built-in models? You can install it behind a front that goes with the rest of your kitchen.

Did you know that you can dry your dishes without consuming more energy? Meet the AutoOpen function! When the drying cycle starts at the end of the washing cycle, the door automatically opens to speed up the drying process. Clever, eh?




Airborne acoustic noise emissions

Appliance noise levels are measured in decibels (dB). The noise level (dB) depends on the program you select. Our dishwashers are tested while running the eco program. The decibel levels are stated in the product information, allowing you to compare the and choose the dishwasher that fits your needs and wants.

Tip/note

Every 6dB rise doubles the noise level. So 66dB is twice as loud as 60dB and 72dB is four times as loud as 60dB.



Key features



All our dishwashers are **fully integrated** to match the rest of your kitchen.



Our dishwashers have **different sizes** for different needs and kitchens. They're 45 cm or 60 cm wide, and you can choose between models with 2 or 3 levels – 3 levels hold more.



With **adjustable baskets** you can make room for plates and glasses of different sizes.



The cutlery rack at the top of the dishwasher is ideal for flatware, utensils and much more, giving you more space and flexibility.



Towards the end of the program, the **auto open** function automatically opens the door so that the dishes dry as quickly as possible.



The **mineral drying** feature uses minerals to produce heat and efficiently dry the dishes. The minerals will last over the entire lifespan

of your dishwasher.




The **delayed start** function allows you to run the dishwasher when you want. Our machines have delay options from 3 up to 24 hours.



LED lighting in the dishwasher provides a nice and convenient light when you put in and take out the dishes.



A **XL tub** dishwasher is dimensioned for IKEA kitchens, but it has more interior space than standard tubs.



With the **beam on floor** function, a beam of light shines on your floor when the dishwasher is running.



The **time beam on floor** function projects a beam of light on the floor telling you the remaining time of the washing program.

Programs

AUTO

For all types of load – crockery, cutlery and pots and pans.

ECO

A more sustainable, water-saving option. For normally dirty crockery and cutlery.

INTENSIVE

For all types of load – crockery, cutlery and pots and pans – when they're really dirty!

RAPID

Perfect if you're in a hurry or have a lot of dishes. For recently used crockery and cutlery.

1 HOUF

For mixed tableware and cutlery with lightly dried-on food remnants.

GLASS

For delicate crockery and glassware that's not too dirty.

PRE WASH

This is a pre wash for very dirty crockery.

SILENT

Extra quiet – ideal for open plan homes or when your dishwasher is close to where you eat. For normally dirty crockery and cutlery.

MACHINE CARE

This program performs dishwasher maintenance by cleaning the interior of the dishwasher using hot water.

Additional features

DDV DI IIG

A higher temperature during the final rinse and an extended drying phase ensure the drying performance, even for plastics.

EXTRA HYGIENE

A higher temperature (70°C) for at least ten minutes during the last rinse provides an extra good hygienic and disinfecting result.

SAVE TIME

Shortens the washing time by up to about 66 percent, depending on the program you choose.

INTENSIVE ZONE

Extra intensive washing in the lower basket, perfect for very dirty dishes such as pans and baking dishes.

HALF-LOAD

Use this program with small loads. The running time is shortened, energy and water consumption are reduced. It is recommended to add less detergent than with a full load.

EXTRA SILENT

This option decrease the water pressure, therefore providing a more sensitive and silent wash.

POWER CLEAN

Improves the dishwashing results of the selected program by increasing the wash temperature and duration.

Overview

DISHWASHERS



LAGAN 60 cm



RENGÖRA 300 60 cm



RÅGLANDA 500 60 cm



TORSBODA 700 60 cm



KALLBODA 700 60 cm



ÖSTVEDA 500

60 cm

FRÖSLUNDA 500 45 cm



FINPUTSAD 700 45 cm

Accessories



VÅGLIG connecting rail for fronts. You can use the VÅGLIG fitting to harmonise the door of your dishwasher with the other doors and drawer fronts in your kitchen, creating a smart, streamlined look. 005.181.92

INTEGRATED DISHWASHERS, 60 cm

LAGAN 60 cm **Integrated dishwasher** 005.680.16





A reliable dishwasher with all the functions you need to get the job done.

Key features

| • | |
|------------|------------------------------|
| \odot | Number of place settings: 13 |
| \odot | Sound signal |
| \bigcirc | Beam-on-floor |
| \bigcirc | Time beam on the floor |
| \odot | Adjustable upper basket |
| \bigcirc | Delayed start (three hours) |
| \bigcirc | Interior LED lighting |
| \bigcirc | Automatic door opening |
| \bigcirc | XL tub |
| \bigcirc | Mineral dry |
| \bigcirc | Cutlery rack |
| \odot | Water stop system |
| | |

Programs

| • |
|--------------|
| Auto |
| Eco |
| Intensive |
| Rapid |
| 1 hour |
| Glass |
| Pre wash |
| Silent |
| Machine care |
| |

Optional programs

Dry plus Extra hygiene Intensive zone Save time Half load

Technical informationEnergy efficiency class: E (from G to A).
Energy consumption: 0.95 kWh/standard cycle, eco program. Water consumption: 9.5 l/standard cycle, eco program. Airborne acoustic noise emissions: 46 dB (A).



Installation

This appliance should be installed by a qualified installer. Power cord included. Diffusion barrier included for added protection against moisture.

Dimensions 59.8×55.5×82 cm.

RENGÖRA 60 cm [1] IKEA 300 Integrated dishwasher

404.755.72





This dishwasher beats washing by hand every day of the week – and it consumers less water and energy. All the basic functions you need to make your life easier in the kitchen.

Key features

| \otimes | Number of place settings: 13 | |
|------------|--------------------------------|--|
| \odot | Sound signal | |
| \bigcirc | Beam-on-floor | |
| \bigcirc | Time beam on the floor | |
| \odot | Adjustable upper basket | |
| \odot | Delayed start (up to 12 hours) | |
| \bigcirc | Interior LED lighting | |
| \odot | Automatic door opening | |
| \bigcirc | XL tub | |
| | Mineral dry | |
| | Cutlery rack | |
| \odot | Water stop system | |
| | | |
| Progr | Programs | |
| \bigcirc | Auto | |

| \bigcirc | Auto |
|-------------------|-------------------|
| \odot | Eco |
| \bigcirc | Intensive |
| \odot | Rapid |
| \bigcirc | Wineglass program |
| \odot | Pre wash |
| \bigcirc | Silent |
| $\langle \rangle$ | Machine care |

Optional programs

Half load

Technical information

Energy efficiency class: E (from G to A).
Energy consumption: 0.94 kWh/standard cycle, eco program.
Water consumption: 12 l/standard cycle, eco program.
Airborne acoustic noise emissions: 46 dB (A).



Installation

This appliance should be installed by a qualified installer. Power cord included. Diffusion barrier included for added protection against moisture.

Dimensions 59.8×55.5×82 cm.

RÅGLANDA 60 cm IKEA 500 Integrated dishwasher

005.680.35





This quiet dishwasher does the work without disturbing the conversation. The self-clean function and option to shorten washing time when you're in a hurry are other perks that make kitchen-life easier.

Key features

| \odot | Number of place settings: |
|-------------------|---------------------------|
| \odot | Sound signal |
| \odot | Beam on floor |
| | Time beam on the floor |
| \odot | Adjustable upper basket |
| \odot | Delayed start (up to 24h) |
| | Interior LED lighting |
| \odot | Automatic door opening |
| | XL tub |
| | Mineral dry |
| | Cutlery rack |
| $\langle \rangle$ | Water stop system |

Programs

| \bigcirc | Auto |
|------------|-------------|
| \bigcirc | Eco |
| \odot | Intensive |
| \bigcirc | Rapid |
| \bigcirc | 1 hour |
| \odot | Glass |
| \odot | Pre wash |
| \odot | Silent |
| \bigcirc | Machine car |

Optional programs

Dry plus Extra hygiene Save time Machine care

Technical information

Energy efficiency class: D (from G to A). Energy consumption: 0,85 kWh/standard cycle, eco programme. Water consumption: 9.5 l/standard cycle, eco function. Noise level: 44 dB (A).



Installatio

Installation to be carried out by a qualified installer. Power supply cable with plug included. Diffusion barrier included for added protection against moisture.

Dimensions

59.8×55.5×82 cm.

INTEGRATED DISHWASHERS, 60 cm

TORSBODA 60 cm



IKEA 700 Integrated dishwasher

405.480.88





Go ahead and invite your friends over. With smart functions like delayed-start, Intensive zone and Extra dry, plus room for larger plates, wineglasses and pots, this performer will handle the aftermath.

Key features

| \odot | Number of place settings: 13 |
|------------|------------------------------|
| \odot | Sound signal |
| \bigcirc | Beam-on-floor |
| \odot | Time beam on the floor |
| \odot | Adjustable upper basket |
| \odot | Delayed start (up to 24h) |
| \odot | Interior LED lighting |
| \odot | Automatic door opening |
| \odot | XL tub |
| \bigcirc | Mineral dry |
| \odot | Cutlery rack |
| \odot | Water stop system |
| | |

Programs

| \otimes | Auto |
|-------------------|--------------|
| \odot | Eco |
| \odot | Intensive |
| \odot | Rapid |
| \odot | 1 hour |
| \bigcirc | Glass |
| \odot | Pre wash |
| \odot | Silent |
| $\langle \rangle$ | Machine care |

Optional programs

DryPlus Intensive Zone Half Load


Technical informationEnergy efficiency class: C (from G to A).
Energy consumption: 0,74/kWh/standard cycle, eco programme. Water consumption; 9,5 litres/standard cycle, eco programme. Noise level: 44 dB (A).



Installation to be carried out by a qualified installer. Power supply cable with plug included.
Diffusion barrier included for added protection against moisture.

Dimensions 59.8×55×86.5 cm.

KALLBODA 60 cm



705.480.63





A guiet wonder-worker with 3 levels for stashing dishes and an efficient mineral drying feature. Time beam on floor, delayed start feature and LED lighting are even more reasons to love this dishwasher.

Key features

| \otimes | Number of place settings: 14 |
|-----------|------------------------------|
| \odot | Sound signal |
| | Beam on floor |
| \odot | Time beam on the floor |
| \odot | Adjustable upper basket |
| \odot | Delayed start (up to 24h) |
| \odot | Interior LED lighting |
| | Automatic door opening |
| \odot | XL tub |
| \odot | Mineral dry |
| \odot | Cutlery rack |
| \odot | Water stop system |
| | |

Programs

| \odot | Auto |
|------------|--------------|
| \odot | Eco |
| \odot | Intensive |
| \odot | Rapid |
| \odot | 1 hour |
| \odot | Glass |
| \bigcirc | Pre wash |
| \odot | Silent |
| Ø | Machine care |
| | |

Optional programs

DryPlus Intensive Zone Save time Half Load

Technical information

Energy efficiency class: C (from G to A). Energy consumption: 0,75 kWh/standard cycle, eco programme. Water consumption: 9,5 litres/standard cycle, eco function.



Installation to be carried out by a qualified installer. Power supply cable with plug included. Diffusion barrier included for added protection against moisture.

Dimensions

59.8×55×86.5 cm.

ÖSTVEDA 60 cm



IKEA 500 Integrated dishwasher

005.681.44





This quiet dishwasher does the job without disturbing the conversation. It uses less water and energy than washing by hand, and it has many programs and clever functions to make life in the kitchen easier.

Key features

| \odot | Number of place settings: 14 |
|---------|------------------------------|
| \odot | Sound signal |
| \odot | Beam on floor |
| | Time beam on the floor |
| \odot | Adjustable upper basket |
| \odot | Delayed start (up to 24h) |
| | Interior LED lighting |
| \odot | Automatic door opening |
| \odot | XL tub |
| \odot | Mineral dry |
| \odot | Cutlery rack |
| \odot | Water stop system |
| | |

| Progra | ıms |
|------------|--------------|
| \odot | Auto |
| \odot | Eco |
| \bigcirc | Intensive |
| \bigcirc | Rapid |
| \odot | 1 hour |
| \bigcirc | Glass |
| \odot | Pre wash |
| \bigcirc | Silent |
| | Machine care |

Optional programs

DryPlus Intensive Zone Half Load

Technical information

Energy efficiency class: C (from G to A).
Energy consumption: 0,74 kWh/standard cycle, eco programme.
Water consumption: 9,5 litres/standard cycle, eco function.
Noise level: 42 dB (A)



InstallationInstallation to be carried out by a qualified installer.
Power supply cable with plug included. Diffusion barrier included for added protection against moisture.

Dimensions 59.8×55×81.8 cm.

INTEGRATED DISHWASHERS, 45 cm

FRÖSLUNDA 45 cm [1] Î

105.681.67



Perfect for small spaces, big on convenience! This dishwasher has several clever functions and 3 racks to maximise the load capacity. It's a handy kitchen helper that saves you both time and energy.

Key features

| | Number of place settings, 10 | |
|------------|------------------------------|--|
| \odot | Number of place settings: 10 | |
| \otimes | Sound signal | |
| \odot | Beam-on-floor | |
| \bigcirc | Time beam on the floor | |
| \odot | Adjustable upper basket | |
| \odot | Delayed start (up to 24h) | |
| \bigcirc | Interior LED lighting | |
| \odot | Automatic door opening | |
| \bigcirc | XL tub | |
| \bigcirc | Mineral dry | |
| \odot | Cutlery rack | |
| \odot | Water stop system | |
| Programs | | |

Eco
Intensive
Rapid
1 hour
Glass
Pre wash
Silent

Auto

Optional programs

Machine care

Technical information

Energy efficiency class: D (from G to A). Energy concusmption: 0,674 kwh/standard programme. Water consumption: 9 litres/standard cycle, eco function. Noise level: 44 dB (A).



Installation

This appliance should be installed by a qualified installer. Power cord included. Diffusion barrier included for added protection against moisture.

Dimensions 44.8×55×81.5 cm.

FINPUTSAD 45 cm (1) IKEA 700 Integrated dishwasher 704.756.22 ecocheques





A quiet, energy-efficient dishwasher that is just perfect for compact spaces and open kitchens. Three baskets to maximise the load and lots of clever functions.

Key features

| \bigcirc | Number of place settings: 10 |
|------------|------------------------------|
| \odot | Sound signal |
| \bigcirc | Beam-on-floor |
| \odot | Time beam on the floor |
| \bigcirc | Adjustable upper basket |
| \odot | Delayed start (up to 12h) |
| \odot | Interior LED lighting |
| \bigcirc | Automatic door opening |
| Ō | XL tub |
| Ō | Mineral dry |
| \bigcirc | Cutlery rack |
| Ō | Water stop system |
| | |

Programs

| _ | |
|-----------|-------------|
| \otimes | Auto |
| \odot | Eco |
| \odot | Intensive |
| \odot | Rapid |
| | 1 hour |
| | Glass |
| \odot | Pre wash |
| \odot | Silent |
| | Machine car |

Optional programs

DryPlus Time saving

Technical information

Energy efficiency class: C (from G to A). Energy consumption: 0.59 kWh/standard cycle, eco program. Water consumption: 8.7 l/standard cycle, eco program. Airborne acoustic noise emissions: 41 dB (A).



Installation

This appliance should be installed by a qualified installer. Power cord included. Diffusion barrier included for added protection against moisture.

Dimensions

44.8×55.5×82 cm.

Washing machines and dryers

You can count on our washing machines and dryers to take good care of your favourite clothes and special fabrics. The user-friendly functions and special programs make washday a pleasure. Choose between a freestanding model or a built-in solution that fits your space perfectly.

We have washing machines with various load capacities, dryers and washing machines with dryer function – everything you need for the best washing experience.

Tips

Did you know that our washing machines are able to detect the size of the load? That means you can adapt the water quantity and the washing time to ensure you always go with the most energy-efficient option.



Whatever your fancy, you can always be confident your appliance is made for a long life. The whole range comes with a free 5-year guarantee (not including TILLREDA and LAGAN).



Key characteristics

CapacityChoose the appliance with the capacity that covers your daily washing needs. 1 kg is about the combined weight of the clothes you wear on a given day.

Steam function

The steam function refreshes your load quickly and gently, removing folds and creases.

CapacityChoose the appliance with the that covers your daily washing needs. 1 kg is about the combined weight of the clothes you wear on a given day.

Water stop system

The water stop system automatically shuts off the water supply when a leak is detected.

Maximum spin speed (RPM)

This is the number of revolutions per minute the drum clocks up. More RPM translates as less water in your clothing at the end of the washing cycle.

Delayed start

Gives you the option of delaying the start of the washing cycle to a time that suits you

Programs

FCO













۵۵۵

Eco

Combined

Side

Rinsing

Easy ironing

Cotton



Jeans



Shirts



Rapid program (30 minutes)



Cleaning the machine



Refresh



Synthetic



Wool



Sport



Steam



Washing and drying: 45°



Delicate



Bedding



Cotton 20°



Spin/drain



Washing and drying: 90°

Overview

Washing machines



UDDARP 7 kg IKEA 300



UDDARP 8 kg IKEA 500

Washing machine/dryer



UDDARP 8/5 kg IKEA 500



TVÄTTAD

Dryers



UDDARP 8 kg IKEA 500

Accessories

Save space by stacking your appliances. Use TYKARP stacking kit to keep UDDARP dryer securely in position when placing it on top of UDDARP washing machine.



TYKARP stacking kit for washer/dryer.

606.014.66





Freestanding washing machines

UDDARP D



Washing machine 7 kg IKEA 300 605.237.65



This freestanding washing machine comes with all the functions you want in a simple, uncluttered design. 7 kg daily wash load capacity.

UDDARP ()



Washing machine 8 kg IKEA 500 705.254.67



This freestanding washing machine comes with all the functions you want in a simple, uncluttered design. Large 8 kg daily wash load capacity for the whole family.

UDDARP E





Washing machine/dryer combi 8/5 kg IKEA 500 805.254.62



An eye-catching space saver. This combination washes and dries in one appliance. A simple, uncluttered design and a load capacity of 8 kg (washing) and 5 kg (drying).

Key characteristics

- Type: freestanding
- \odot Washing capacity: 7 kg
- $\langle \rangle$ Steam function
- \odot Water stop system
- \odot Delayed start (1-24 hours)
- Digital display

Programs

 \odot

 \odot

- Cotton Synthetic
- \odot Delicate Combined
- leans
- Duvet
- Wool
- Sport
- Cotton 20° Rapid
- \odot Steam Spin/drain
- \odot \odot Rinsing
- Cleaning the machine
- Express program

\odot Delayed start (1-24 hours) Digital display

 \odot

- \odot Fco Cotton
- \odot Delicate
- leans
- Sport
- Rapid
- Wool Cleaning the machine

Key characteristics

- Type: freestanding
- Washing capacity: 8 kg $\langle \rangle$
- Drying capacity: 5 kg
- \odot Steam function
- \odot Water stop system
- $\langle \vee \rangle$ Delayed start (1-24 hours)
- Digital display

Cotton

Synthetic

Programs

✓ Eco

 \odot

 \odot

 $\langle \rangle$

Programs

Synthetic

Key characteristics Type: freestanding

Washing capacity: 8 kg

Steam function

Water stop system

- Combined
- Duvet
- Cotton 20°
- Spin/drain
- Rinsing
- Express program
- $\langle \rangle$
- \odot Wool

- Rapid Steam
- \bigcirc Spin/drain $\langle \rangle$ Rinsing
- Delicate Combined Cleaning the machine
 - Express program Washing and drying: 45°
 - Washing and drying: 90°

Technical information

Energy efficiency class: D (from G to A). Energy consumption: 69 kWh/100 cycles, standard cycle/eco program. Water consumption: 44 litres, standard cycle/eco

program. Installation

This appliance should be installed by a qualified installer.

Dimensions

59.5×57.2×85.5 cm Cord length: 1.2 m. Weight 65 kg

Technical information

Energy efficiency class: C (from G to A). Energy consumption: 63 kWh/100 cycles, standard cycle/eco program. Water consumption: 48 litres, standard cycle/eco

program. Installation

This appliance should be installed by a qualified installer.

Dimensions 59.5×62.8×85.5 cm Cord length: 1.2 m. Weight 67 kg

Technical information

standard cycle/eco program.

Cotton 20°

Energy efficiency class: E (from G to A) dryer. C (from G to A) washing machine Energy consumption, washing: 63 kWh/100 cycles, standard cycle/eco program.

Energy consumption, washing and drying: 266 kWh/100 cycles, standard cycle/eco program. Water consumption, washing: 48 litres, standard cycle/eco program. Water consumption, washing and drying: 62 litres,

This appliance should be installed by a qualified installer

Dimensions

59.5×58×84.6 cm Cord length: 1.2 m. Weight 66 kg

Freestanding tumble dryer

UDDARP (A)



Dryer 8 kg IKEA 500 405.279.86



This freestanding dryer comes with all the functions you want in a simple, uncluttered design. Large 8 kg daily wash load capacity for the whole family. Always use the TYKARP stacking kit for washing machine/dryer when placing one appliance on top of the other.

Key characteristics

| (\vee) | Type: freestanding |
|------------|----------------------------|
| | Washing capacity: n/a |
| \odot | Drying capacity: 8 kg |
| \odot | Steam function |
| \odot | Water stop system |
| \odot | Delayed start (1-24 hours) |
| \bigcirc | Digital display |

Programs

| Eco | \odot | Side |
|-----------|---|---|
| Cotton | | Cotton 20° |
| Synthetic | \odot | Rapid |
| Delicate | | Steam |
| Combined | | Spin/drain |
| Jeans | | Rinsing |
| Wool | | Cleaning the machine |
| Bedding | | Express program |
| Duvet | \odot | Easy ironing |
| Sport | \odot | Refresh |
| Shirts | | |
| | Cotton Synthetic Delicate Combined Jeans Wool Bedding Duvet Sport | Cotton Synthetic Delicate Combined Jeans Wool Bedding Duvet Sport |

Technical information

Energy efficiency class: A++ (from D to A+++).
Estimated annual energy consumption: 234 kWh.

This appliance should be installed by a qualified installer.

Dimensions

59.5×64.9×84.9 cm Cord length: 1.5 m. Weight 44 kg.

Integrated washing machine

TVÄTTAD 1



Integrated washing machine 205.788.11



This spacious washing machine senses how much laundry you put in and controls the amount of water and the time. A steam program and other functions allow you to adapt your washing based on your needs.

Key characteristics

| (| 00000 | Type: integrated Washing capacity: 8 kg Drying capacity Maximum spin speed (RPM): 135 Steam function Water stop system Delayed start (1,24 bours) |
|---|-------|---|
| (| Ø | Water stop system Delayed start (1-24 hours) Digital display |

| Programs | | | |
|------------|------------|---------|---------------|
| \odot | Eco | \odot | Sport |
| \odot | Cotton | | Cotton 20° |
| \odot | Synthetics | \odot | Quick |
| \odot | Delicate | \odot | Steam |
| \odot | Mixed | \odot | Spin/drain |
| \odot | Denim | \odot | Rinse |
| \odot | Wool | \odot | Machine clear |
| \bigcirc | Duvet | \odot | Express care |
| | | | |

Technical information

Energy efficiency class: F (from G to A). Energy consumption: 93 kWh/100 cycles, standard cycle/eco programme.
Water consumption: 47 liter, standard cycle/eco programme.

InstallationInstallation to be made by qualified installer.

Dimensions

Min. installation height 83.8 cm Max. installation height 88.0 cm 59.6×54×81.9 cm Cord length 1.5 m Weight 68.50 kg

Services

Our wide range of services gives you the freedom to set the price of your new kitchen by choosing the products that fits your budget and deciding what you want to do yourself and what you want to leave to us.

All services you need to plan and buy your kitchen are set out below. For more details about services, speak to a co-worker at your IKEA store or check out IKEA.com/be/nl/customer-service/services/



Delivery

Whether you're shopping in store or online, and no matter how big the purchase, we'll do the heavy lifting and bring it to your home or business.



The IKEA home planner

Design the METOD kitchen of your dreams in a 3D environment and get a price on every detail as well as the total kitchen. Print out your drawings and product list at home, or save to the IKEA website. At the IKEA store you can discuss your design and get lots of advice and guidance from our kitchen experts.

Learn more at IKEA.be



Planning and consultation

Even on big projects, the little things matter. Discuss your ideas with our team of design professionals and we'll help nail them down in detail.

More information and advice



KITCHEN PLANNING GUIDE

Our planning guide helps you measure, order and install your new IKEA kitchen. You can pick one up at your IKEA store or go to IKEA.be



KITCHEN INSTALLATION GUIDES

The installation guides are packed with tips and useful information about the best way to install an IKEA kitchen. You can pick it up at your IKEA store or at **IKEA.be.**

Guarantee appliances



How long is the guarantee valid?

This guarantee is valid for five (5) years from the original date of purchase of the IKEA appliance from IKEA. LAGAN and TILLREDA appliances have a two (2) year guarantee, valid from the original date of purchase. The original sales receipt is required as proof of purchase. If service work is carried out under guarantee, this will not extend the quarantee period for the appliance, or for the new parts.

What is covered under this guarantee?

The guarantee covers faults of the appliance, which have been caused by faulty construction or material faults from the date of purchase from IKEA. This guarantee applies to domestic use only. The exceptions are specified under the headline "What is not covered under this guarantee?

Which appliances are covered under this guarantee?

The free five-year (5) guarantee is valid for all domestic IKEA kitchen appliances and covers defects in materials and workmanship.

Which appliances are not covered under this guarantee?

For appliances named LAGAN and TILLREDA, a guarantee is valid for two years from the date of purchase.

What will IKEA do to correct the problem?

The designated service company will examine the product and decide, at its sole discretion, if it is covered under this guarantee. If considered covered, the designated service company through its own service operations, will then, at its sole discretion, either repair the defective product or replace it with the same or a comparable product. Within the guarantee period, the costs to remedy the fault e.g. repairs, parts, labour and travel will be covered, provided that the appliance is accessible for repair without special expenditure.

On these conditions the EU guidelines (Nr. 99/44/EG) and the respective local regulations are applicable. Replaced parts become the property of IKEA.

If the designated service company repairs or replaces the appliance under the terms of this guarantee, the designated service company will re-install the repaired appliance or install the replacement, if necessary. The operation is covered if the product is easily accessible for repair. If the product is installed in a not standard built-in solution the customer has to make the product accessible before the service visit.

Who will execute the service?

The designated service company will provide the service through its own service operations or authorized service partner network.

What is not covered under this guarantee?

• Deliberate or negligent damage, damage caused by failure to observe operating instructions, incorrect installation or by connection to the wrong voltage, damage caused by chemical or electro-chemical reaction, rust, corrosion or water damage including but not limited to damage caused by excessive lime in the water supply, damage caused by abnormal environmental conditions. • Consumable parts including batteries and lamps. • Non-functional and decorative parts which do not affect normal use of the appliance, including any scratches and possible colour differences. • Accidental damage caused by foreign objects or substances and cleaning or unblocking of filters, drainage systems or soap drawers. • Damage to the following parts: ceramic glass, accessories, crockery and cutlery baskets, feed and drainage pipes, seals, lamps and lamp covers, screens, knobs, casings and parts of casings. Unless such damages can be proved to be due to production faults. • Cases where no fault could be found during a technician's visit. • Repairs not carried out by our appointed service providers and/or an authorised service contractual partner or where non-original parts have been used. • Repairs caused by installation which is faulty or not according to specification. • The use of the appliance in a non-domestic environment i.e. professional use. • Transportation damages. If a customer transports the product to their home or other address, IKEA is not liable for any damage that may occur during transport. However, in case of IKEA delivery of the product to the customer's delivery address, then eventual damages to the product that occurs during this delivery will be covered by IKEA, (but not under this guarantee). For claims under this last particular condition the customer should contact IKEA Customer Service at IKEA.be

• Cost for carrying out the initial installation of the IKEA appliance. These restrictions do not apply to fault-free work carried out by a qualified specialist using our original parts in order to adapt the appliance to the technical safety specifications of another EU country.

How country law applies: This guarantee gives you specific legal rights, and is in addition to your statutory legal rights.

Area of validity: For appliances which are purchased in one EU country and taken to another EU country, the services will be provided in the framework of the guarantee conditions normal in the new country. An obligation to carry out services in the framework of the guarantee exists only if the appliance complies and is installed in accordance with: – the technical specifications of the country where the guarantee claim is made.

– the assembly and installation instructions and safety information that come with the appliance.

How to reach us for before buying if you need advice: If you have any questions about our appliances, please contact IKEA Customer Service at IKEA.be

How to reach us if you need service support after buying: Please ring the number given in the documentation that comes with the product. To make sure that we can give you the best assistance, please read the Instructions for Use carefully before contacting us. Please also have the IKEA article number for your appliance at hand before calling us. You'll find this 8 digit number on your receipt as well as on the rating plate of the appliance.



