
en


FOKUSERA





ENGLISH 5

Description of the appliance



- 1 Lamp
- 2 Lamp
- 3 Control panel
- 4 Grease filter

Control Panel



A Engine on/off switch

- Suction speed (power) selection knob Speed
- c Low suction speed (power)
- D Average suction speed (power)
- E High suction speed (power)
- F Maximum suction speed (power)
- G Lighting on/off switch

ENGLISH 6

Technical Data

Dimensions	Type of appliance		Wall-mounted Hood				
Total height in suction mode (min-max) mm 770-1014 Total height in recirculation mode (min-max) mm 770-1083 Total power	Dimensions	Width	mm	698			
Total height in suction mode (min-max) mm 770-1014 Total height in recirculation mode (min-max) mm 770-1083 Total power W 257 Type		Depth	mm	450			
Total power Light info Number & Power Connection Minimum installation height - gas cooker Minimum installation height - electric cooker Minimum installation height - electric cooker Minimum installation height - gas cooker Minimum accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier IKEA FOKUSERA 40527000 FOKUSERA 40527000 Annual energy consumption - AEC Kwh/year 38.2 FOKUSERA 40527000 A+ Ellid dynamic efficiency class A+ FILID Lidid dynamic efficiency class ILID Lidid dy		Total height in suction mode (min-max)	mm	770-1014			
Type		Total height in recirculation mode (min-max)	mm	770-1083			
Light info Number & Power Connection Minimum installation height - gas cooker Product weight Rg 16 Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier RKA Model identification code FOKUSERA 40527000 Annual energy consumption - AEC Energy efficiency dass Fluid dynamic efficiency FDE Fluid dynamic efficiency FDE Fluid dynamic efficiency class Luminous efficiency LE Luminous efficiency LE Luminous efficiency dass Rorease filtering efficiency - GFE Grease filtering efficiency class C Minimum air flow (normal power) Airflow setting in boost mode A-weighted sound power level of noise emissions at maximum speed A-weighted sound power level of noise emissions in boost mode Power consumption in standby mode-Ps Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f Energy efficiency index - EEI Airflow measured at best efficiency point - PBEP Rated power of lighting system - WL V 129.5 Rated power of lighting system - WL	Total power		W	257			
Connection LED Strip Minimum installation height - gas cooker mm 650 Minimum installation height - gas cooker mm 500 Product weight Sq 16 Product weight Kg 16 Product weight Kg 16 Product mornation in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier IKEA Model identification code FOKUSERA 40527000 Annual energy consumption - AEC Kwh/year 38.2 Energy efficiency class A+ Fluid dynamic efficiency FDE % 35.2 Fluid dynamic efficiency FDE % 35.2 Fluid dynamic efficiency LE Iux/W 68.1 Luminous efficiency LE Iux/W 68.1 Luminous efficiency - GFE % 75.1 Grease filtering efficiency - GFE % 75.1 Grease filtering efficiency class C Minimum air flow (normal power) m3/h 630.0 Maximum air flow (normal power) m3/h 630.0 Airflow setting in boost mode m3/h NA A-weighted sound power level of noise emissions at minimum speed Db(A) re 1pW A-weighted sound power level of noise emissions at maximum speed Db(A) re 1pW Power consumption in off mode-P0 W 0.49 Power consumption in off mode-P0 W 0.49 Power consumption in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI 42.3 Airflow measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5		Туре		LED			
Minimum installation height - gas cooker mm 650 Minimum installation height - electric cooker mm 500 Product weight Kg 16 Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier IKEA Model identification code FOKUSERA 40527000 Annual energy consumption - AEC Kwh/year 38.2 Energy efficiency class A+ Hillian A+	Light info	Number & Power	W	1x7w			
Minimum installation height - electric cooker Rg 16 Product weight Rg 16 Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier IKEA Model identification code FOKUSERA 40527000 Annual energy consumption - AEC Kwh/year 38.2 Energy efficiency class A+ Fluid dynamic efficiency FDE % 35.2 Fluid dynamic efficiency dass Iux To Luminous efficiency LE lux/W 68.1 Luminous efficiency LE lux/W 68.1 Luminous efficiency - GFE % 75.1 Grease filtering efficiency - GFE % 75.1 Grease filtering efficiency dass C C Minimum air flow (normal power) m3/h 275.0 Maximum air flow (normal power) m3/h 630.0 Airflow setting in boost mode m3/h NA A-weighted sound power level of noise emissions at minimum speed Db(A) re 1pW A-weighted sound power level of noise emissions at maximum speed Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW A-weighted sound power level of noise emissions in boost m		Connection		LED Strip			
Product weight Kg 16 Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier IKEA Model identification code FOKUSERA 40527000 Annual energy consumption - AEC Energy efficiency class A+ Fluid dynamic efficiency FDE	Minimum installation	height - gas cooker	mm	650			
Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539 Name of Supplier Model identification code FOKUSERA 40527000 Annual energy consumption - AEC Energy efficiency class Energy efficiency class Fluid dynamic efficiency FDE Fluid dynamic efficiency dass Luminous efficiency LE Luminous efficiency LE Luminous efficiency - GFE Grease filtering efficiency - GFE Grease filtering efficiency - GFE Maximum air flow (normal power) Arribow setting in boost mode Aweighted sound power level of noise emissions at maximum speed Aweighted sound power level of noise emissions at maximum speed Aweighted sound power level of noise emissions in boost mode Aweighted sound power level of noise emissions notes at maximum speed Power consumption in off mode-P0 Power consumption in standby mode-Ps Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f Energy efficiency index - EEI Airliow reasured at best efficiency point - QBEP Airliow measured at best efficiency point - PBEP Rated power of lighting system - WL W 7.0	Minimum installation	height - electric cooker	mm	500			
Name of Supplier Model identification code	Product weight		Kg	16			
Model identification code Annual energy consumption - AEC Area Standard Germany FOKUSERA 40527000 Annual energy consumption - AEC Energy efficiency class Fluid dynamic efficiency FDE Sharea Standard Germany FDE Sharea Standard Germany FDE Sharea Standard Germany FDE Sharea Standard Germany FDE Sharea Standard Germany FOKUSERA 40527000 Area Standard Germany FOKUSERA 40527000 Annual energy consumption in standby mode-PS Arif pressure measured at best efficiency point - PBEP Area Standard Sta	Product information	in accordance with EU Regulation no. 65/2014 - UK SI 20	19 No.539				
Annual energy consumption - AEC Energy efficiency class A+ Fluid dynamic efficiency FDE Fluid dynamic efficiency Gass Fluid dynamic efficiency dass Fluid dynamic efficiency dass Fluid dynamic efficiency class Fluid dynamic efficiency dass Fluid dynamic efficiency hole efficiency point - PBEP Fluid dynamic efficiency hole - PS Fluid dynamic efficiency fluid assertion and and a package of the	Name of Supplier			IKEA			
Energy efficiency class A+ Fluid dynamic efficiency FDE	Model identification c	ode		FOKUSERA 40527000			
Fluid dynamic efficiency FDE Society Fluid dynamic efficiency class To	Annual energy consumption - AEC		Kwh/year	38.2			
Fluid dynamic efficiency class Luminous efficiency LE Luminous efficiency class Iux To Grease filtering efficiency - GFE Grease filtering efficiency class C Minimum air flow (normal power) Maximum air flow (normal power)	Energy efficiency class	5		A+			
Luminous efficiency LE Luminous efficiency class lux To Grease filtering efficiency - GFE Minimum air flow (normal power) Maximum air flow (normal power) Maxi	Fluid dynamic efficiency FDE		%	35.2			
Luminous efficiency class Grease filtering efficiency - GFE Grease filtering efficiency class C Minimum air flow (normal power) Maximum air flow (power level of noise emissions at minimum speed Db(A) re 1pW Db(A) re 1pW NA Power consumption in off mode-P0 W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f Do(A) Maximum air flow (power) Maximum air	Fluid dynamic efficien	cy class		То			
Grease filtering efficiency - GFE Grease filtering efficiency class C Minimum air flow (normal power) Maximum air flow (normal			lux/W	68.1			
Grease filtering efficiency class C Minimum air flow (normal power) Maximum air flow (normal powe			lux	То			
Minimum air flow (normal power) Maximum air flow (normal power)	Grease filtering efficiency - GFE		%	75.1			
Maximum air flow (normal power) Airflow setting in boost mode Arweighted sound power level of noise emissions at minimum speed Arweighted sound power level of noise emissions at maximum speed Arweighted sound power level of noise emissions at maximum speed Arweighted sound power level of noise emissions in boost mode Arweighted sound power level of noise emissions in boost mode Db(A) re 1pW NA Power consumption in off mode-P0 W 0.49 Power consumption in standby mode-Ps W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI Airflow measured at best efficiency point - QBEP Miximum emasured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP Rated power of lighting system - WL MA Post Associated as a maximum speed Db(A) re 1pW Atso.0 Associated as a maximum speed Db(A) re 1pW Associated as a maximum speed Db(A) re 1pW Associated as a maximum speed Db(A) re 1pW NA Power consumption in off mode-P0 W 0.49 NA Power consumption in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Electric power consumption at best efficiency point - WBEP W 7.0	Grease filtering efficiency class			С			
Airflow setting in boost mode A-weighted sound power level of noise emissions at minimum speed Db(A) re 1pW 45.0 A-weighted sound power level of noise emissions at maximum speed Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW NA Power consumption in off mode-P0 W 0.49 Power consumption in standby mode-Ps W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f Do(A) Airflow measured at best efficiency point - QBEP Maximum airflow - Qmax Maximum airflow - Qmax Electric power consumption at best efficiency point - WBEP Rated power of lighting system - WL NA Pod (4.0 Db(A) re 1pW A5.0 NA O.7 NA Pod (4.0 Db(A) re 1pW NA O.49 NA NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f A2.3 Airflow measured at best efficiency point - QBEP Pa 45.0.0 Maximum airflow - Qmax M3/h - Electric power consumption at best efficiency point - WBEP W 7.0	Minimum air flow (normal power)		m3/h	275.0			
A-weighted sound power level of noise emissions at minimum speed Db(A) re 1pW 45.0 A-weighted sound power level of noise emissions at maximum speed Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW NA Power consumption in off mode-P0 W 0.49 Power consumption in standby mode-Ps W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f De(A) re 1pW NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f Db(A) re 1pW NA O.49 NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f A2.3 Airflow measured at best efficiency point - QBEP Maximum easured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 7.0	Maximum air flow (normal power)		m3/h	630.0			
A-weighted sound power level of noise emissions at minimum speed A-weighted sound power level of noise emissions at maximum speed Db(A) re 1pW A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW NA Power consumption in off mode-P0 W 0.49 Power consumption in standby mode-Ps W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI Airflow measured at best efficiency point - QBEP Maximum airflow - Qmax Maximum airflow - Qmax Electric power consumption at best efficiency point - WBEP Rated power of lighting system - WL W 7.0	Airflow setting in boost mode		m3/h	NA			
A-weighted sound power level of noise emissions at maximum speed A-weighted sound power level of noise emissions in boost mode Db(A) re 1pW NA Power consumption in off mode-P0 W 0.49 Power consumption in standby mode-Ps W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI Airflow measured at best efficiency point - QBEP Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP Rated power of lighting system - WL NA NA Power consumption in standby mode-Po W 0.49 NA NA Power consumption in standby mode-Po W 0.49 NA NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI 42.3 Airflow measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax M3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL	A-weighted sound power level of noise emissions at minimum speed			45.0			
Power consumption in off mode-P0 W 0.49 Power consumption in standby mode-Ps W NA Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI 42.3 Airflow measured at best efficiency point - QBEP m3/h 365.0 Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL				64.0			
Power consumption in standby mode-Ps Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f D.7 Energy efficiency index - EEI Airflow measured at best efficiency point - QBEP Maximum airflow - Qmax Electric power consumption at best efficiency point - WBEP Rated power of lighting system - WL NA NA NA NA NA NA NA NA NA N	A-weighted sound power level of noise emissions in boost mode		1 ' '	NA			
Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539 Factor of increase over time - f 0.7 Energy efficiency index - EEI 42.3 Airflow measured at best efficiency point - QBEP m3/h 365.0 Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL	Power consumption i	n off mode-P0	W	0.49			
Factor of increase over time - f 0.7 Energy efficiency index - EEI 42.3 Airflow measured at best efficiency point - QBEP m3/h 365.0 Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL W 7.0	Power consumption in standby mode-Ps		W	NA			
Energy efficiency index - EEI 42.3 Airflow measured at best efficiency point - QBEP m3/h 365.0 Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL W 7.0	Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539						
Airflow measured at best efficiency point - QBEP m3/h 365.0 Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL W 7.0	Factor of increase over time - f			0.7			
Air pressure measured at best efficiency point - PBEP Pa 450.0 Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL W 7.0	Energy efficiency index - EEI			42.3			
Maximum airflow - Qmax m3/h - Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL W 7.0	Airflow measured at best efficiency point - QBEP			365.0			
Electric power consumption at best efficiency point - WBEP W 129.5 Rated power of lighting system - WL W 7.0	Air pressure measured at best efficiency point - PBEP			450.0			
Rated power of lighting system - WL W 7.0	Maximum airflow - Qmax			-			
	Electric power consumption at best efficiency point - WBEP			129.5			
Average illuminance of the lighting system on the cooking surface - Emiddle lux 477.9	Rated power of lighting system - WL			7.0			
	Average illuminance of the lighting system on the cooking surface - Emiddle			477.9			

