


FULLSTANDING ^{en}




Design and Quality
IKEA of Sweden



1x




1x




1x



2x




2x




1x


1x



1x







1x




O



P




Description of the appliance



- 1** Chimney
- 2** Lamp
- 3** Control Panel
- 4** Grease Filter

Control Panel



- A** Engine on/off switch
- B** Suction speed (power) selection knob Speed
- C** Low suction speed (power)
- D** Average suction speed (power)
- E** High suction speed (power)
- F** Maximum suction speed (power)
- G** Lighting on/off switch

Technical Data

Type of appliance		Wall-mounted Hood	
Dimensions	Width	mm	798
	Depth	mm	498
	Total height in suction mode (min-max)	mm	756-1023
	Total height in recirculation mode (min-max)	mm	756-1095
Total power		W	257
Light info	Type		LED
	Number & Power	W	1x7w
	Connection		LED Strip
Minimum installation height - gas cooker		mm	650
Minimum installation height - electric cooker		mm	500
Product weight		Kg	18
Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539			
Name of Supplier			IKEA
Model identification code			FULLSTÄNDIG 60527018
Annual energy consumption - AEC		Kwh/year	36.9
Energy efficiency class			To
Fluid dynamic efficiency FDE		%	35.4
Fluid dynamic efficiency class			To
Luminous efficiency LE		lux/W	60.1
Luminous efficiency class		lux	To
Grease filtering efficiency - GFE		%	85.1
Grease filtering efficiency class			B
Minimum air flow (normal power)		m3/h	280.0
Maximum air flow (normal power)		m3/h	640.0
Airflow setting in boost mode		m3/h	NA
A-weighted sound power level of noise emissions at minimum speed		Db(A) re 1pW	46.0
A-weighted sound power level of noise emissions at maximum speed		Db(A) re 1pW	65.0
A-weighted sound power level of noise emissions in boost mode		Db(A) re 1pW	NA
Power consumption in off mode-P0		W	0.49
Power consumption in standby mode-Ps		W	NA
Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539			
Factor of increase over time - f			0.7
Energy efficiency index - EEI			42.1
Airflow measured at best efficiency point - QBEP		m3/h	345.0
Air pressure measured at best efficiency point - PBEP		Pa	460.0
Maximum airflow - Qmax		m3/h	-
Electric power consumption at best efficiency point - WBEP		W	124.5
Rated power of lighting system - WL		W	7.0
Average illuminance of the lighting system on the cooking surface - Emiddle		lux	421.0

