
















UPPFRISKANDE


en



Design and Quality
IKEA of Sweden




Description of the appliance



- 1** Chimney
- 2** Lamp
- 3** Control panel
- 4** Grease filter

Control Panel



- A** Motor OFF button
- B** Suction power 1 selection button
- C** Suction power 2 selection button
- D** Suction power 3 selection button

- E** Suction power 4 selection button - Duration 5 minutes
- F** ON/OFF light button

NB: with the light on, press and hold to adjust its intensity

NB: Please note that there will be a 5-second delay when switching directly to suction power 1 (from any other speed) due to the electronic control of the product.

Technical Data

Type of appliance		Wall-mounted Hood	
Dimensions	Width	mm	798
	Depth	mm	510
	Total height in suction mode (min-max)	mm	750-1030
	Total height in recirculation mode (min-max)	mm	735-1090
Total power		W	257
Light info	Type		LED
	Number & Power	W	1x7w
	Connection		LED Strip
Minimum installation height - gas cooker		mm	650
Minimum installation height - electric cooker		mm	500
Product weight		Kg	15.6
Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539			
Name of Supplier			IKEA
Model identification code			UPPFRISKANDE 00527021
Annual energy consumption - AEC		Kwh/year	40.4
Energy efficiency class			A+
Fluid dynamic efficiency FDE		%	35.2
Fluid dynamic efficiency class			To
Luminous efficiency LE		lux/W	44.1
Luminous efficiency class		lux	To
Grease filtering efficiency - GFE		%	85.1
Grease filtering efficiency class			B
Minimum air flow (normal power)		m3/h	130.0
Maximum air flow (normal power)		m3/h	430.0
Airflow setting in boost mode		m3/h	720.0
A-weighted sound power level of noise emissions at minimum speed		Db(A) re 1pW	34.0
A-weighted sound power level of noise emissions at maximum speed		Db(A) re 1pW	58.0
A-weighted sound power level of noise emissions in boost mode		Db(A) re 1pW	70.0
Power consumption in off mode-P0		W	NA
Power consumption in standby mode-Ps		W	0.49
Product information in accordance with EU Regulation no. 66/2014 - UK SI 2019 No.539			
Factor of increase over time - f			0.7
Energy efficiency index - EEI			42.8
Airflow measured at best efficiency point - QBEP		m3/h	420.0
Air pressure measured at best efficiency point - PBEP		Pa	465.0
Maximum airflow - Qmax		m3/h	720.0
Electric power consumption at best efficiency point - WBEP		W	154.0
Rated power of lighting system - WL		W	7.0
Average illuminance of the lighting system on the cooking surface - Emiddle		lux	309.0

