


BADRING



Design and Quality
IKEA of Sweden



English

Get started

BADRING water sensor detects the presence of water in indoor environments and sounds an alarm. It can be used with DIRIGERA hub and IKEA Home smart app to notify you of a water leak, even if you are away from home.

Get started with DIRIGERA hub

1. Open the back of the sensor and insert an AAA/HR03 battery.
2. Download the IKEA Home smart app and follow the instructions on your screen.
3. Close the battery compartment and place the sensor wherever you want to monitor the presence of water.

Get started without DIRIGERA hub

1. Open the back of the sensor and insert an AAA/HR03 battery.
2. Close the battery compartment and place the sensor wherever you want to monitor the presence of water.
3. The sensor is ready to use straight away.



IKEA Home smart app

For Apple devices, download the app using the App Store. For Android devices, download the app using Google Play store.

Get to know your product

You can use the sensor in damp locations, like bathrooms, laundry rooms or basements.

The sensor has two metal prongs underneath and will sound an alarm when both prongs come into contact with water.

The sensor has silicon feet to prevent it from moving around so there is no need to use double-sided tape or any other adhesive that may obstruct the flow of water.

Testing the alarm

We recommend testing the alarm to familiarize yourself with the way it sounds. Place the sensor with metal prongs facing down in a bowl filled with 1-2 mm of water. Note! Sensor's casing is not waterproof, make sure only metal prongs are submerged. The alarm will stop when the metal prongs underneath the sensor dry out.

The alarm will stop when the prongs underneath the sensor dry out.

Adding more sensors

You can connect as many sensors as you like to the DIRIGERA hub and IKEA Home smart app.

To add a new sensor follow the instructions in the IKEA Home smart app.

Battery care

When it's time to replace the battery, a red LED indicator will light up three times on the sensor and in the IKEA Home smart app you will be notified when the battery is low.

Changing the battery

Open the back of the sensor, insert a new AAA/HR03 battery and close it again.

Please note the safety information in this document concerning battery usage and disposal.

We recommend using 1 x IKEA LADDA 750 (AAA/HR03, 1.2V, 750mAh, Ni-MH). Sold separately.

Factory reset

Press the pairing button 4 times within 5 seconds.

Care instructions

To clean the product, wipe with a soft cloth moistened with a little mild detergent. Use another soft dry cloth to wipe it dry.

Never use abrasive cleaners or chemical solvents since this can damage the product.

General safety

- This product is for indoor use only and can be used in temperatures ranging from 0°C to 40°C (32°F to 104°F).
- Do not leave the product in direct sunlight or near a heat source as it may overheat.
- Different building material and product location can affect wireless connectivity range.

WARNING!

Risk of explosion if battery is replaced by an incorrect battery type.
Dispose of used batteries according to the instructions.

Technical data

Model: BADRING water leakage sensor

Type: E2202

Input: 1.2V, 1 x AAA/HR03 LADDA battery

Range: 10 m in open air.

For indoor use only

Operating frequency: 2405-2480 MHz

Output power: 7.3 dBm (EIRP)

IP-class: IP44

Keep this manual for future use.

Manufacturer: IKEA of Sweden AB

Address: Box 702, SE-343 81 Älmhult, SWEDEN



The crossed-out wheeled bin symbol indicates that the item should be disposed of separately from household waste. The item should be handed in for recycling in accordance with local environmental regulations for waste disposal. By separating a marked item from household waste, you will help reduce the volume of waste sent to incinerators or land-fill and minimize any potential negative impact on human health and the environment. For more information, please contact your IKEA store.

הפעלה

חיישן לדליפת מים BADRING מזהה נוכחות של מים בתוך הבית ומתריע על כך באמצעות אזעקה. ניתן להשתמש בו עם רכזת רשת (hub) DIRIGERA ואפליקציית IKEA Home smart כדי לקבל התרעות על נזילת מים גם כשאינכם נמצאים בבית.

הפעלה עם רכזת רשת DIRIGERA (hub)

1. פתחו את המכסה בחלק האחורי של החיישן והכניסו סוללה AAA/HR03.
2. הורידו את אפליקציית IKEA Home smart ועקבו אחר ההוראות במסך.
3. סגרו את תא הסוללות והניחו את החיישן במקום בו ברצונכם לעקוב אחר המים.

הפעלה ללא רכזת רשת DIRIGERA (hub)

1. פתחו את המכסה בחלק האחורי של החיישן והכניסו סוללה AAA/HR03.
2. סגרו את תא הסוללות והניחו את החיישן במקום בו ברצונכם לעקוב אחר המים.
3. החיישן מוכן לשימוש באופן מיידי.

אפליקציית IKEA Home smart

עבור מכשירי Apple, הורידו את האפליקציה מ-Apple Store. עבור מכשירי Android, הורידו את האפליקציה מחנות Google Play.



אופן השימוש

ניתן להשתמש בחיישן באזורים לחים, כמו חדרי אמבטיה, חדרי כביסה או מרתפים. החיישן כולל 2 שיני מתכת בתחתית, צליל האזעקה ישמע כאשר 2 שיני המתכת יבואו במגע עם מים.

החיישן בעל רגלי סיליקון השומרים עליו במקומו, כך שאין צורך להשתמש בסרט הדבקה דו-צדדי או בכל חומר דביק אחר העלול לחסום את זרימת המים.

בדיקת האזעקה

אנו ממליצים לבדוק את האזעקה על מנת להכיר את הצליל. הניחו את החיישן בקערה מלאה ב-1-2 מ"מ מים, כאשר 2 שיני המתכת פונים מטה. שימו לב! החיישן אינו עמיד במים, לכן יש לוודא שרק שיני המתכת נמצאים במגע עם מים. צליל האזעקה יפסק כאשר שיני המתכת שמתחת לחיישן יתביישו לחלוטין. צליל האזעקה יפסק כאשר שיני המתכת שמתחת לחיישן יתביישו לחלוטין.

הוספת חיישנים

ניתן לחבר כמה חיישנים שתרצו לרכזת רשת (hub) DIRIGERA ולאפליקציית IKEA Home smart. על מנת להוסיף חיישן חדש, עקבו אחר ההוראות באפליקציית IKEA Home smart.

טיפול בסוללה

כשיגיע הזמן להחליף את הסוללה, נורת לד אדומה תהבהב 3 פעמים בחיישן. בנוסף תקבלו התראה כשהסוללה חלשה באפליקציית IKEA Home smart.

החלפת הסוללה

פתחו את המכסה בחלק האחורי של החיישן, הכניסו סוללה AAA/HR03 חדשה וסגרו את המכסה.

אנא, שימו לב למידע הבטיחותי במסמך זה לגבי שימוש וסילוק הסוללה.

אנו ממליצים להשתמש בסוללה 1x IKEA LADDA 750 (AAA/HR03, 1.2V, 750mAh, Ni-MH). נמכרת בנפרד.

איפוס להגדרות יצרן

לחצו על כפתור הצימוד 4 פעמים בטווח של 5 שניות.

הוראות טיפול ותחזוקה

על מנת לנקות את המוצר, נגבו אותו במטלית רכה ולחה. נגבו ליבוש במטלית רכה ויבשה.

אין להשתמש בחומרי ניקוי כימיים חזקים מאחר והם עלולים לגרום נזק למוצר.

הוראות בטיחות כלליות

- מוצר זה מיועד לשימוש בתוך הבית ובטווח טמפרטורות 0°C-40°C.
- אין להשאיר את המוצרים חשופים לשמש ישירה או מקור חום, מחשש להתחממות יתר.
- חומרי בניין שונים ומיקום המוצר עשויים להשפיע על טווח הקישוריות האלחוטית.

אזהרה!

החלפת הסוללה בסוג שאינו מתאים עלול לגרום לפיצוץ. השלכת סוללות משומשות תעשה על פי ההוראות.

מפרט טכני

דגם: חיישן לדליפת מים BADRING

סוג: E2202

מתח: 1.2V, 1 x AAA/HR03 LADDA

טווח: 10 מ' באוויר הפתוח.

לשימוש בתוך הבית בלבד

תדר הפעלה: 2405-2480 MHz

הספק: 7.3 (EIRP) dBm

קטגוריית IP: IP44

שמרו על עלון זה לעיון בעתיד.

יצרן: IKEA of Sweden AB

כתובת: Box 702, SE-343 81 ÄLMHULT

סימן המחזור מראה שיש להשליך את המוצר בנפרד מהפסולת הביתית. יש להעביר אותו למחזור בהתאם לחוקים המקומיים. באמצעות הפרדת מוצר זה מן הפסולת הביתית, תעזרו להפחית את כמות הפסולת המועברת למשרפות או מטמנות ולמזער את ההשפעה השלילית על בריאות האנשים והסביבה. לקבלת מידע נוסף, אנא צרו קשר עם חנות איקאה הקרובה לביתכם.

