

IKEA Light Sources Technical Information

Art No.	Art Name	Model type	Update date
00218141	LEDARE LED bulb E14 200lm chandelier opal white	LED1026C4	2012-07-20
10222473	LEDARE LED bulb E27 400lm globe clear	LED1028G8	2012-07-20
20222552	LEDARE LED bulb E27 600lm dimmable/globe opal whi	LED1207G11	2013-02-14
20260351	LEDARE LED bulb E14 200 lm chandelier clear	LED1203C4	2012-10-02
30217885	LEDARE LED bulb E14 80lm sign clear	LED1103G2	2012-07-20
30217927	LEDARE LED bulb E14 90lm chandelier clear	LED1104C2	2012-07-20
30222486	LEDARE LED bulb E27 400lm globe opal white	LED1027G8	2012-07-20
30255293	LEDARE N LED bulb E27 400lm globe opal white	LED1204G8	2012-07-20
50217931	LEDARE LED bulb E14 90lm chandelier/twisted clear	LED1105C2	2012-07-20
50219906	LEDARE LED bulb E14 90lm globe clear	LED1106G2	2012-07-20
50255292	LEDARE N LED bulb E27 400lm globe clear	LED1205G8	2012-07-20
70218166	LEDARE LED bulb E27 200lm globe opal white	LED1025G4	2012-07-20
70255291	LEDARE N LED bulb E27 200lm globe opal white	LED1012G5	2012-07-20
80172200	LEDARE LED bulb E14 200lm globe opal white	LED1025G4	2012-07-20
90255290	LEDARE N LED bulb E14 200lm globe opal white	LED1012G5	2012-07-20
10255289	LEDARE N LED bulb E14 200lm chandelier opal white		2013-03-22
10266693	LEDARE NN LED bulb E27 400lm globe opal		2013-05-17
20249226	LEDARE LED bulb E27 1000lm dimmable/glob opal95		2013-05-17
30255740	LEDARE LED bulb E14 400lm chandelier clear		2013-03-22
40254090	LEDARE LED bulb E14 400lm chandelier opal white		2013-03-22
40255914	LEDARE LED bulb E14 refl R50 200lm		2013-05-27
80248993	LEDARE LED bulb E14 400lm globe opal white		2013-05-17
80255907	LEDARE LED bulb GU10 200lm		2013-05-27

Article number:	00218141
Product name:	LEDARE bulb E14 4.3W chandelier opal white
Type number:	LED1026C4
Supplier number:	22298
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	100000
Colour temperature	2700K
warm-up time up to 60% of the full light output	<0.2 sec
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	106 x 36
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	4,3 W
Rated luminous flux	200 lm
Rated lamp life time	20000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	<0.2 sec
Colour rendering	85
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	10222473
Product name:	LEDARE bulb E27 8.1W globe clear
Type number:	LED1028G8
Supplier number:	22298
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	100000
Colour temperature	2700K
warm-up time up to 60% of the full light output	<0.2 sec
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	119 x 59
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	8,1 W
Rated luminous flux	400 lm
Rated lamp life time	20000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	<0.2 sec
Colour rendering	85
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	20222552
Product name:	EDARE LED bulb E27 600lm dimmable/globe opal whi
Type number:	LED1207G11
Supplier number:	22278
Information	
Nominal luminous flux	600 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	40000
Colour temperature	2700 K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	120 x 60
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	www.ikea.com
Rated wattage	10.0 W
Rated luminous flux	600 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0.3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental break	www.ikea.com
Recommendations on how to dispose of the lamp at its end of life	www.ikea.com

Article number:	20260351
Product name:	LEDARE LED bulb E14 200 lm chandelier clear
Type number:	LED1203C4
Supplier number:	22278
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	40000
Colour temperature	2700 K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	100 x 36
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	www.ikea.com
Rated wattage	4.0 W
Rated luminous flux	200 lm
Rated lamp life time	25000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0.3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	www.ikea.com
Recommendations on how to dispose of the lamp at its end of life	www.ikea.com

Article number:	30217885
Product name:	LEDARE N bulb E14 2.3W sign clear
Type number:	LED1103G2
Supplier number:	22278
Information	
Nominal luminous flux	80 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	58 x 27
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	2,3 W
Rated luminous flux	80 lm
Rated lamp life time	20000 h
Lamp power factor	0.55
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	80
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	30217927
Product name:	LEDARE N bulb E14 2.3W chandelier clear
Type number:	LED1104C2
Supplier number:	22278
Information	
Nominal luminous flux	90 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	96 x 35
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	2,3 W
Rated luminous flux	90 lm
Rated lamp life time	20000 h
Lamp power factor	0.55
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	80
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	30222486
Product name:	LEDARE bulb E27 8.1W globe opal white
Type number:	LED1027G8
Supplier number:	22298
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	100000
Colour temperature	2700K
warm-up time up to 60% of the full light output	<0.2 sec
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	119 x 59
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	8,1 W
Rated luminous flux	400 lm
Rated lamp life time	20000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	<0.2 sec
Colour rendering	85
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	30255293
Product name:	LEDARE N LED bulb E27 400lm globe opal white
Type number:	LED1204G8
Supplier number:	22278
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	109 x 60
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	7,5 W
Rated luminous flux	400 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	50217931
Product name:	LEDARE N bulb E14 2.3W chandelier/twisted clear
Type number:	LED1105C2
Supplier number:	22278
Information	
Nominal luminous flux	90 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	96 x 35
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	2,3 W
Rated luminous flux	90 lm
Rated lamp life time	20000 h
Lamp power factor	0.55
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	80
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	50219906
Product name:	LEDARE N bulb E14 2.3W globe clear
Type number:	LED1106G2
Supplier number:	22278
Information	
Nominal luminous flux	90 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	77 x 44
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	2,3 W
Rated luminous flux	90 lm
Rated lamp life time	20000 h
Lamp power factor	0.55
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	80
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	50255292
Product name:	LEDARE N LED bulb E27 400lm globe clear
Type number:	LED1205G8
Supplier number:	22278
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	109 x 60
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	7,5 W
Rated luminous flux	400 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	70218166
Product name:	LEDARE bulb E27 4.3W globe opal white
Type number:	LED1025G4
Supplier number:	22298
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	100000
Colour temperature	2700K
warm-up time up to 60% of the full light output	<0.2 sec
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	77 x 45
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	4,3 W
Rated luminous flux	200 lm
Rated lamp life time	20000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	<0.2 sec
Colour rendering	85
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	70255291
Product name:	LEDARE N LED bulb E27 200lm globe opal white
Type number:	LED1012G5
Supplier number:	22278
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	74 x 45
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	3,5 W
Rated luminous flux	200 lm
Rated lamp life time	25000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	80172200
Product name:	LEDARE bulb E14 4.3W globe opal white
Type number:	LED1025G4
Supplier number:	22298
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	20000 h
Number of switching cycles	100000
Colour temperature	2700K
warm-up time up to 60% of the full light output	<0.2 sec
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	80 x 45
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	4,3 W
Rated luminous flux	200 lm
Rated lamp life time	20000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	<0.2 sec
Colour rendering	85
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	90255290
Product name:	LEDARE N LED bulb E14 200lm globe opal white
Type number:	LED1012G5
Supplier number:	22278
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	40000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	79 x 45
Lamp mercury content	Not applicable
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	3,5 W
Rated luminous flux	200 lm
Rated lamp life time	25000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	10255289	10255289
Product name:	LEDARE N bulb E14 4.0W chandelier opal white	LEDARE N bulb E14 4.0W chandelier opal white
Type number:	LED1206C4	LED1303C4
Supplier number:	22278	22298
Information		
Nominal luminous flux	200 lm	200 lm
Nominal life time of the lamp	25000 h	25000 h
Number of switching cycles	40000	40000
Colour temperature	2700 K	2700 K
warm-up time up to 60% of the full light output	Instant full light	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable	Not dimmable
Optimal use in non-standard conditions	Not applicable	Not applicable
Lamp dimensions in millimeters	100 x 36	104 x 36
Lamp mercury content	No	No
Rated wattage	4.0 W	3.5 W
Rated luminous flux	200 lm	200 lm
Rated lamp life time	25000 h	25000 h
Lamp power factor	0.5	0.5
Lumen maintenance factor at the end of the nominal life	70%	70%
Starting time	0.3 sec	0.3 sec
Colour rendering	87	85

Article number:	10266693
Product name:	LEDARE NN LED bulb E27 400lm globe opal
Type number:	LED1221G7
Supplier number:	21633
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	25000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	109 x 60
Lamp mercury content	No
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	6,3 W
Rated luminous flux	400 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable


Article number:	20249226
Product name:	EDARE LED bulb E27 1000lm dimmable/glob opal95
Type number:	LED1308G16
Supplier number:	21633
Information	
Nominal luminous flux	1000 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	25000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	128 x 95
Lamp mercury content	No
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	16,5 W
Rated luminous flux	1000 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	30255740
Product name:	LEDARE LED bulb E14 400lm chandelier clear
Type number:	LED1217C6
Supplier number:	21633
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	25000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	112.5 x 42
Lamp mercury content	No
Rated wattage	7 W
Rated luminous flux	400 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0.5 sec
Colour rendering	87

Article number:	40254090
Product name:	LEDARE LED bulb E14 400lm chandelier opal white
Type number:	LED1216C6
Supplier number:	21633
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	25000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	112.5 x 42
Lamp mercury content	No
Rated wattage	7 W
Rated luminous flux	400 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0.5 sec
Colour rendering	87

Article number:	40255914
Product name:	LEDARE LED bulb E14 refl R50 200lm
Type number:	LED1211R4
Supplier number:	22237
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	25000 h
Colour temperature	2700K
Number of switching cycles	25000
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	83.5 x 50
Nominal beam angle	36°
Warning that the lamp is suitable for accent lighting	Not applicable
Drawing comparing lamp dimensions with equivalent filament lamp	Not applicable
Type to be displayed according to Table 6	Not applicable
Claimed equivalent lamp power of an incandescent	Not applicable
If the lamp contain mercury: Lamp mercury content	No
If the lamp contain mercury: Website to consult in case of accidental lamp br	Not applicable
Rated wattage	4.0 W
Rated luminous flux	200 lm
Rated lamp life time	25000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0.3 sec
Colour rendering	80
Colour consistency	5 steps
Rated peak intensity in candela	400
If intended for use in outdoor or industrial applications	Not applicable
Spectral power distribution in the range 180-800nm	See below
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Spectral Distribution



Article number:	80248993
Product name:	LEDARE LED bulb E14 400lm globe opal white
Type number:	LED1221G7
Supplier number:	21633
Information	
Nominal luminous flux	400 lm
Nominal life time of the lamp	25000 h
Number of switching cycles	25000
Colour temperature	2700K
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	109 x 60
Lamp mercury content	No
Website to consult in case of accidental lamp breakage	Not applicable
Rated wattage	6,3 W
Rated luminous flux	400 lm
Rated lamp life time	25000 h
Lamp power factor	0.7
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0,3 sec
Colour rendering	87
Instructions on how to clean up lamp debris in case of accidental breakage	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Article number:	80255907
Product name:	LEDARE LED bulb GU10 200lm
Type number:	LED1210R4
Supplier number:	22237
Information	
Nominal luminous flux	200 lm
Nominal life time of the lamp	25000 h
Colour temperature	2700K
Number of switching cycles	25000
warm-up time up to 60% of the full light output	Instant full light
A warning if the lamp cannot be dimmed	Not dimmable
Optimal use in non-standard conditions	Not applicable
Lamp dimensions in millimeters	54 x 50
Nominal beam angle	36°
Warning that the lamp is suitable for accent lighting	Not applicable
Drawing comparing lamp dimensions with equivalent filament lamp	Not applicable
Type to be displayed according to Table 6	Not applicable
Claimed equivalent lamp power of an incandescent	Not applicable
If the lamp contain mercury: Lamp mercury content	No
If the lamp contain mercury: Website to consult in case of accidental lar	Not applicable
Rated wattage	4.0 W
Rated luminous flux	200 lm
Rated lamp life time	25000 h
Lamp power factor	0.5
Lumen maintenance factor at the end of the nominal life	70%
Starting time	0.3 sec
Colour rendering	80
Colour consistency	5 steps
Rated peak intensity in candela	400
If intended for use in outdoor or industrial applications	Not applicable
Spectral power distribution in the range 180-800nm	See below
Instructions on how to clean up lamp debris in case of accidental breaka	Not applicable
Recommendations on how to dispose of the lamp at its end of life	Not applicable

Spectral Distribution

