

APPLIANCES












TABLE OF CONTENTS

Refrigerators	4
Ranges	14
Ovens	22
Microwave ovens	28
Cooktops	36
Range hoods	50
Dishwashers	60
Limited Warranty	66
Services and guidance	68









HUMIDITY CONTROLLED CRISPERS You can preserve the freshness of fruits and vegetables by just adjusting the humidity scale. The integrated air purifying system will also help to reduce food odors.





SPACIOUS STORAGE AND LEDS Our refrigerators offer plenty of storage both in the fridge and the freezer drawer. Adjustable shelves, multiple crispers and built-in door shelving let you arrange your food just the way you like. And, with integrated LEDs that light up every corner, you'll be able to see (and find) everything you've packed in — even that jar of pickles in the back.

		Energy Star® Qualified	Capacity fridge	Capacity freezer	No-frost function	Built in water/ice	Electronic display	LED lighting	FREE limited warranty
TOP MOUNTED	REFRIGERATORS		. 3.					3 - 3	
LAGAN 004.621.52 White		ENERGY STAR	10 cu.ft.	3.9 cu.ft.	Yes	-	-	Yes	2 years
FRYSBAR 804.621.48 Stainless steel		ENERGY STAR	10 cu.ft.	3.9 cu.ft.	Yes	_	_	Yes	5 years
FULLY INTEGRA	ATED REFRIGERAT	OR							
SUPERKALL 104.621.56 White (Kitchen front to be added)		ENERGY STAR	6.36 cu.ft.	2.4 cu.ft.	Yes	_	_	Yes	5 years
BOTTOM FREE	ZER REFRIGERA	TORS							
VÄLGRUNDAD 704.621.58 Stainless steel		ENERGY STAR	13.07cu.ft.	5.62 cu.ft.	Yes	_	_	Yes	5 years
FÄRSKHET 304.621.55 Stainless steel-color		ENERGY STAR	7.63 cu.ft.	2.8 cu.ft.	Yes	_	_	Yes	5 years

		_							
		Energy Star® Qualified	Capacity fridge	Capacity freezer	No-frost function	Built in water/ice	Electronic display	LED lighting	FREE limited warranty
FRENCH DOOF	REFRIGERATO	RS — COUNTER	DEPTH						
STJÄRNSTATUS 205.222.87 Stainless steel		ENERGY STAR	15.6 cu.ft.	7.1 cu.ft.	Yes	Water and ice in door	Yes	Yes	5 years
STJÄRNSTATUS 405.222.86 Black stainless steel		ENERGY STAR	15.6 cu.ft.	7.1 cu.ft	Yes	Water and ice in door	Yes	Yes	5 years
ÖVERSKÅDLIG 604.621.54 Stainless steel		ENERGY STAR	15.04 cu.ft.	6.6 cu.ft	Yes	Water and ice in door	-	Yes	5 years
FREESTANDING	REFRIGERATORS	5						I	
TILLREDA 204.970.23 White		_	2 cu.ft.	-	_	_	-	_	2 years
LAGAN 504.901.19 White	N	ENERGY STAR	3 cu.ft.	1 cu.ft.	_	_	_	Yes	2 years
WINE COOLER									
NUMRERAD 404.621.50 Stainless steel		ENERGY STAR	52 bottles	_	_	_	-	Yes	5 years

LAGAN

Top mounted refrigerator

TOP MOUNTED REFRIGERATOR

White. 004.621.52









Key Features:

- Capacity fridge: 10 cu.ft.
- Capacity freezer: 3.9 cu.ft.
- Two adjustable shelves in tempered glass.
- Three removable door bins to store gallons of milk or any other large containers.
- Fan cooling for consistent temperature throughout.
- Crispers with adaptable humidity levels.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner.
- You can choose to mount the door on the right or the left side.
- Energy Star® Qualified.





FREE 2-year limited warranty included. See page 66 for details.

Accessories included:

Two tempered glass shelves and one on top of the crispers. Two transparent crispers.

One glass shelf and two door bins in top freezer.

Technical information:

Voltage: 120V. Free-standing model.

W27%×D29%×H60½"

FRYSBAR

Top mounted refrigerator

Stainless steel. 804.621.48









Key Features:

- Capacity fridge: 10 cu.ft.
- Capacity freezer: 3.9 cu.ft.
- Two adjustable shelves in tempered glass with spill guard in fridge.
- · One adjustable glass shelf in freezer.
- Durable door bins to store gallons of milk or any other large containers.
- Crispers with adaptable humidity levels.
- Fan cooling for consistent temperature throughout.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner.
- You can choose to mount the door on the right or the left side.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Three tempered glass shelves. One tempered glass shelf on top of bottom crisper. Two transparent crispers.

Technical information:

Voltage: 120V.

Free-standing model.

W27%×D29%×H60½"

FULLY INTEGRATED REFRIGERATOR

SUPERKALL

Bulit-in refrigerator

Stainless steel. 104.621.56









Key Features:

- Capacity fridge: 6.36 cu.ft.
- Capacity freezer: 2.4 cu.ft.
- Fully integrated fridge/freezer to be installed in a kitchen cabinet fitted with the same type of door as other parts of the kitchen
- Two high cabinet sizes available for this integrated fridge to suit your needs.
- Adjustable shelves in tempered glass.
- Fan cooling for consistent temperature throughout.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner.
- You can choose to mount the door on the right or the left side.
- · Crispers drawer included.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Four adjustable tempered glass shelves. Three freezer drawers. One crisper.

Technical information:

Voltage: 115V.

W21¼×D21%×H70¼"

BOTTOM-FREEZER REFRIGERATORS

VÄLGRUNDAD

Bottom-freezer refrigerator

Stainless steel. 704.621.58









Key Features:

- Capacity fridge: 13.07 cu.ft. Capacity freezer: 5.62 cu.ft.
- Adjustable shelves in tempered glass.
- Durable door bins to store gallons of milk or any other large containers.
- Crispers with adaptable humidity levels.
- Fan cooling for consistent temperature throughout.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner.
- You can choose to mount the door on the right or the left side.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Two tempered glass shelves. One tempered glass shelf on top of bottom crisper.

Two transparent crispers.

Technical information:

Voltage: 120V. Free-standing model.

W29½×D31½×H66½"

BOTTOM-FREEZER REFRIGERATORS

FÄRSKHET

Bottom-freezer refrigerator

Stainless steel-color. 304.621.55









Key Features:

- Capacity fridge: 7.63 cu.ft.
- Capacity freezer: 2.8 cu.ft.
- Adjustable shelves in tempered glass.
- Durable door bins to store gallons of milk or any other large containers.
- Crispers with adaptable humidity levels.
- Fan cooling for consistent temperature throughout.
- No-frost function against ice and frost formation.
- Freezer has three independent drawers that help you stay organized.
- Integrated LED light technology that illuminates every corner.
- You can choose to mount the door on the right or the left side.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Two tempered glass shelves.

Two tempered glass shelves on top of bottom crisper. Two transparent crispers.

Technical information:

Voltage: 120V.

Free-standing model.

W23%×D24%×H73%"

FRENCH DOOR REFRIGERATORS — COUNTER DEPTH

STJÄRNSTATUS

French door refrigerator — counter depth

Stainless steel. 205.222.87









Key Features:

- Capacity fridge: 15.6 cu.ft.
- Capacity freezer: 7.1 cu.ft.
- It's easy to store anything from sheet cakes and food containers to delicacies and herbs, since the large cooler drawer extends completely.
- The flip-up shelf makes room for large or tall items.
- You have easy access to the contents inside the freezer drawers since they
- glide out smoothly and fully extend.
- Food stays organized and accessible in the deep freezer basket with adjustable divider.
- Crispers with adaptable humidity levels.
- Crisper drawers can be placed either side-by-side or stacked on top of each other.
- Fan cooling for consistent temperature throughout.
- Integrated air filter system to reduce food odors.
- $\bullet\,$ Electronic display that clearly shows the status of settings and functions.
- Built-in water/ice maker in the door for ice cubes, crushed ice or cold water.
- The water filter produces clean water by filtering lead and sediment from your household water.
- The touch control lets you easily select options with the touch of a button.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner. The light source is maintenance-free and should last the lifetime of the appliance.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Four tempered glass shelves and one on top of the crispers.

Two transparent crispers.

One extra large transparent crisper.

One freezer drawer.

One freezer basket.

Water filter.

Technical information:

Voltage: 120V.

Free-standing model.

W36×D28½×H69%"

FRENCH DOOR REFRIGERATORS — COUNTER DEPTH

STJÄRNSTATUS

French door refrigerator — counter depth

Black stainless steel. 405.222.86









Key Features:

- Capacity fridge: 15.6 cu.ft.
- Capacity freezer: 7.1 cu.ft.
- It's easy to store anything from sheet cakes and food containers to delicacies and herbs, since the large cooler drawer extends completely.
- The flip-up shelf makes room for large or tall items.
- You have easy access to the contents inside the freezer drawers since they glide out smoothly and fully extend.
- Food stays organized and accessible in the deep freezer basket with adjustable divider.
- Fan cooling for consistent temperature throughout.
- · Crispers with adaptable humidity levels.
- Crisper drawers can be placed either side-by-side or stacked on top of each other.
- Integrated air filter system to reduce food odors.
- Electronic display that clearly shows the status of settings and functions.
- Built-in water/ice maker in the door for ice cubes, crushed ice or cold water.
 The water filter produces clean water by filtering lead and sediment from your
- household water.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner. The light source is maintenance-free and should last the lifetime of the appliance.
- · Energy Star® Qualified.





FREE 5-year limited warranty included.
See page 66 for details.

Accessories included:

Four tempered glass shelves and one on top of the crispers.

Two transparent crispers.

One extra large transparent crisper.

One freezer drawer. One freezer basket.

Water filter.

Technical information:

Voltage: 120V.

Free-standing model.

W35%×D28½×H69%"

ÖVERSKÅDLIG


French door refrigerator — counter depth

Stainless steel. 604.621.54









Key Features:

- Capacity fridge: 15.04 cu.ft.
- Capacity fridge: 15.04 cu.ft.
 Capacity freezer: 6.6 cu.ft.
- A generous-sized refrigerator with French doors and two spacious freezer drawers.
- Adjustable tempered glass shelves allow you to customize your storage space.
- · Versatile flex drawer with independent temperature control.
- Electronic display that clearly shows the status of settings and functions.
- Fast cooling and fast freezing functions.
- Easy to use handle-free flex drawer and freezer drawer.
- Door alarm that sounds if the door is not closed or the temperature increases.

 Poils in worth of the door for its order to be a first order
- Built-in water/ice maker in the door for ice cubes, crushed ice or cold water.
 The water filter produces clean water by filtering lead and sediment from your household water.
- No-frost function against ice and frost formation.
- Integrated LED light technology that illuminates every corner.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Adjustable tempered glass shelves Two removable, transparent crispers One removable inner flex drawer Two removable inner freezer drawers

Technical information

Voltage: 120V. Free-standing model.

W35%×D29×H69%"

FREESTANDING REFRIGERATORS

TILLREDA

Freestanding refrigerator

White. 204.970.23









Key Features:

- Capacity fridge: 2 cu.ft.
- A small refrigerator for a small-sized kitchen.
- Handy in the den, basement, quest house, dorm room, or wherever you may want quick access to a beverage or snack.



FREE 2-year limited warranty included. See page 66 for details.

LAGAN

Freestanding refrigerator with freezer compartment

White. 504.901.19









Key Features:

- Capacity fridge: 3 cu.ft.
- Capacity freezer: 1 cu.ft.
- The small size is ideal for small-sized kitchens.
- The adjustable shelves allow you to adapt the space inside.
- Internal LED lighting.Energy Star® Qualified.





FREE 2-year limited warranty included. See page 66 for details.

Accessories included:

One water tray for defrost Water filter.

Technical information:

Voltage: 120V. Free-standing model.

W18%×D17%×H19%"

Accessories included:

Two glass shelves One transparent crisper

Technical information:

Voltage: 115V. Free-standing model.

W21%×D22½×H32¾"

WINE COOLER

NUMRERAD

Wine cooler

Stainless steel. 404.621.50









13

Key Features:

- Capacity fridge: 5.3 cu.ft.Holds up to 52 bottles.
- Pull-out shelves give a good overview and make it easy to take out and add bottles.
- Wooden shelves create a wine cellar feel.
 Integrated LED light technology that illuminates every corner.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Accessories included:

Seven wooden shelves

Technical information:

Voltage: 115V. Free-standing model.

W23%×D23%×H35"





GLASS CERAMIC COOKTOP Provides even and effective heating through each cooking zone. The smooth surface is practical and easy to clean.



LARGE OVEN Our ranges boast large ovens and multiple levels so you can fit several dishes at once (or one big bird for those special occasions).



MADE TO FIT AND LOTS OF FUNCTIONS All our ranges are made to slide-in perfectly between IKEA cabinets, which makes planning your kitchen that much easier. And, our ranges offer a variety of features, like convection oven function, custom broil and bake settings.

	1	1		I	1	1	1	
		Oven capacity	Cooking levels	Number of cooking zones	Thermal/ Convection oven	Self-clean/ Steam clean	Fuel source	FREE limited warranty
RANGES WITH CERAN	AIC COOKTOP	cupacity	ieveis		Convection over	Steam cream	Jource	Traine,
LAGAN 804.620.54 White		5.3 cu.ft.	5	5	Thermal	-	Electric	2 years
CIRKULERA 105.152.92 Stainless steel		1.9 cu.ft.	4	4	Convection	-	Electric	5 years
MOTSVARIG 204.620.52 Black stainless steel		5.3 cu.ft.	6	5	Thermal	Self-clean	Electric	5 years
GRUNDLÄGGA 404.620.51 Stainless steel		5.7 cu.ft.	7	5	True convection	Self-clean/ Steam clean	Electric	5 years
TVÄRSÄKER 404.660.06 Stainless steel		5.4 cu.ft.	7	4	True convection	Self-clean	Induction	5 years
RANGES WITH GAS CO	ООКТОР							
LAGAN 304.583.56 White	FFI RA	5.0 cu.ft.	5	4	Thermal	_	Gas	2 years
CIRKULERA 905.152.93 Stainless steel	2335	1.9 cu.ft.	4	4	Thermal	_	Gas	5 years
MOTSVARIG 704.620.40 Black stainless steel		5.0 cu.ft.	6	5	Thermal	Self-clean	Gas	5 years
GRUNDLÄGGA 304.620.42 Stainless steel		5.0 cu.ft.	6	4	True convection	Self-clean/ Steam clean	Gas	5 years



EXTRA STORAGE SPACE Convenient drawer for storing things like baking sheets, frying pans and lids.



SAVE ENERGY Induction cooktops are extremely energy efficient, fast and precise as induction technology transfers energy directly into magnetic cookware. And, it saves you money on your energy bill too.

INNOVATIVE AND TIME SAVING SELF CLEANING FUNCTIONS FOR EASIER EVERYDAY COOKING.



SELF CLEANING The self-cleaning function makes it easier for you to clean the oven, as grease and food residue are burned to ashes and then easily brushed off.



STEAM CLEAN The steam clean function is innovative and energy efficient using water and low heat to release light grease and food residue. When the cycle is complete just easily wipe out the leftovers.

ELECTRIC RANGE WITH CERAMIC COOKTOP

LAGAN

Range with glass ceramic cooktop

White. 804.620.54





Key Features:

- Capacity: 5.3 cu.ft.
- Five cooking levels.
- The warm zone element keeps the food at the right temperature until everyone is ready to eat.
- One of the elements is expandable to accommodate various sizes of cookware.
- The quick boil zone get meals on the table faster.
- Custom bake and broil according to your cooking needs.
- $\bullet\,$ Top heat and bottom heat.
- Electronic timer
- Easy to clean smooth ceramic glass cooktop.
- Convenient drawer for storing things baking sheets and parchment paper.



Accessories:

Two racks included.

Technical Information:

2×3000W radiant zones.

2×1200W radiant zones.

1x100W radiant zone

Free-standing model.

W29%×D28¾×H47"

Voltage: 240V.

FREE 2-year limited warranty included. See page 66 for details.

CIRKULERA

Range with glass ceramic cooktop

Stainless steel. 105.152.92





Key Features:

- Capacity: 1.9 cu.ft.
- Four cooking levels
- A smooth, easy-clean glass cooktop and convection oven with a powerful fan that circulates heat evenly, for even baking and browning every time.
- A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.
- yoursell.

 Easier and more flexible to bake or custom broil delicious dishes thanks to the multiple cooking levels and adjustable racks.
- The fan-forced air convection spreads the heat quickly and evenly, so you can cook or bake several dishes at once without flavors spreading between them
- The spacious drawer under the oven is perfect for storing large or odd-shaped cookware or baking sheets.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Two racks included.

Technical Information:

2×1800W radiant zones. 2×1200W radiant zones. Voltage:240V.

Free-standing model.

W23½×D25¾×H36%"

MOTSVARIG

Range with glass ceramic cooktop

Black stainless steel. 204.620.52





Key Features:

- Capacity: 5.3 cu.ft.
- Six cooking levels.
- · Top heat and bottom heat.
- The self-cleaning function burns grease and food residue to ashes that can easily be wiped off.
- One of the elements is expandable to accommodate various sizes of cookware.
- The quick boil zone get meals on the table faster.
- One extra large element allows you to fit larger pots and pans.
- The warm zone element keeps the food at the right temperature until everyone is ready to eat.
- The heat indicator shows when the cooking zone has cooled .
- Six oven rack positions and generous space inside the oven for flexible cooking needs.
- Easy to clean smooth ceramic glass cooktop.
- Convenient drawer for storing baking sheets, pots and pans.
- Black stainless steel surface is treated to repel finger prints.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Two racks included.

Technical Information:

2×1200W radiant zones. 1×3000W radiant zone. 1×2700W radiant zone. 1×100W radiant zone.

Voltage: 240V. Free-standing model.

W29%×D28¾×H47"

ELECTRIC RANGE WITH CERAMIC COOKTOP

GRUNDLÄGGA

Range with glass ceramic cooktop

Stainless steel. 404.620.51





Key Features:

- · Capacity: 5.7 cu.ft.
- · Seven cooking levels.
- True convection oven function spreads the heat quickly and evenly.
- One of the elements is expandable to accommodate various sizes of cookware.
- The quick boil zone get meals on the table faster.
- One extra large element allows you to fit larger pots and pans.
- The warm zone element keeps the food at the right temperature until everyone is ready to eat.
- Heat indicator that shows when the cooking zone has cooled down.
- Flexible self cleaning function two-four hours depending on soil level.
- Twenty minutes steam clean function for light soils, chemical and odor free.
- Multiple racks and cooking levels inside the oven.
- $\bullet \ \ \text{Oven broil settings for grilling meat and browning vegetables}.$
- Quick oven preheat.
- Temperature probe detects and alerts when the desired cooking temperature has been reached, then automatically switches to the keep warm setting.
- Easy to clean smooth ceramic glass cooktop
- Convenient drawer for storing baking sheets, pots and pans.



warranty included. See page 66 for details.

FREE 5-year limited

Accessories: Three racks included

miree racks included.

Technical Information: 2×3000W radiant zones.

2×1200W radiant zones. 1×100W radiant zone. Voltage: 240V. Free-standing model.

W29%×D28%×H47"

INDUCTION RANGE WITH CERAMIC COOKTOP

TVÄRSÄKER

Induction range with glass ceramic cooktop

Stainless steel. 404.660.06





Key Features:

- · Capacity: 5.4 cu.ft.
- Seven cooking levels.
- True convection oven function spreads the heat quickly and evenly.
- The self-cleaning function burns grease and food residue to ashes that can easily be wiped off.
- Induction zones for fast and precise temperature control.
- · Auto pan-size detection.
- Power booster feature.
- Built-in cooktop timer lets you set the exact time you want items to cook.
- Heat indicator that shows when the cooking zone has cooled down.
- Multiple racks and cooking levels inside the oven.
- $\bullet \ \ \text{Oven broil settings for grilling meat and browning vegetables}.$
- Quick oven preheat.
- Easy to clean smooth ceramic glass cooktop.
- Convenient drawer for storing baking sheets, pots and pans.



FREE 5-year limited warranty included.
See page 66 for details.

Accessories:

Two oven racks included

Technical Information:

2x1800W induction zones with booster; 2800W 1x2100W induction zone with booster; 3600W 1x1400W induction zone with booster; 2500W

Voltage: 240/208V

Connection rating: 13500W

Induction cooktops requires cookware with magnetic base. Installation shall be made by professionals in

accordance with valid local safety regulations. Free-standing model.

W29%×D28¾×H47"

RANGE WITH GAS COOKTOP

LAGAN

Range with gas cooktop

CIRKULERA

Range with gas cooktop

White. 304.583.56





Key Features:

- · Capacity: 5.0 cu.ft.
- · Five cooking levels.
- · Custom bake and broil according to your cooking needs.
- Top heat and bottom heat.
- Electric ignition by using the push-and-turn knob.
- Removable and sturdy supports in durable porcelain-coated cast iron.
- · Convenient drawer for storing baking sheets, pots and pans.



FREE 2-year limited warranty included. See page 66 for details. Stainless steel. 905.152.93





Key Features:

- Capacity: 1.9 cu.ft.
- · Four cooking levels.
- Fast and responsive for the precision chef with continuous grates that make it easy to move pots and pans between the four burners without lifting.
- The spacious drawer under the oven is perfect for storing large or odd-shaped cookware or baking sheets.
- · Electric ignition by using the push-and-turn knob.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Two oven racks included

Technical Information:

5×9,500 BTU sealed burners. BTU = British Thermal Unit, a way of measuring the output power of the gas burners.

Voltage: 120V.

Installation shall be made by professionals in accordance with valid local safety regulations.

Free-standing model.

W29%×D283/4×H47"

Accessories:

Two oven racks included. Liquid propane conversion kit included.

Technical Information:

1×5000 BTU sealed burner. 2×9000 BTU sealed burner. 1×12,500 BTU sealed burner. Voltage: 120V. Free-standing model.

W23½×D25¾×H36%"

RANGE WITH GAS COOKTOP

MOTSVARIG

Range with gas cooktop

GRUNDLÄGGA

Gas range with five burners

Stainless steel. 304.620.42

Black stainless steel. 704.620.40







Key Features:

- Capacity: 5.0 cu.ft.
- · Six cooking levels.
- The self-cleaning function burns grease and food residue to ashes that can easily be wiped off.
- · Custom bake and broil according to your cooking needs.
- Top heat and bottom heat.
- Six oven rack positions and generous space inside the oven for flexible cooking needs.
- · Electric ignition by using the push-and-turn knob.
- Continuous corner-to-corner grates in durable porcelain-coated cast iron.
- Powerful burner with 17,000 BTU, generating high heat needed for rapid boiling, searing and frying.
- Convenient drawer for storing baking sheets, pots and pans.
- Black stainless steel surface is treated to repel finger prints.



FREE 5-year limited warranty included. See page 66 for details.



Kev Features:

- · Capacity: 5.0 cu.ft.
- · Six cooking levels
- True convection oven function spreads the heat quickly and evenly.
- Flexible self cleaning function 2-4 hour depending on soil level.
- 20 min steam clean function for light soils chemical and odor free.
- · Multiple racks and cooking levels inside the oven.
- Oven broil settings for grilling meat and brown vegetables.
- Ouick oven preheat. • Temperature probe detects and alerts when the desired cooking temperature
- has been reached, then automatically switches to the keep warm setting. • Electric ignition by using the push-and-turn knob.
- Continuous corner-to-corner grates in durable porcelain-coated cast iron.
- Powerful burner with 18,000 BTU, generating high heat needed for rapid boiling, searing and frying.
- Convenient drawer for storing baking sheets, pots and pans.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Two oven racks included.

Technical Information:

1×17,000 BTU sealed burner. 1×12,000 BTU sealed burner.

2×9,500 BTU sealed burners.

1×5,000 BTU sealed burner.

BTU = British Thermal Unit, a way of measuring

the output power of the gas burners.

Voltage: 120V.

Installation shall be made by professionals in accordance with valid

local safety regulations. Free-standing model.

W29%×D28%×H47"

Accessories:

Three oven racks included.

Technical Information:

1×18,000 BTU sealed burner.

1×14,000 BTU sealed burner.

1×9,500 BTU sealed burner.

1×5,000 BTU sealed burner.

BTU=British Thermal Unit, a way of measuring

the output power of the gas burners.

Voltage=120V.

Installation shall be made by professionals in accordance with valid

local safety regulations Free-standing model.

W29%×D283/4×H47"





TRUE CONVECTION A fan spreads preheated air evenly throughout the oven which means you can cook different dishes at the same time without sharing flavors.



SELF CLEANING The self-cleaning function makes your oven easy to clean—grease and food residue are burned to ashes that you can simply wipe away.



LARGE OVENS & MULTIPLE RACKS The insides of our ovens have generous dimensions and several racks so you have enough space for lots of different dishes at once (or several trays of the same delicious treat).



5

Whatever your choice, you can be sure your appliance is made to last. Our appliance range comes with a free 5-year limited warranty (except LAGAN and TILLREDA). See page 66 for details.

		Capacity	Thermal/ Convection oven	Self-clean	Cooking modes	Telescoping rails	Bread proof	Air Fry	Dehydrate	FREE limited warranty
BUILT IN OVEN	S									
TÄNGBY 405.405.44 Stainless steel		5.3 cu.ft.	Convection thermal	Yes	4	No	No	No	No	5 years
HJÄLTEBY 605.405.43 Stainless steel		5.3 cu.ft.	True convection	Yes	8	Yes	Yes	Yes	Yes	5 years
HJÄLTEBY 805.405.42 Black stainless steel		5.3 cu.ft.	True convection	Yes	8	Yes	Yes	Yes	Yes	5 years

Big enough for any occasion!

Great for big family dinners or parties, the over five cubic feet of space means you can cook lots of dishes at the same time. And the self-cleaning function lets you enjoy your meals while your oven cleans itself.



BUILT-IN OVENS

HJÄLTEBY

True convection self-cleaning wall oven

Stainless steel. 605.405.43





Key Features:

- Large oven capacity: 5.3 cu.ft.
- Six cooking levels.
- The self-cleaning function burns grease and food residue to ashes that can easily be wiped off.
- Automatic lock during high temperature self-cleaning program.
- True convection function for even heating and cooking results.
- Custom bake and broil according to your cooking needs.
- Bread proof function maintains a warm environment useful for rising of yeast-leavened products.
- Electronic timer with delayed start function.
- · Warming program.
- Six oven rack positions.
- Telescopic rails make it easier and safer when loading the oven and taking out
- Electronic door lock for increased safety in the kitchen.
- · A perfect match with STÅNGBY microwave oven.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Telescopic glide rack included. Temperature probe for cooking.

Technical Information:

Power: 4500W. Voltage: 240V. Minimum fuse: 30A. Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D28%×H28"

HJÄLTEBY

True convection self-cleaning wall oven

Black stainless steel. 805.405.42





Key Features:

- Large oven capacity: 5.3 cu.ft.
- Six cooking levels.
- The self-cleaning function burns grease and food residue to ashes that can easily be wiped off.
- Automatic lock during high temperature self-cleaning program.
- True convection function for even heating and cooking results.
- Custom bake and broil according to your cooking needs.
- Bread proof function maintains a warm environment useful for rising of yeast-leavened products.
- Electronic timer with delayed start function.
- · Warming program.
- · Six oven rack positions.
- Telescopic rails make it easier and safer when loading the oven and taking out
- Electronic door lock for increased safety in the kitchen.
- · A perfect match with STÅNGBY microwave oven.

FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Telescopic glide rack included. Temperature probe for cooking.

Technical Information:

Power: 4500W. Voltage: 240V. Minimum fuse: 30A. Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D28%×H28"

BUILT-IN OVENS

TÄNGBY

Self-cleaning wall oven

Stainless steel. 405.405.44





Key Features:

- Large oven capacity: 5.3 cu.ft.
- Four cooking levels.
- The self-cleaning function burns grease and food residue to ashes that can easily be wiped off.

27

- Easier and more flexible to bake or custom broil delicious dishes thanks to the multiple cooking levels and adjustable racks.
- The warming program enables you to keep food warm without becoming overcooked or burnt.
- · The delayed start function allows you to set your oven to begin cooking or cleaning when you want.
- The touch control makes the oven both easy to use and clean.
- Electronic door lock for increased safety in the kitchen.
- Built-in appliances create a uniform and sleek look in your kitchen.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Two adjustable oven racks included

Technical Information:

Power: 4500W Voltage: 120V. Minimum fuse: 30A Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D28%×H28"





SETUP TO WORK SMART A combination of microwave oven and extractor fan, it's a smart use of space but also one way to create an ergonomic, organized and smooth work flow that's just right for you.



BUILT-IN EXTRACTOR FAN A microwave oven with extractor fan does more than just reheat and defrost — it keeps your kitchen free of grease and cooking odors.



EASY TO USE A space-saving combination with very practical and easy to use controls that let you operate the microwave and the extractor fan at the same time.

		Capacity	Power levels	Programs	Output power	Fan noise level	Extraction rate	Lighting	FREE limited warranty
MICROWAVES W	/ITH TRIM KIT FOR BUILT-IN SOLUTION	ONS							
STÅNGBY 794.952.20 Stainless steel	770	2.2 cu.ft.	10	9	1100W	_	_	LED	5 years
STÅNGBY 594.952.21 Black stainless steel		2.2 cu.ft.	10	8	1100W	_	-	LED	5 years
MICROWAVE OV	YEN WITH EXTRACTOR FAN								
VALSKAPT 605.153.03 Stainless steel		1.4 cu.ft.	10	-	1000W	65 dBA	300 CFM HVI certified	LED	5 years
LAGAN 704.621.63 White		1.6 cu.ft.	10	8	1000W	65 dBA	220 CFM HVI certified	LED	2 years
MEDELNIVÅ 504.621.64 Stainless steel		1.6 cu.ft.	10	8	1000W	65 dBA	220 CFM HVI certified	LED	5 years
MEDELNIVÅ 004.621.66 Black stainless steel		1.6 cu.ft.	10	8	1000W	65 dBA	220 CFM HVI certified	LED	5 years
MICROWAVE OV	VEN WITH EXTRACTOR FAN & TRUE C	ONVECTION F	UNCTION						
UPPSEENDE 204.621.65 Stainless steel	Hamman B	1.5 cu.ft.	10	8+ convection function	900W	68 dBA	300 CFM HVI certified	LED	5 years
MICROWAVE OV	/EN								
TILLREDA 404.934.20 White	3	.7 cu.ft.	5	-	700W	-	-	-	2 years

MICROWAVES WITH TRIM KIT FOR BUILT-IN SOLUTIONS

STÅNGBY

Microwave with trim kit

Stainless steel 794.952.20



STÅNGBY

Microwave with trim kit

Black stainless steel 594.952.21



Key Features:

- Capacity: 2.2 cu.ft.
- The multi-stage cook option allows you to program power levels and cooking times in advance. For example, to cook food at 80% power for 3 minutes and then 50% power for 6 minutes.
- The multi-stage cook option makes it easy to follow microwave recipes. Max. 2 stages can be pre-set
- With Cook program specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the right type of food.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- The touch control lets you easily select options with the touch of a button.
- The automatic defrost function determines the microwave power and time needed for defrosting the quantity of food.
- The reheat function detects the increasing humidity released during the cooking process and automatically adjusts the cooking time to the type and amount of food. You can reheat or defrost without affecting the nutrients or flavors of foods by just selecting the settings for specific food types.
- · Extra generous interior dimensions ensure you have plenty of room for the food you want to cook.
- A perfect match with HJÄLTEBY.



FREE 5-year limited warranty included, excluding trim kit. See page 66 for details.

Technical Information:

Output power microwave: 1100W.

Ten power levels.

Voltage: 120V.

Rotating turntable diameter 16.5".

You can install the microwave in a W30" high cabinet to get a comfortable working height and free up space on the countertop.

Installation of microwave with trim kit requires NYTTIG support bracket and filler piece, sold separately.

Installation shall be made by professionals in accordance with valid local safety regulations.

W30×D19¾×H18%"

Key Features:

- Capacity: 2.2 cu ft
- The multi-stage cook option allows you to program power levels and cooking times in advance. For example, to cook food at 80% power for 3 minutes and then 50% power for 6 minutes.
- The multi-stage cook option makes it easy to follow microwave recipes. Max. 2 stages can be pre-set
- With Cook program specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the right type of food.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- The touch control lets you easily select options with the touch of a button.
- The automatic defrost function determines the microwave power and time needed for defrosting the quantity of food.
- The reheat function detects the increasing humidity released during the cooking process and automatically adjusts the cooking time to the type and amount of food. You can reheat or defrost without affecting the nutrients or flavors of foods by just selecting the settings for specific food types.
- Extra generous interior dimensions ensure you have plenty of room for the food you want to cook.
- A perfect match with HJÄLTEBY.



FREE 5-year limited warranty included, excluding trim kit. See page 66 for details.

Technical Information:

Output power microwave: 1100W. Ten power levels.

Voltage: 120V.

Rotating turntable diameter 16.5".

You can install the microwave in a W30" high cabinet to get a comfortable working height and free up space on the countertop.

Installation of microwave with trim kit requires NYTTIG support bracket and filler piece, sold separately.

Installation shall be made by professionals in accordance with valid local safety regulations.

W30×D19¾×H18%"

MICROWAVE OVENS WITH EXTRACTOR FAN

VALSKAPT

Microwave oven with extractor fan

Stainless steel. 605.153.03





Key Features:

• Capacity: 1.4 cu.ft.

- Combination of microwave oven and fan for installation in a wall cabinet frees up space on the countertop.
- With Cook program, specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the right type of food.
- The rotating plate ensures that microwaves spread uniformly and that the food is heated/cooked evenly throughout.
- · LED interior microwave light stays on while your dish cooks.
- The included LED strip effectively illuminates the cooking surface and provides energy saving.
- You can reheat or defrost without affecting the nutrients or flavors of foods by just selecting the settings for specific food types.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- The full-width door maximises the available cooking space inside the microwave, while the edge-to-edge glass offers a sleek and stylish look.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

Technical Information:

Noise level: 65 dBA (decibel).

Extraction rate when ducted to the outside: 300 CFM (HVI certified). $\label{eq:control} % \begin{subarray}{ll} \end{subarray} % \begin{subarray$

Output power microwave: 1000W.

Voltage: 120V

Rotating turntable diameter 13.5".

Installation shall be made by professionals in accordance with valid local safety regulations.

W23%×D16%×H17"

LAGAN

Microwave oven with extractor fan

White. 704.621.63





Key Features:

- Capacity: 1.6 cu.ft.
- Combination of microwave oven and integrated extractor fan with two different speeds
- With Cook program, specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the right type of food.
- You can reheat or defrost without affecting the nutrients or flavors of foods by just selecting the settings for specific food types.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- Ten power levels.
- Electronic timer.
- Control panel with locking function for increased safety in the kitchen.
- The included LED strip effectively illuminates the cooking surface and provides energy savings.
- HVI Certified (Home Ventilating Institute) to ensure accurate and efficient ventilating standards are met.



FREE 2-year limited warranty included.
See page 66 for details.

Accessories:

One dishwasher-safe grease filter included.

Technical Information:

Noise level: 65 dBA (decibel).

Extraction rate when ducted to the outside: 220 CFM (HVI certified).

Output power microwave: 1000W.

Voltage: 120V.

Rotating turntable diameter 12.4".

Complete with two NYTTIG filler pieces for over the range microwave, sold separately. Can be installed in two ways: ducted to the outside or in recirculation mode fitted with charcoal filter, sold separately.

Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D15×H16%"

MICROWAVE OVENS WITH EXTRACTOR FAN

MEDELNIVÅ

Microwave oven with extractor fan

Stainless steel. 504.621.64





Key Features:

- Capacity: 1.6 cu.ft.
- Combination of microwave oven and integrated extractor fan with two different speeds.
- With Cook program, specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the right type of food.
- You can reheat or defrost without affecting the nutrients or flavors of foods by just selecting the settings for specific food types.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- Ten power levels.
- Electronic timer.
- Control panel with locking function for increased safety in the kitchen.
- The generous interior dimensions ensure you have plenty of room for your dishes.
- The multi-stage cook option allows you to program power levels and cooking times in advance. For example, to cook food at 80% power for three minutes and then 50% power for six minutes.
- The included LED strip effectively illuminates the cooking surface and provides energy savings.
- HVI Certified (Home Ventilating Institute) to ensure accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included.
See page 66 for details.

Accessories:

One dishwasher-safe grease filter included.

Technical Information:

Noise level: 65 dBA (decibel).

Extraction rate when ducted to the outside: 220 CFM (HVI certified).

Output power microwave: 1000W.

Voltage: 120V.

Rotating turntable diameter 12.4".

Complete with two NYTTIG filler pieces for over the range microwave, sold separately. Can be installed in two ways: ducted to the outside or in recirculation mode fitted with charcoal filter.

Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D15×H16%"

MEDELNIVÅ

Microwave oven with extractor fan

Black stainless steel. 004.621.66





Key Features:

- Capacity: 1.6 cu.ft.
- · Combo of microwave oven and integrated extractor fan with two different speeds.

33

- With Cook program, specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the type of food.
- You can reheat or defrost without affecting nutrients or flavors by just selecting the settings for specific food types.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- Ten power levels.
- Electronic timer.
- Control panel with locking function for increased safety.
- The generous interior dimensions ensure you have plenty of room for your dishes.
- The multi-stage cook option allows you to program power levels and cooking times in advance. For example, to cook food at 80% power for three minutes and then 50% power for six minutes.
- The included LED strip effectively illuminates the cooking surface and provides energy saving.
- HVI Certified (Home Ventilating Institute) to ensure accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included.
See page 66 for details.

Accessories:

One dishwasher-safe grease filter included. \\

Technical Information:

Noise level: 65 dBA (decibel).

Extraction rate when ducted to the outside: 220 CFM (HVI certified).

Output power microwave: 1000W.

Voltage: 120V.

Rotating turntable diameter 12.4".

Complete with two NYTTIG filler pieces for over the range microwave, sold separately. Can be installed in two ways: ducted to the outside or in recirculation mode fitted with charcoal filter.

Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D15×H16%"

MICROWAVE OVEN WITH EXTRACTOR FAN & TRUE CONVECTION FUNCTION

UPPSEENDE

Microwave oven with extractor fan and true convection function

Stainless steel. 204.621.65





Key Features:

- Capacity: 1.5 cu.ft.
- Combo of microwave oven and integrated extractor fan with two different speeds.
- Can be used both as a microwave and true convection oven, or a combination of the two for really quick cooking.
- With Cook program, specific times and cooking power have been preset for certain foods, so you can easily select suitable settings for the right type of food.
- You can reheat or defrost without affecting nutrients or flavors by just selecting the settings for specific food types.
- Make perfect popcorn or bake delicious potatoes using the special preset functions that will adapt the time and right temperature automatically.
- 10 power levels.
- · Electronic timer.
- Control panel with locking function for increased safety.
- The microwave has an auto defrost function.
- The sensor cook function detects increasing humidity released during the cooking process and automatically adjusts the cooking time.
- The additional rack is ideal for 2 level cooking, providing more space for additional containers or plates at the same time.
- The included LED strip effectively illuminates the cooking surface and provides energy saving.
- The special interior surface wipes clean effortlessly.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Accessories:

One dishwasher-safe grease filter included. One rack included.

Technical Information:

Noise level: 68 dBA (decibel).

Extraction rate when ducted to the outside: 300 CFM (HVI certified).

Output power microwave: 900W.

Voltage: 120V.

Rotating turntable diameter 13.5".

Complete with two NYTTIG filler pieces for over the range microwave, sold separately. Installed two ways: ducted outside or in recirculation mode fitted with charcoal filter. Installation shall be made by professionals in accordance with valid local safety regulations.

W29%×D15%×H13%"

MICROWAVE OVEN

TILLREDA

Microwave oven

White. 404.934.20







Key Features:

- · Freestanding and small so you can place it almost anywhere.
- Five power levels.
- A perfect option in smaller kitchens or when there is no space for a built-in
- Easy to use set the power level with one knob and the desired time with the other.
- Handle-free doors create a streamlined look; push to open.

FREE 2-year limited warranty included. See page 66 for details.

Accessories:

Power supply cable with plug included.

Technical Information:


Output power microwave: 700W. Voltage: 120V. Rotating turntable diameter 10".

W17¼×D13¾×H10%"











GAS The blue flames of gas cooktops are more than a professional-looking feature, they give you quick, responsive heat control, perfect for fast, fresh cooking.



INDUCTION Cooktops are extremely energy efficient, fast and precise as induction technology transfers energy directly into magnetic cookware. They are easy to clean as the induction surface generates heat only to your pan, not your cooktop. This means spills won't burn onto the surface as easily.

		Size	Number of cooking zones	Auto pan size detection	Power range watts	Power booster watts	Temperature control	Additional features	FREE limited warranty
INDUCTION CO	ОКТОРЅ								
SÄRKLASSIG 204.620.66 Black		30"	4+1 rest zone	Yes	1450×2, 1800, 2500	2000-3800	Touch and slide control	Fast, precise, and energy efficient	5 years
SÄRDRAG 804.620.68 Black	+ - +	30"	4 + 1 rest zone	Yes	1450, 1800×2, 2500	2000-3800	Touch and slide control	Fast, precise, and energy efficient	5 years
BLACKSTAD 705.405.33 Black		30"	4	Yes	1800×2, 2300×2	2600-3600	Touch and slide control	2-zone bridge option and Temp Control	5 years
HACKSTAD 505.405.34 Black		30"	4	Yes	1800×2, 2300×2	2500-3600	Touch and slide control	Fast, precise, and energy efficient	5 years
ALMESTAD 105.405.31 Black		36"	5	Yes	1450, 1800×2, 2300×2	2500-3600	Touch and slide control	2-zone bridge option and Temp Control	5 years
SAMFÄLLD 704.620.64 Black		36"	5	Yes	1800×2, 2300×2, 2500	2600-3800	Touch and slide control	Extra large heating element for large pots	5 years
FÖRNEBO 705.377.57 Black	6	36"	4	Yes	2100	3700	Touch and slide control	Integrated extractor, 2-zone bridge option	5 years
TILLREDA portable 305.465.08 Black		10%"	1	N/A	2000	N/A	Touch and press control with child lock	Portable, great for small spaces	2 years

		Size	Number of cooking zones	Power range watts	Power booster watts	Auto pan size detection	Additional Features	FREE limited warranty
ELECTRIC COOK	TOPS							
NEDDRAGEN 004.620.53 Black		30"	4	1200-3000	N/A	N/A	Turnable knobs on side	5 years
FÖRVÄLLA 904.620.63 Black		30"	5	1200-3200	N/A	N/A	Turnable knobs at front	5 years

		Size	Number of zones/burners	Power range BTU	Temperature control	Additional features	FREE limited warranty
GAS COOKTOPS							
FORSHÄLLAN 905.405.46 Stainless steel		30"	5	5000-12,000	Angled front knob control		5 years
BRÄNNPUNKT 404.620.65 Stainless steel 604.620.69 Black		30"	5	5000-18,000	Angled front knob control	High powered burner temp preset Dishwasher safe cast-iron grates	5 years
AVBRÄNNING 504.621.35 Stainless steel	**************************************	36"	5	5000-18,000	Angled front knob control	Continuous corner to corner grates	5 years
STORBRÄNNAN 105.405.45 Stainless steel		36"	5	5000-18,000	Angled front knob control		5 years



NDUCTION COOKTOPS

SÄRKLASSIG

4-element induction cooktop

Black 204.620.66





Key Features:

- 30" cooktop.
- Induction cooktops are extremely energy efficient, fast, and precise as induction technology transfers energy directly into magnetic cookware
- Auto-size detection in each zone automatically senses the size of your pan to only send heat to whatever small, medium or large pan you are using.
- The power booster feature (P) delivers additional power to a single cooking zone.
- This rapid intense heat is ideal for boiling water, stir frying food or searing meat.
- The built-in cooktop timer lets you set the exact time you want items to cook.
- The lock function deactivates most of the controls to keep cooking zones from being changed by accident or to keep children from activating the cooktop.
- The touch and slide control panel allows you to regulate the heat easily and precisely by sliding your finger across the temperature scale or touching the desired temperature on the display.
- A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.
- Easy-clean as the induction surface generates heat only to your pan, not your cooktop. This means spills won't burn onto the surface as easily.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×1450W induction zones with booster; 2000W. 1×1800W induction zone with booster; 2600W.

1×2500W induction zone with booster; 3800W. 1×Rest-zone

Control key locking.

Voltage: 240/208V.

Connection rating: 10400W.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Installation shall be made by professionals in accordance with valid local safety regulations. W30¾×D21½×H4¾"

SÄRDRAG

4-element induction cooktop

Black 804.620.68





Key Features:

- 30" cooktop.
- Induction cooktops are extremely energy efficient, fast, and precise as induction technology transfers energy directly into magnetic cookware Auto-size detection in each zone automatically senses the size of your pan to only
- send heat to whatever small, medium or large pan you are using.
- The power booster feature (P) delivers additional power to a single cooking zone.
- This rapid intense heat is ideal for boiling water, stir frying food or searing meat.
- The built-in cooktop timer lets you set the exact time you want items to cook.
- The lock function deactivates most of the controls to keep cooking zones from being changed by accident or to keep children from activating the cookton
- · The touch and slide control panel allows you to regulate the heat easily and precisely by sliding your finger across the temperature scale or touching the desired temperature on the display.
- · A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.
- · Easy-clean as the induction surface generates heat only to your pan, not your cooktop. This means spills won't burn onto the surface as easily.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×1800W induction zones with booster; 2600W. 1×2500W induction zone with booster; 3800W.

1×1450W induction zone with booster; 2000W.

1×Rest-zone.

Control key locking

Voltage: 240/208V. Connection rating: 11000W.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Installation shall be made by professionals in accordance with valid local safety regulations.

W30¾×D21½×H4¾"

INDUCTION COOKTOPS

BLACKSTAD

4-element induction cooktop

HACKSTAD

4-element induction cooktop

Black 705.405.33





Key Features:

- 30" cooktop.
- Induction cooktops are extremely energy efficient, fast, and precise as induction technology transfers energy directly into magnetic cookware.
- Auto-size detection in each zone automatically senses the size of your pan to only send heat to whatever small, medium or large pan you are using.
- · Gives you the flexibility to use larger and different pots as the bridge function allows you to connect 2 cooking zones into 1 large one when needed.
- · Anti-overflow detection feature automatically switches off the cooktop if cooking content boils over and spills onto the control panel.
- The temperature control feature uses a sensor to monitor heat and adjust the power to maintain a consistent temperature during cooking. The feature also lets you know when your cookware is preheated.
- The power booster feature (P) delivers additional power to a single cooking zone. This kind of rapid intense heat is ideal for boiling water, stir frying food or searing
- The built-in cooktop timer lets you set the exact time you want items to cook.
- The lock function deactivates most of the controls to keep cooking zones from being changed by accident or to keep children from activating the cooktop.
- · The touch and slide control panel allows you to regulate the heat easily and precisely by sliding your finger across the temperature scale or touching the desired temperature on the display.
- · A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×1800W induction zones with booster; 2600W. 2×2300W induction zone with booster; 3600W.

Control key locking. Voltage: 240/208V.

Connection rating: 12400W.

Current: 30A.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Installation shall be made by professionals in accordance with valid local safety regulations.

W30%×D21%×H4%"





Key Features:

- 30" cooktop.
- Induction cooktops are extremely energy efficient, fast, and precise as induction technology transfers energy directly into magnetic cookware
- Auto-size detection in each zone automatically senses the size of your pan to only send heat to whatever small, medium or large pan you are using.
- The power booster feature (P) delivers additional power to a single cooking zone. This kind of rapid intense heat is ideal for boiling water, stir frying food or searing
- The rest zone is the perfect place to park a pan that you are done with, or place a plate to stack pancakes
- The built-in cooktop timer lets you set the exact time you want items to cook. • The lock function deactivates most of the controls on the cooktop to keep cook-
- ing zones from being changed by accident or to keep children from activating the cooktop • The touch and slide control panel allows you to regulate the heat easily and pre-
- cisely by sliding your finger across the temperature scale or touching the desired temperature on the display.
- A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.
- Easy-clean as the induction surface generates heat only to your pan, not your cooktop. This means spills won't burn onto the surface as easily.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×1450W induction zones with booster; 2000W.

1×1800W induction zone with booster; 2600W.

1×2500W induction zone with booster; 3800W.

Control key locking.

Voltage: 240/208V.

Connection rating: 10400W.

Current: 30A.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Installation shall be made by professionals in accordance with valid local safety regulations.

W30¾×D21½×H4¾

INDUCTION COOKTOPS

ÄLMESTAD

4-element induction cooktop

Black 105.405.31





Key Features:

- 36" cooktop.
- Induction cooktops are extremely energy efficient, fast, and precise as induction technology transfers energy directly into magnetic cookware.
- Gives you the flexibility to use larger and different pots for special recipes or occasions as the bridge function allows you to connect 2 cooking zones into 1 large one when needed.
- Auto-size detection in each zone automatically senses the size of your pan to only send heat to whatever small, medium or large pan you are using.
- The power booster feature (P) delivers additional power to a single cooking zone. This kind of rapid intense heat is ideal for boiling water, stir frying food or searing
- The temperature control feature uses a sensor to monitor heat and adjust the power to maintain a consistent temperature during cooking. The feature also lets you know when your cookware is preheated.
- The built-in cooktop timer lets you set the exact time you want items to cook.
- · The lock function deactivates most of the controls to keep cooking zones from being changed by accident or to keep children from activating the cooktop.
- The touch and slide control panel allows you to regulate the heat easily and precisely by sliding your finger across the temperature scale or touching the desired temperature on the display.
- · A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

1×1450W induction zone with booster; 2500W. 2×1800W induction zones with booster; 2600W. 2×2300W induction zone with booster; 3600W. Control key locking. Voltage: 240/208V.

Connection rating: 14900W.

Current: 40A.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Installation shall be made by professionals in accordance with valid local safety regulations.

W3634×D2134×H436"

SAMFÄLLD

5-element induction cooktop

Black 704.620.64





Key Features:

- 36" cooktop.
- · Induction cooktops are extremely energy efficient, fast and precise as induction technology transfers energy directly into magnetic cookware.
- The power Booster feature delivers additional power to a single cooking zone, ideal for boiling water, stir frying food or searing meat.
- · The touch and slide control panel allows you to regulate the heat easily
- Auto-size detection in each zone automatically senses the size of your pan to only send heat to whatever small, medium or large pan you are using.
- The built-in cooktop timer lets you set the exact time you want items to cook.
- The lock function deactivates most of the controls on the cooktop to keep cooking zones from being changed by accident or to keep children from activating the cooktop.
- Easy to clean by just wiping with a damp cloth or sponge as spills from food or liquids do not burn on the surface.
- A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×2300W induction zones with booster; 3200W. 2×1800W induction zone with booster; 2600W. 1×2500W induction zone with booster; 3800W. Control key locking. Voltage: 240/208V.

Connection rating: 15400W. Current: 40A.

Fits countertops with a minimum thickness of $1^3/_{16}$ ", when installed over an oven. Installation shall be made by professionals in accordance with valid local safety regulations.

W36%×D21½×H4%"

INDUCTION COOKTOPS

FÖRNEBO

Induction cooktop with integrated extractor

Black 705.377.57





Key Features:

- 36" cooktop.
- Induction cooktops are extremely energy efficient, fast, and precise as induction technology transfers energy directly into magnetic cookware.
- With this induction cooktop with an integrated extractor hood, you have a better overview and accessibility to the cooktop since you don't need a regular extractor hood over the cooking area.
- The cooktop is perfect in an open-plan kitchen with, for example, a kitchen island in the middle of the room, but works just as well in a regular kitchen along a wall.
- The extractor hood automatically adjusts to the heating level on the cooktop the higher the heat, the more powerful the extraction capacity.
- · All zones have a booster function that quickly makes the zone extra hot ideal for boiling water, browning meat and frying wok dishes. • Gives you the flexibility to use larger and different pots for special recipes or
- occasions as the bridge function allows you to connect two cooking zones into one large one when needed.
- Auto-size detection in each zone automatically senses the size of your pan to only send heat to whatever small, medium or large pan you are using.
- The lock function deactivates most of the controls on the cooktop to keep cooking zones from being changed by accident or to keep children from activating the cooktop.
- You have excellent control when you cook since the individual timers allow you to time each zone separately.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

Cooktop with induction cooking zones: All zones: 9×7" - 2100W, booster 3700W. Voltage: 240/208V.

Connection rating: 7400W

Current: 32A. Cooktop with cord and plug.

The hood can only be installed as an extractor hood with ducts to vent.

W36×D20¼×H9¾"



INDUCTION COOKTOP

TILLREDA

Single element portable induction cooktop

Black 305.465.08





Key Features:

- Induction cooktops are extremely energy efficient, fast and precise as induction technology transfers energy directly into magnetic cookware.
- The touch/press control allows you to regulate the heat easily and precisely by touching the + and - symbols.
- Easy to clean by just wiping with a damp cloth or sponge as spills from food or liquids do not burn on the surface.
- Easy to move around and can be stowed away when not in use to free up counter space for other activities.
- Electronic display with child lock.
- Free 2-year limited warranty included. FREE 2-year limited



warranty included. See page 66 for details.

Technical Information:

1×2000W induction zone.

Voltage: 120V.

Portable cooktop with cord and plug.

W10%×D12¾×H2½"

ELECTRIC COOKTOP

FÖRVÄLLA

5-element glass ceramic cooktop

Black 904.620.63





Key Features:

- Induction cooktops are extremely energy efficient, fast and precise as induction technology transfers energy directly into magnetic cookware.
- The touch/press control allows you to regulate the heat easily and precisely by touching the + and - symbols.
- Easy to clean by just wiping with a damp cloth or sponge as spills from food or liquids do not burn on the surface.
- Easy to move around and can be stowed away when not in use to free up counter space for other activities.
- · Electronic display with child lock.
- Free 2-year limited warranty included.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×1200W radiant zone.

2×1800W iradiant zone.

1×3200W radiant zone.

Voltage: 240/208V. Connection rating: 9200W. Current:40A.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Scraper for easy cleaning is included.

Installation shall be made by professionals in

accordance with valid local safety regulations.

W30×D21%×H2%"

NEDDRAGEN

ELECTRIC COOKTOPS

4-element glass ceramic cooktop

Black. 004.620.53





Key Features:

- 30" cooktop.
- One element is flexible to accommodate different size cookware.
- A heat indicator shows when the cooking zone has cooled so that you are not in danger of burning yourself.
- Pull-up knobs and smooth tempered glass surface for easy cleaning.
- Free 5-year limited warranty included.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

2×1200W radiant zones. 1×2500W radiant zone.

1×3000W radiant zone. Voltage: 240/208V.

Connection rating: 7900W.

Current: 40A.

Fits countertops with a minimum thickness of 13/16", when installed over an oven. Scraper for easy cleaning is included.

Installation shall be made by professionals in accordance with valid local safety regulations.

W30%×D21%×2%"




45

GAS COOKTOPS

FORSHÄLLAN

5-burner gas cooktop

Stainless steel 905.405.46





Key Features:

- 30" cooktop.
- No need to use matches or a lighter as the burners ignite by just pushing in and turning the knobs.
- You can fry easily and with precision because the temperature on the high-powered burner can be preset.
- Low simmer burner keeps a low, even temperature and is perfect for delicate foods and sauces.
- You can move pots without lifting thanks to the continuous corner-to-corner grates.
- The cast-iron grates are removable and dishwasher-safe.
- The cooktop contains your spillovers for easier cleaning.
- Safe and convenient placement of angled knobs in front.
- Makes your kitchen safer for children as the push-to-turn knobs help prevent child from accidently turning on a burner.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

1×5000 BTU sealed burner. 1×7500 BTU sealed burner. 1×9500 BTU sealed burner. 1×12,000 BTU sealed burner. 1×18,000 BTU sealed burner. Voltage: 120V.

Liquid propane convertible kit included. Fits countertops with a minimum thickness of $13/_{16}$ ", when installed over an oven.


Installation shall be made by professionals in accordance with valid local safety regulations.

W30×D21×H5½"

BRÄNNPUNKT

5-burner gas cooktop

Stainless steel 404.620.65





Key Features:

- 30" cooktop.
- Electric ignition by using the push-and-turn knob.
- · Infinite heat setting controls to suit your needs.
- High-power burner with preset function for easy fry.
- Low simmer burner keeps a low, even temperature and is perfect for delicate foods and sauces.
- Continuous corner-to-corner grates for smooth transition of pots side-to-side without lifting.
- Removable and dishwasher-safe cast iron grates.
- Edges to catch any spillovers for easier cleaning.
- Safe and convenient angled knobs placed at the front.

5

FREE 5-year limited warranty included.
See page 66 for details.

Technical Information: 1×5000 BTU sealed burner.

1×7500 BTU sealed burner.
1×9500 BTU sealed burner.
1×12,000 BTU sealed burner.
1×18,000 BTU sealed burner.
Voltage: 120V.
Liquid propane convertible kit included.
Fits countertops with a minimum thickness of 13/16", when installed over an oven.
Installation shall be made by professionals in

accordance with valid local safety regulations.

W30×D21¾×H6"

GAS COOKTOPSGAS COOKTOPS


BRÄNNPUNKT

5-burner gas cooktop

STORBRÄNNAN

5-element glass ceramic cooktop

Black 604.620.69





Key Features:

- 30" cooktop
- $\bullet \ \ \text{Electric ignition by using the push-and-turn knob.}$
- · Infinite heat setting controls to suit your needs.
- High-power burner with preset function for easy fry.
- Low simmer burner keeps a low, even temperature and is perfect for delicate foods and sauces.
- Continuous corner-to-corner grates for smooth transition of pots side-to-side without lifting.
- Removable and dishwasher-safe cast iron grates.
- Edges to catch any spillovers for easier cleaning.
- Safe and convenient angled knobs placed at the front.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information: 1×5000 BTU sealed burner.

1×7500 BTU sealed burner. 1×9500 BTU sealed burner. 1×12.000 BTU sealed burner.

1×12,000 BTU sealed burner. 1×18,000 BTU sealed burner.

Voltage: 120V.

Liquid propane convertible kit included.

Fits countertops with a minimum thickness of 13/16",

when installed over an oven.

Installation shall be made by professionals in accordance with valid local safety regulations.

W30×D21¾×H6"

Stainless steel 105.405.45



47



Key Features:

- 36" cooktop.
- No need to use matches or a lighter as the burners ignite by just pushing in and turning the knobs.
- You can fry easily and with precision because the temperature on the high-powered burner can be preset.
- Low simmer burner keeps a low, even temperature and is perfect for delicate foods and sauces.
- You can move pots without lifting thanks to the continuous corner-to-corner grates.
- The cast-iron grates are removable and dishwasher safe.
- The cooktop contains your spillovers for easier cleaning.
- Safe and convenient placement of angled knobs in front.
- Makes your kitchen safer for children as the push-to-turn knobs help prevent child from accidently turning on a burner.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information: 1×5000 BTU sealed burner.

2×9500 BTU sealed burner.

1×12,000 BTU sealed burner.

1×18,000 BTU sealed burner.

Voltage: 120V.

Liquid propane convertible kit included.

Fits countertops with a minimum thickness of 13/16",

when installed over an oven.

Installation shall be made by professionals in accordance with valid local safety regulations.


W36×D21×H51/2

GAS COOKTOPS

AVBRÄNNING

5-burner gas cooktop

Stainless steel. 504.621.35





- Key Features:
 36" cooktop.
- Electric ignition by using the push-and-turn knob.

- Infinite heat setting controls to suit your needs.
 High-power burner with preset function for easy fry.
 Low simmer burner keeps a low, even temperature and is perfect for delicate foods and sauces.
- Continuous corner-to-corner grates for smooth transition of pots side-to-side without lifting.
 • Removable and dishwasher-safe cast iron grates.
- Edges to catch any spillovers for easier cleaning.
- Safe and convenient angled knobs placed at the front.



FREE 5-year limited warranty included.
See page 66 for details.

Technical Information:

2×9500 BTU sealed burners. 1×5000 BTU sealed burner.

1×18,000 BTU sealed burner. 1×12,000 BTU sealed burner.

Voltage: 120V.


Liquid propane convertible kit included.
Fits countertops with a minimum thickness of 13/16",

when installed over an oven.

Installation shall be made by professionals in

accordance with valid local safety regulations.

W36×D21¾×H6"







WALL-MOUNTED These hoods are design features, so we offer a variety of shapes and finishes. That way, you can find the right one to boost your kitchen's style.



BUILT-IN Hide your range hood with a built-in model. It's completely integrated with your kitchen cabinets so you get a streamlined and uniform look.



STYLE AND SIZE A range hood can make a big style statement, whether you pick one that's similar to your other appliances or go for something different to create a casual, eclectic look. Whatever you choose, be sure you get a hood that covers your cooking area (or even a little more) to ensure ideal performance.

SOUND LEVELS

Sound levels for range hoods are measured in sones. Our appliances have been tested to determine and measure this. For range hoods the operating speed or installation type can influence sound levels. All our hoods are HVI (Home Ventilating Institute) certified to ensure that accurate and efficient ventilating standards are met. Compare and chose the hood that is suitable for your needs and comfort.



		Extraction rate Ducted mode	Sound level	Lighting	Conversion filter Charcoal filter	FREE limited warranty
SEMI-INTEGRATED RANG	E HOODS		ı			
LAGAN 304.660.02 White		160 CFM HVI certified	5.1 sones	1 LED bulb included	-	2 years
GENOMDRIVA 304.621.36 Stainless steel		160 CFM HVI certified	5.1 sones	1 LED bulb included	_	5 years
PLANENLIG 304.621.41 Stainless steel		475 CFM HVI certified	12.3 sones	2 LED strip lighting included	_	5 years
BUILT-IN RANGE HOODS						
UTDRAGBAR 904.621.38 Stainless steel/glass		378 CFM HVI certified	4.96 sones	1 LED strip lighting included	_	5 years
ÖMSINNAD 404.621.45 Stainless steel		394 CFM HVI certified	7.3 sones	1 LED strip lighting included	_	5 years

		Extraction rate Ducted mode	Sound level	Lighting	Conversion filter Charcoal filter	FREE limited warranty
WALL-MOUNTED RANGE	HOODS					
VINSTGIVANDE 504.660.01 Stainless steel		370 CFM HVI certified	7.2 sones	1 LED strip lighting included	Conversion filter NYTTIG 10 Charcoal filter NYTTIG 01	5 years
VINSTGIVANDE 104.621.42 Black Stainless steel		370 CFM HVI certified	7.2 sones	1 LED strip lighting included	Conversion filter NYTTIG 10 Charcoal filter NYTTIG 01	5 years
UNDANTAG 904.621.43 Stainless steel		270 CFM HVI certified	4.6 sones	1 LED strip lighting included	Conversion filter NYTTIG 10 Charcoal filter NYTTIG 01	5 years
ALLMÄNBILDAD 704.621.44 Stainless steel		270 CFM HVI certified	4.6 sones	1 LED strip lighting included	Conversion filter NYTTIG 20 Charcoal filter NYTTIG 01	5 years
UNGDOMLIG 504.621.40 Black		376 CFM HVI certified	7.6 sones	1 LED strip lighting included	Conversion filter NYTTIG 20 Charcoal filter NYTTIG 01	5 years
LUFTBUREN 204.621.46 Stainless steel		270 CFM HVI certified	4.8 sones	1 LED strip lighting included	Conversion filter NYTTIG 50 Charcoal filter NYTTIG 02	5 years
CEILING-MOUNTED RAN	GE HOODS					
UNDANTAG 104.621.37 Stainless steel/glass	MIN	372 CFM HVI certified	7.3 sones	1 LED strip lighting included	Conversion filter NYTTIG 30 Charcoal filter NYTTIG 01	5 years

53

SEMI-INTEGRATED RANGE HOODS

LAGAN

Vented range hood


White. 304.660.02





Key Features:

- Control panel placed in front for easy access and use.
- One dishwasher-safe grease filter included.
- Can be installed only in ducted mode connected to the outside.
- The included LED bulb provide energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



Technical information:

Extraction rate: 160 CFM (HVI certified).
Sound level: 5.1 sones.
Motor power: 240W.
Cabinet, knobs and handles are sold separately.
Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W30×D18%×H6½"

GENOMDRIVA

Range hood

Stainless steel. 304.621.36





Kev Features:

- Control panel placed in front for easy access and use.
- One dishwasher-safe grease filter included.
- Can be installed only in ducted mode connected to the outside.
- Semi-integrated model with two different speeds.
- The included LED bulb provide energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 160 CFM (HVI certified).

Sound level: 5.1 sones.

Motor power: 240W.

Cabinet, knobs and handles are sold separately. Installation shall be made by professionals in

accordance with valid local safety regulations.

Measurements:

W30×D18%×H6½"

SEMI-INTEGRATED RANGE HOODS

PLANENLIG

Under cabinet heavy-duty range hood

Stainless steel. 304.621.41





Key Features:

- $\bullet \ \ Control\ panel\ with\ three\ speeds\ placed\ underneath\ in\ front\ for\ easy\ access\ and\ use.$
- Eliminates cooking fumes and odors quickly and efficiently, thanks to the large extraction area.
- Three dishwasher-safe grease filters included.
- Can be installed only in ducted mode connected to the outside.
- The LED light strips effectively illuminate the cooking surface and provide energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



 FREE 5-year limited warranty included.
 See page 66 for details.

Technical information:

Extraction rate: 475 CFM (HVI certified). Sound level: 12.3 sones.

Motor power: 240W.

Replace your filter every 6 months for optimal performance.

Cabinet, knobs and handles are sold separately.

To be installed under a 36" wide wall cabinet. Installation shall be made by professionals in

accordance with valid local safety regulations.

Measurements:

W35%×D23"

BUILT-IN RANGE HOODS

UTDRAGBAR

Built-in range hood

Stainless steel/glass. 904.621.38



55



Key Features:

- The glass pulls out for an increased extraction area.
- Control panel with four speeds placed in front for easy access and use.
- Two dishwasher-safe grease filters included.
- Can be installed only in ducted mode connected to the outside.
- The LED light strip effectively illuminates the cooking surface and provides energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.
- Fully integrated inside the cabinet to create a modern uniform look.



FREE 5-year limited warranty included.
See page 66 for details.

Technical information:

Extraction rate: 378 CFM (HVI certified). Sound level: 4.96 sones.

Motor power: 240W.

Cabinet, knobs and handles are sold separately. To be installed in a 30" wide wall/hood cabinet. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W29%×D13"

BUILT-IN RANGE HOODS

ÖMSINNAD

Built-in range hood

Stainless steel, 404,621,45





Key Features:

- · Two dishwasher-safe grease filters included.
- · Can be installed only in ducted mode connected to the outside.
- The LED light strip effectively illuminate the cooking surface and provide energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.
- Fully-integrated inside the cabinet to create a modern uniform look.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 394 CFM (HVI certified). Sound level: 7.3 sone.s Motor power: 240W.

Cabinet, knobs and handles are sold separately.

To be installed over electric and induction cooktops only,

not over gas cooktops.

To be installed in a 30" wide wall/hood cabinet.

Installation shall be made by professionals in

accordance with valid local safety regulations.

Measurements:

W28%×D13%"

WALL MOUNTED RANGE HOODS

VINSTGIVANDE

Range hood

Stainless steel, 504,660,01





Key Features:

- Control panel with three speeds placed in front for easy access and use.
- · Two dishwasher-safe grease filters included.
- Can be installed in two ways, either ducted to the outside or in recirculation mode. Fitted with NYTTIG 10 recirculation kit, sold separately.
- The LED light strip effectively illuminates the cooking surface and provides
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 370 CFM when ducted (HVI certified).

Sound level: 7.2 sones.

Motor power: 240W.

Replace your filter every six months for optimal performance.

Installation shall be made by professionals in

accordance with valid local safety regulations.

Measurements:

W29%×D19%

Visit us online for more detailed measurements.

IKEA-USA.com/appliances

WALL MOUNTED RANGE HOODS

VINSTGIVANDE

Range hood

UNDANTAG

Wall mounted range hood

Black stainless steel. 104.621.42





Key Features:

- Control panel with three speeds placed in front for easy access and use.
- Two dishwasher-safe grease filters included.
- Can be installed in two ways, either ducted to the outside or in recirculation mode. Fitted with NYTTIG 10 recirculation kit, sold separately.
- The LED light strip effectively illuminates the cooking surface and provides energy savings.
- · HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 370 CFM when ducted (HVI certified).

Sound level: 7.2 sones. Motor power: 240W.

Replace your filter every six months for optimal performance.

Installation shall be made by professionals in

accordance with valid local safety regulations.

Measurements:

W29%xD19%"

Visit us online for more detailed measurements.

IKEA-USA.com/appliances

Stainless steel, 904.621.43





Key Features:

- Control panel with four speeds placed in front for easy access and use.
- One dishwasher-safe grease filter included.
- Can be installed in two ways, either ducted to the outside or in recirculation mode. Fitted with NYTTIG 10 recirculation kit, sold separately.
- The LED light strip effectively illuminates the cooking surface and provides energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 270 CFM when ducted (HVI certified). Sound level: 4.6 sones.

Motor power: 240W.

Replace your filter every six months for optimal performance. Installation shall be made by professionals in

accordance with valid local safety regulations.

Measurements:

W311/xD17%"

Visit us online for more detailed measurements. IKEA-USA.com/appliances

WALL MOUNTED RANGE HOODS

LUFTBUREN

Wall mounted range hood

Stainless steel. 204.621.46





Install on its own for a more modern look.

Kev Features:

- Control panel with three speeds placed in front for easy access and use.
- Three dishwasher-safe grease filters included.
- Can be installed in two ways, either ducted to the outside or in recirculation mode. Fitted with NYTTIG 50 recirculation kit, sold separately.
- The LED light strip effectively illuminates the cooking surface and provides
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



Performance:

Extraction rate: 270 CFM when ducted (HVI certified).

Sound level: 4.8 sones.

Motor power: 240W

Installation shall be made by Professionals in accordance with valid local safety regulations.

Measurements:

W36×D195%1

Visit us online for more detailed measurements. IKEA-USA.com/appliances

ALLMÄNBILDAD

Range hood

Stainless steel. 704.621.44





Protective ledge allows you to store spices above the hood.

Kev Features:

- · Control panel with four speeds placed in front for easy access and use.
- Two dishwasher-safe grease filters included.
- Can be installed in two ways: ducted to the outside or in recirculation mode. Fitted with NYTTIG 20 recirculation kit, sold separately.
- · The LED light strip effectively illuminates the cooking surface and provides
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 270 CFM when ducted (HVI certified).

Sound level: 4.6 sones.

Motor power: 240W.

Replace your filter every six months for optimal performance. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W29%×D18%"

Visit us online for more detailed measurements.

IKEA-USA.com/appliances

UNGDOMLIG

WALL MOUNTED RANGE HOODS

Range hood

Black. 504.621.40





Different design that gives character to the look of your kitchen.

- Control panel with three speeds placed underneath and in front for easy access and use.
- · Two dishwasher-safe grease filters included.
- Can be installed in two ways, either ducted to the outside or in recirculation mode. Fitted with NYTTIG 20 recirculation kit, sold separately.
- The LED light strip effectively illuminates the cooking surface and provides energy savings.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Technical information:

Extraction rate: 376 CFM when ducted (HVI certified).

Sound level: 7.6 sones.

Motor power: 240W.

Replace your filter every six months for optimal performance. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W29%×D19%"

Visit us online for more detailed measurements.

IKEA-USA.com/appliances

CEILING MOUNTED RANGE HOODS

UNDANTAG

Ceiling-mounted range hood

Stainless steel/glass. 104.621.37





Tempered glass allows for a more open and airy look above an island.

Key Features:

- Control panel with three speeds placed in front for easy access and use.
- One dishwasher-safe grease filter included.
- The glass creates a light and airy impression over your kitchen island.
- The LED light strip effectively illuminates the cooking surface and provides energy savings.
- Can be installed in two ways, either ducted to the outside or in recirculation mode. Fitted with NYTTIG 30 recirculation kit, sold separately.
- HVI Certified (Home Ventilating Institute) to ensure that accurate and efficient ventilating standards are met.



FREE 5-year limited warranty included. See page 66 for details.

Performance:

Extraction rate: 372 CFM when ducted (HVI certified).


Sound level: 7.3 sones. Motor power: 240W.

Replace your filter every six months for optimal performance. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W36×D24%"

Visit us online for more detailed measurements. IKEA-USA.com/appliances





WATER EFFICIENT Lots of dishes will be sparkling clean with just a small amount of water. Using your dishwasher is much more water efficient than washing dishes by hand.



SMART SORTING Our flatware baskets let you stand utensils up, ensuring they're thoroughly cleaned. Once the wash is done, they're easier to sort and put away too.



BUILT-IN Installation is easy with a built-in dishwasher. They're sized to slide right in under your countertop.



INTEGRATED Our fully-integrated dishwashers can hide behind a front that matches the rest of your kitchen doors, giving you a completely uniform look.

SOUND LEVELS

Sound levels for dishwashers are measured in decibels (dBA).
Our appliances have been tested to determine and measure
this. For dishwashers the operating program or installation
type can influence sound levels. Decibel levels are listed in the

product information. Compare decibel levels and choose the dishwasher that's suitable for your needs and comfort. Look for the decibel (dBA) level of an appliance listed in the product information.



		Energy class	Noise level/dBA	Capacity/ water consumption	Programs	FREE limited warranty
BUILT-IN DISHWA	SHERS					
LAGAN 804.621.67 White		ENERGY STAR	60 dBA	14 place settings/ 3.2 gal of water per wash	3 programs Sanitation option	2 years
ESSENTIELL 605.222.85 Stainless steel		BNERDY STAR	52 dBA	14 place settings/ 3.3 gal of water per wash	8 programs Sanitation option	5 years
ESSENTIELL 8905.222.84 Black stainless steel		ENERGY STAR	52 dBA	14 place settings/ 3.3 gal of water per wash	8 programs Sanitation option	5 years
COMPACT DISHW	ASHERS					
VILLKORLIG 404.621.69 Stainless steel		ENERGY STAR	47 dBA	8 place settings/ 3.5 gal of water per wash	5 programs Sanitation option	5 years
FULLY INTEGRATE	ED DISHWASHERS					
RENGJORD 905.045.72 Stainless steel tub (Kitchen front to be added)	bard.	ENERGY STAR	49 dBA	14 place settings/ 3.3 gal of water per wash	5 programs Sanitation option	5 years



SEMI-INTEGRATED DISHWASHERS

LAGAN

ESSENTIELL

ESSENTIELL

White. 804.621.67






Key Features:

- · Three programs.
- Tall plastic interior tub; allows you to make maximum use of dish space.
- Removable flatware baskets allow you to customize your space to your daily needs.
- · Delayed start function 1h-4h.
- · Energy Star® Qualified.









Capacity: 14 place settings. Water consumption: 3.25 gallons of water per wash. Noise level: 60 dBA. Voltage: 120V.

Countertop and toe kick sold separately. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W24×D25×H35"





Key Features:

- · Eight programs.
- Tall plastic interior tub; allows you to make maximum use of dish space
- Sanitation option uses a high temperature rinse to sanitize your dishes and glassware.
- You can adjust the height of the upper basket to
- make room for plates and glasses of different sizes. Removable flatware baskets allow you to
- customize your space to your daily needs.
- Delayed start function up to 24 hours.
- Energy Star® Qualified.



FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

Capacity: 14 place settings. Water consumption: 3.33 gallons of water per wash. Noise level: 52 dBA. Voltage: 120V.

Countertop and toe kick sold separately. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W24×D25×H35"

Black stainless steel. 905.222.84





Key Features:

- · Eight programs.
- Tall plastic interior tub; allows you to make maximum use of dish space
- Sanitation option uses a high temperature rinse to sanitize your dishes and glassware.
- You can adjust the height of the upper basket to make room for plates and glasses of different sizes.
- Removable flatware baskets allow you to
- customize your space to your daily needs. Delayed start function up to 24 hours.
- Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

Capacity: 14 place settings. Water consumption: 3.33 gallons of water per wash. Noise level: 52 dBA. Voltage: 120V.

Countertop and toe kick sold separately. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W24×D25×H35"

COMPACT DISHWASHERS

VILLKORLIG

RENGJORD

FULLY INTEGRATED DISHWASHERS

61

Stainless steel. 404.621.69





Kev Features:

- · Five programs.
- Tall interior tub; allows you to make maximum use of dish space.
- Stainless steel interior tub.
- Sanitation option uses a high temperature rinse to sanitize your dishes and glassware.
- Removable flatware baskets allow you to customize your space to your daily needs.
- You can adjust the height of the upper basket to make room for plates and glasses of different sizes.
- Delayed start function up to 24 hours.
- · Water-stop system for leakage detection.
- · Energy Star® Qualified.





FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

Capacity: 8 place settings.

Water consumption: 3.5 gallons of water per wash. Noise level: 47 dBA.

Voltage: 120V.

Countertop and toe kick sold separately. Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W17%×D24×H33"

Stainless steel. 905.045.72





Kev Features:

- · Five programs.
- Tall interior tub; allows you to make maximum use of dish space.
- Stainless steel interior tub.
- · Removable flatware baskets.
- · Delayed start function.
- Water-stop system for leakage detection.
- A muffled sound signal indicates when a program is finished
- · Energy Star® Qualified.
- Combine with a front that matches the rest of your kitchen, giving you a completely uniform look.
- Free 5-year limited warranty included.





FREE 5-year limited warranty included. See page 66 for details.

Technical Information:

Capacity: 14 place settings.

Water consumption: 3.3 gallons of water per wash. Noise level: 49 dBA.

Voltage: 120V

This model is designed for a fully integrated

Countertop, door, plinth and handles are sold separately.

Installation shall be made by professionals in accordance with valid local safety regulations.

Measurements:

W23¾×D23%×H33%¹

LIMITED WARRANTY - TERMS AND CONDITIONS

APPLIANCES



How long is the IKEA limited warranty valid?

This limited warranty is valid for five (5) years from the date of purchase. TILLREDA and LAGAN appliances have a two (2) year warranty, valid from the original date of purchase. When this major appliance is operated and maintained according to instructions for use attached to or furnished with the product.

This limited warranty is valid only in the United States and applies only when the major appliance is used in the country in which it was purchased. Outside the 50 states of the United States, this limited warranty does not apply.

Proof of original purchase date is required to obtain service under this limited warranty.

What does this limited warranty cover?

The limited warranty will pay for factory specified parts and repair labor to correct defects in materials or workmanship that existed when the major appliance was purchased. The exceptions are specified under the headline "What is not covered under this limited warranty?"

Which major appliances are not covered by the IKEA five (5) year limited warranty?

For major appliances named "TILLREDA" or "LAGAN", a limited warranty is valid for two (2) years from the date of purchase.

What will be done to correct the problem?

The designated service company will examine the product and decide, at its sole discretion, if it is covered under this limited warranty. If considered covered, the designated service company will then repair the defect. Your sole and exclusive remedy under this limited warranty shall be product repair as provided herein.

Within the warranty period, the costs to remedy the fault, e.g., repairs, parts, labor and travel will be covered, provided that the appliance is accessible for repair without special expenditure.

Who will execute the service?

The designated service company will provide the service through its own service operations or authorized service partner network.

What is not covered under this limited warranty?

- Service calls to correct the installation of your major appliance, to instruct you on how to use your major appliance, to replace or repair house fuses, or to correct house wiring or plumbing.
- Service calls to repair or replace appliance light bulbs, air filters or water filters.
 Consumable parts are excluded from warranty coverage.
- Replacement parts or repair labor if this major appliance is used for other than normal, single-family household use or when it is used in a manner that is contrary to published user or operator instructions and/or installation instructions.
- Damage resulting from accident, alteration, misuse, abuse, fire, flood, acts
 of God, improper installation, installation not in accordance with electrical or
 plumbing codes, or use of consumables or cleaning products not approved
 for use.
- Cosmetic damage, including scratches, dents, chips or other damage to the finish
 of your major appliance, unless such damage results from defects in materials or
 workmanship and is reported within 30 days from the date of purchase.
- Any food loss due to refrigerator or freezer product failures.
- Pick up and delivery. This major appliance is intended to be repaired in your home
- Repairs to parts or systems resulting from unauthorized modifications made to the appliance.

- Expenses for travel and transportation for product service if your major appliance is located in a remote area where service by an authorized servicer is not available.
- The removal and reinstallation of your major appliance if it is installed in an inaccessible location or is not installed in accordance with published installation instructions.
- Replacement parts or repair labor on major appliances with original model/serial numbers that have been removed, altered or cannot be easily determined. This warranty is void if the factory applied serial number has been altered or removed from your major appliance.
- The cost of repair or replacement under these excluded circumstances shall be borne by the customer.

Disclaimer of Implied Warranties

IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO FIVE YEARS (TWO YEARS FOR MAJOR APPLIANCES NAMED "TILLREDA OR LAGAN") OR THE SHORTEST PERIOD ALLOWED BY LAW. Some states do not allow limitations on the duration of implied warranties of merchantability or fitness, so this limitation may not apply to you. This warranty gives you specific legal rights, and you also may have other rights that vary from state to state.

Limitation of Remedies; Exclusion of Incidental and

YOUR SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE PRODUCT REPAIR AS PROVIDED HEREIN. THE DESIGNATED SERVICE COMPANY SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights that vary from state to state.

Care instructions

All appliances are designed for residential/home use only.

To ensure maximum performance, read and follow the Instructions for use that accompany your new appliance. It is also important to follow the health and safety instructions, which, for instance, recommend that there are always two people to carry/ move heavy appliances.

Be sure there is a socket outlet near the appliance. Never use an extension cord.

We strongly recommend that you ensure correct and safe installation by hiring a professional plumber and/or electrician whenever relevant. If problems should arise due to incorrect installation, the limited warranty will not apply.

Respect the environment by disposing of the packaging properly. Keep packaging such as large plastic bags out of the reach of children.

Always keep your appliances clean. Use only those cleaning products recommended in the instructions for use. For example, never use abrasive scouring pads as they may scratch or damage surfaces.

Be sure to use products intended for use with your appliances. For example, be sure to use microwave safe porcelain, oven safe dishes, freezer safe food savers and pots and pans made of a suitable material.

Read more in the Instructions for Use that comes with the products.

Ovens

- All ovens require a qualified installer.
- Before you use the oven for the first time, follow instructions to eliminate any odor and remove stickers, etc.
- For ordinary cleaning, use water and a mild detergent. Avoid abrasive cleaning products.
- Do not hang towels on the oven handle while the oven is in use.

Cooktops

- All cooktops require a qualified installer.
- Use only non-abrasive cleaning products. Avoid scouring powder, steel wool, hard or sharp objects that can scratch the surface.
- For both gas and electric cooktops: save energy by using pots and pans with a base diameter equal to, or slightly larger than, the diameter of the burner.
- If you are using LPG bottled gas, you must replace the gas injectors with the available LPG gas kit.
- For gas cooktops: fit the rubber seal properly. It prevents water leakage, which may damage the countertop.
 For induction cooktops: use only pots and pans with a magnetic base for
- induction cooking.
- For glass ceramic cooktops: use only pots and pans with a flat base.
 For glass ceramic cooktops: always remove spills from sugar/milk/rice or pasta water, because they may cause opaque or matt stains on the surface.

Hoods

- · All hoods require a qualified installer.
- Install the hood in the way that suits your kitchen; either recirculating or extracting.
- Using extension tubes and flues reduces the hood's performance. The maximum length of a duct should not exceed 10 ft (3 m).
- Always observe the minimum safety distance between cooktop and hood. This distance varies depending on country and cooktop type. Refer to installation
- Change carbon filters every 3 months and clean metal grease filters regularly to optimize performance.
- Make sure to clean oil/grease off of the hood regularly.

Microwave ovens

- All microwave ovens require a qualified installer.
- · Do not put metal of any kind inside the oven.

instructions of the product for full details.

- Use only those materials approved for microwave cooking.
- Be sure the ventilation vents are unobstructed.
- · Do not remove or block the turntable when cooking in a microwave.

Dishwashers

- All dishwashers require a qualified installer.
- Hire a professional to install the water and electricity.
- Set the correct level of water hardness (pH-value) in the rinse aid dispenser.
- Use detergent specifically developed for automatic dishwashers.
- For best results, make sure there is enough rinse aid and detergent and that they are placed in the correct dispensers.
- Empty and clean the filter regularly, if applicable.
- Always load sharp items, such as knives, pointing downwards in the removable cutlery basket for safety reasons. Don't load these in the dish compartment to avoid damaging the dishwasher.

Fridge/freezers

- All fridge/freezers require a qualified installer.
- Be sure to place the fridge/freezer where there is sufficient air ventilation around it. A freestanding unit must never be placed inside kitchen cabinets because this obstructs air ventilation and may cause the product not to work properly and damage it.
- Keep the condensation drainage hole at the back of the fridge clean and free of blockages to enable the frost-free system to work.
- Make sure food has cooled down first before placing it in the fridge or freezer.
 Hot food causes excessive condensation and ice to build up in the freezer,
 resulting in reduced performance.
- Avoid using sharp tools to defrost your freezer —they can damage the internal plastic lining.

How to reach us if you need our service

Please call the number given in the documentation that comes with the product. To make sure that we can give you the best assistance, please read the Instructions for Use carefully before contacting us. Please also have the IKEA article number for your appliance at hand before calling us. You'll find this eight digit number on your receipt as well as on the rating plate of the appliance. Helpful information can also be found in the "troubleshooting" section of the use and care guide for each appliance.



Services

You can do it yourself, but you don't have to

Our broad services offered gives you the freedom to design your own price tag by choosing not only the products that suit your budget but also by deciding how much you want to do yourself and how much you want us to do for you. On this page you'll find the different services that we can offer to help and support you. For more details about our services, talk to a co-worker at your local IKEA store or visit us at IKEA-USA.com/services



DELIVERY SERVICE

Whether you're shopping in the store or online, and no matter how big the purchase, we can help do the heavy lifting and arrange delivery, by an Independent Service Provider, to your home or business. For more information about our services, visit IKEA-USA.com/services



IKEA MEASUREMENT SERVICE

It's important to have your kitchen accurately measured before planning begins. An experienced IKEA Measurement Technician will come to your home, take all of the essential measurements, and enter the data in the IKEA Home Planner. Available for customers living within our service area.



IKEA Projekt Credit Card

Now, you don't have to pay for IKEA product purchases all at once. This card has special financing options to make your dream more affordable.

Visit IKEA-USA.com/creditcard or drop by your local IKEA store.

Promotional financing available with the IKEA Projekt credit card accounts offered by Comenity Capital Bank, which determines qualifications for credit and promotion eligibility. Minimum purchase and minimum monthly payments are required. See Store Associate for details. Subject to credit approval.



IKEA KITCHEN INSTALLATION SERVICE

We are not offering IKEA Kitchen installation service at this time due to limited-service availability. We will continue to offer IKEA kitchens and non-installation services (measuring, planning, financing, etc.). Customers will be offered recommendations for third-party installation, where available. We understand how many customers look to IKEA to help make their kitchen dreams a reality, and we look forward to resuming the service as soon as possible.

Please visit IKEA-USA.com/kitchenservices for updates on the status of this service.



FREE KITCHEN PLANNING **SERVICE**

We offer two **no cost** options to have your kitchen professionally planned. You will receive a detailed layout of your kitchen including cabinets, appliances, and countertops, and a parts list to make it easy to order.

Most convenient & available to everyone in the continental US: Planning from Your Home Make a 90-minute appointment, online or in your local IKEA store. Allow time for you to measure your kitchen and select products before your appointment. A professional IKEA Kitchen Planner will work with you interactively online to plan your dream kitchen. You will be able to discuss every detail and view your plan being created. Your planner will follow-up with a second session to make any changes.

Visit an IKEA store: Planning from the Store You can make an appointment online or at your local IKEA store for a two-hour in-store appointment with one of our professional IKEA Kitchen Planners. Allow time for measuring your kitchen and selecting products before your planning appointment.

Steps to buying an IKEA® kitchen

IKEA kitchens are designed so you can install them yourself and below are some steps to ensure the process goes well for you. We also have tools and tips that'll help you design your dream kitchen. Our kitchen IKEA Home Planner is there to help online, and our experts at the store or on the phone will quide you each step of the way.



GET INSPIRED

It's time to dream a little, look at some ideas, consider your needs and decide what an ideal kitchen means for you. This brochure is made to give you an overview of some of the possibilities but there is so much more. You can find more ideas and inspiration on our website (IKEA-USA.com/kitchens) or by visiting your local IKEA store.



PLAN

Planning your kitchen is when your dreams and ideas take shape. Use the online IKEA Home Planner tool to start planning your kitchen at IKEA-USA.com/kitchenplanner. Or, if you would like some advice we have kitchen planners ready in the store to help.



We can do it for you

To learn more about our Kitchen planning services. view opposite page.



IKEA-USA.com/kitchenservices

MEASURE

Measuring your kitchen isn't hard to do, but it's important you get it right because your measurements will be the basis for all your planning. To see exactly what to measure, pick up a copy of the Kitchen planning guide, Your new IKEA kitchen, at your local IKEA store or go to

IKEA-USA.com/buyingguide



We can do it for you Need some help? Find out about our Measuring Service at

IKEA kitchen planning guide

Planning guide

APPLIANCES

Our planning guide is your guide to measuring, ordering and installing your new IKEA kitchen. Pick it up at your local IKEA store or check it out at

IKEA-USA.com/buyingquide



GET TO KNOW OUR PRODUCTS

Our two Buying Guides will help you get to know our products. They will give you detailed information about our kitchen range and all the things you need to create your dream kitchen. Pick up a copy at your local IKEA store or download a copy online at IKEA-USA.com/buyingguide




When you're satisfied with your planning, drop by your local store to visit our kitchen experts. They will go over your kitchen plan with you, and help you with anything you're not sure about. When you're ready you can order and we can help arrange delivery and other services too. Delivery and in-home services are provided by an Independent Service Provider.

We can do it for you Need some help? Find out more about how to order your kitchen at IKEA-USA.com/kitchens



INSTALL

IKEA kitchens are designed to be installed by you, but we're here to offer as much help as you feel you need. You can start by picking up the Installation guide from the store which gives step-by-step instructions on installing your kitchen.



Our kitchen installation guide gives you tips and helpful information on how to install your new IKEA kitchen correctly. You'll find it at your local IKEA store and at IKEA-USA.com/buyingguide







There is no need to waste more energy and space inside your refrigerator with water or ice containers. Thanks to the door integrated water dispenser and ice maker you get easy access to cold filtered water, ice or crushed ice any time you want.



Save water the easy way.

You save a lot with a dishwasher. It cuts your water use by hundreds of gallons per year compared to washing by hand under running water. Saving water means saving energy to heat the water, too. You save money on bills and live a more sustainable life.



NEED HELP?

You can contact us in different ways:

IN PERSON

You can always find knowledgeable staff in our stores, ready to help whenever you need it.

EMAIL

You can send us a message via the online form at IKEA-USA.com/contactus

FAQ

Find answers to some of the most commonly asked questions at IKEA-USA.com/FAQ

SERVICES

Learn about available services at IKEA-USA.com/services

