BUYING GUIDE

BESTÅ

Storage system

GOOD TO KNOW


Tempered glass should be handled with care. All glass is fragile and a damaged edge or scratched surface can in exceptional cases cause the glass to crack suddenly. However, it will only break into small pieces, never into sharp fragments. Avoid collisions from the side — this is where the glass is most vulnerable.

SAFETY

Secure It! Prevent tip-over injury. Furniture with included restraints must be secured to the wall according to the assembly instructions.

Different wall materials require different types of hardware. Use hardware (sold separately) suitable for the walls in your home.

Measure the depth and width of your TV. The measurements should be less than those of the TV furniture.



Good-looking storage for a great-looking living room


BESTÅ is specially designed to take care of all your storage needs — and to look good while doing it. So you can use it to make your living room both great looking and practical. It gives you plenty of room for everything — from your TV, gaming consoles and sound system to your DVDs and books. Choose between a high, low or wall-mounted combination. You can even choose a combination with panel doors to hide away clutter or glass doors to show off your favorite things. BESTÅ comes in many different colors and finishes so it's easy to find the right one for you.

A high standard of accuracy has been sought in the preparation of this buying guide. We apologize for, but will not be bound by or responsible for, errors and omissions in this buying guide.

Not all products may be available in all stores. See what is available at your local store by visiting IKEA-USA.com. For more detailed product information, see the price tag or visit IKEA-USA.com. All products shown require assembly. All textiles shown are imported.



CUSTOMIZE YOUR OWN BESTÅ



The BESTÅ system is designed to be adaptable and flexible. You can select and arrange the BESTÅ parts in a way that suits your particular space, lifestyle and taste.


We have a wide range of pre-designed BESTÅ combinations to choose from in the store and on IKEA-USA.com/BESTA. If you do not find a combination that you like, or if you would like to customize one, use our BESTÅ storage planner at IKEA-USA.com/BESFaucetlanner

By using the BESTÅ storage planner, you can customize one of the pre-designed BESTÅ combinations or create one that is all your own! The planner allows you to play around with frames, doors, shelves, knobs, colors, etc. to create the perfect storage and media solution that fits your specific needs and taste.

When you are ready with your BESTÅ combination, the planner helps you to calculate the price and allows you to print or save a list of products that you can bring to your IKEA store or use to buy the products online.

In the BESTÅ area of the IKEA store, you will find planning stations where you can use the BESTÅ storage planner. Or visit the BESTÅ storage planner online at

IKEA-USA.com/BESTAplanner



DOOR AND DRAWER SOLUTIONS

Combine your own solution with doors and drawer fronts. For a wider range of BESTÅ door and drawer solutions, visit the BESTÅ planning tool at IKEA-USA.com/BESFaucetlanner. Always secure shelving units that are more than 25¼" in height to the wall.

DOORS

Door 23½×25%" Door 23½×15" Drawer front Drawer front 23½×15" 23½×10" (handles sold separately) 471/4×153/4×15" 47¼×15¾×25¼" 231/2×153/4×15" 23½×15¾×25¼" 23½×15¾×50%" 23½×15¾×75%"

DRAWER FRONTS



Overall size: 70%×16½×29%". **This combination:** 894.888.13

BESTÅ Frame 47¼×15¾×25¼", White	102.458.46	1 pc
BESTÅ Frame 23½×15¾×25¼", White	302.458.50	1 pc
GLASSVIK Glass door 23½×25½", White/clear glass	405.409.02	3 pcs
STUBBARP Legs, White, 2pk	102.935.64	2 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	3 pcs
BESTÅ Glass shelf 22×14%", Glass	602.955.32	6 pcs



Overall size: 47¼×16½×18½". **This combination:** 995.665.51

BESTÅ TV unit 47¼×15¾×15", White	705.660.33	1 pc
BESTÅ Shelf 22×14%", White	002.955.54	2 pcs
LAPPVIKEN Door/drawer front 23½×15", White	002.916.74	2 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	2 pcs
STUBBARP Legs, White, 2pk	102.935.64	2 pcs
BESTÅ Supporting leg 3%", Gray	502.936.04	1 pc



Overall size: 47¼×16½×29%". **This combination:** 795.679.76

BESTÅ TV unit 47¼×15¾×25¼", Black-brown	505.660.34	1 pc
BESTÅ Shelf 22×14%", Black-brown	402.955.28	4 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	2 pcs
LAPPVIKEN Door/drawer front 23½×15", Black-brown	402.916.67	2 pcs
STUBBARP Legs, Black-brown, 2pk	602.935.66	2 pcs
BESTÅ Supporting leg 3%", Gray	502.936.04	1 pc




Overall size: 70%×16½×15%". **This combination:** 195.671.92

BESTÅ TV unit 70%×15¾×15", White	005.657.77	1 pc
BESTÅ Shelf 22×14%", White	002.955.54	3 pcs
BESTÅ Drawer frame 23½×15¾×5%", White	703.515.13	2 pcs
BESTÅ Drawer runners, push-open, 2pk	304.883.15	2 pcs
LAPPVIKEN Door/drawer front 23½×15", White	002.916.74	1 pc
LAPPVIKEN Drawer front 23½×10", White	102.916.78	2 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	1 pc




Overall size: 70%×16½×75%". **This combination:** 395.688.45

BESTĂ TV unit 70%×15¾×25¼", Black-brown	005.660.36	1 pc
BESTÅ Frame 47¼×15¾×15", Black-brown	702.459.52	1 pc
BESTÅ Frame 23½×15¾×15", Black-brown	602.459.62	1 pc
BESTÅ Shelf 22×14%", Black-brown	402.955.28	6 pcs
BESTÅ Glass shelf 22×14%", Glass	602.955.32	3 pcs
BESTÅ Drawer frame 23½×15¾×9%", Black-brown	003.512.48	1 pc
BESTÅ Drawer runners, push-open, 2pk	304.883.15	1 pc
LAPPVIKEN Door/drawer front 23½×15", Black-brown	402.916.67	3 pcs
SINDVIK Glass door 23½×15", Black-brown/clear glass	402.963.11	3 pcs
BESTÅ Suspension rail 23%", Silver-color	704.883.18	3 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	5 pcs



Overall size: 94½×16½×50¾". **This combination:** 695.686.41

BESTÅ TV unit 70%×15¾×15", White	005.657.77	1 pc
BESTÅ Frame 23½×15¾×50%", White	402.458.40	1 pc
BESTÅ Shelf 22×14%", White	002.955.54	4 pcs
BESTÅ Glass shelf 22×14%", Glass	602.955.32	1 pc
BESTÅ Drawer frame 23½×15¾×9%", White	803.515.17	2 pcs
BESTÅ Drawer runners, soft-closing, 2pk	403.487.15	2 pcs
SELSVIKEN Door/drawer front 23½×15", High-gloss beige	902.948.66	2 pcs
SELSVIKEN Door 23½×25%", High-gloss beige	602.981.11	1 pc
GLASSVIK Glass door 23½×25½", White/clear glass	405.409.02	1 pc
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	2 pcs



Overall size: 118%×16½×83%". **This combination:** 695.687.83


BESTÅ TV unit 70%×15¾×15", White	005.657.77	1 pc
BESTÅ Frame 23%×7%×15", White	002.459.17	3 pcs
BESTÅ Frame 23%×7%×25¼", White	602.459.19	2 pcs
BESTÅ Frame 23½×15¾×25¼", White	302.458.50	1 рс
BESTÅ Shelf 22×14%", White	002.955.54	4 pcs
BESTÅ Glass shelf 22×6¼", Glass	002.955.30	2 pcs
BESTÅ Drawer frame 23%×5%×15¾", White	703.515.13	3 pcs
BESTÅ Drawer runners, soft-closing, 2pk	403.487.15	3 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	6 pcs
LAPPVIKEN Drawer front 23½×10", White	102.916.78	3 pcs
SINDVIK Glass door 23½×25½", White/clear glass	902.918.58	2 pcs
LAPPVIKEN Door/drawer front 23½×15¾", White	002.916.74	3 pcs
LAPPVIKEN Door 23½×25½", White	502.916.76	1 pc
BESTÅ Suspension rail 23%", Silver-color	704.883.18	5 pcs





Overall size: 82¾×16½×86½". **This combination:** 895.729.15

BESTÅ TV unit 70%×15¾×25¼", White	805.660.37	1 pc
EKET Cabinet with door 13¾×13¾×13¾", White	803.321.14	2 pcs
EKET Cabinet 13¾×13¾×13¾", White	803.346.03	4 pcs
BESTÅ Shelf 22×14%", White	002.955.54	3 pcs
BESTÅ Drawer frame 23%×9%×15¾", White	803.515.17	1 pc
BESTÅ Drawer runners, push-open, 2pk	304.883.15	1 pc
LAPPVIKEN Door/drawer front 23½×15", White	002.916.74	1 pc
LAPPVIKEN Door 23½×25½", White	502.916.76	2 pcs
STUBBARP Legs 1¾×1¾×3%", White, 2pk	102.935.64	4 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	2 pcs
EKET Suspension rail, 13¾", Silver-color	003.400.47	6 pcs



Overall size: 47¼×16½×76". **This combination:** 790.592.62

BESTĂ Frame 23½×15¾×75%", Black-brown	902.459.46	2 pcs
BESTÅ Shelf 22×14%", Black-brown	402.955.28	8 pcs
BESTÅ Glass shelf 22×14%", Glass	602.955.32	2 pcs
SINDVIK Glass door 23½×25%", Black-brown	002.963.13	2 pcs
LAPPVIKEN Door 23½×25%", Black-brown	802.916.70	4 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	6 pcs



Overall size: 23%×8%×50%". **This combination:** 394.219.62

BESTÅ Frame 23%×7%×25¼", Black-brown	202.459.59	2 pcs
BESTÅ Shelf 22×6¼", Black-brown	802.955.26	2 pcs
LAPPVIKEN Door 23½×25%", Black-brown	802.916.70	2 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	2 pcs
BESTÅ Suspension rail 23%", Silver-color	704.883.18	2 pcs




Overall size: 47¼×16½×29½". **This combination:** 892.078.13

BESTÅ Frame 47¼×15¾×25¼", Black-brown	502.459.53	1 pc
BESTÅ Shelf 22×14%", Black-brown	402.955.28	4 pcs
BESTÅ Soft-closing/push-open hinges, 2pk	802.612.58	2 pcs
BESTÅ Supporting leg, Gray	502.936.04	1 pc
STUBBARP Legs, Black-brown , 2pk	602.935.66	2 pcs
KALLVIKEN Door 23%"x25¼". Dark gray concrete effect	103.645.23	2 ncs

BESTÅ FRAMES

Width×Depth×Height. You need a suspension rail to be able to wall mount BESTÅ frames. Floor-standing furniture must be secured to the wall with the enclosed wall fastener. Different wall materials require different types of hardware. Use hardware (sold separately) suitable for the walls in your home.



BESTÅ Frame 23%×15%×75%". For safety reasons this shelf unit shall not be hung on the wall. May be completed with BESTÅ legs, 4pcs. May be completed with BESTÅ interior fittings, sold separately. Max load for the frame is 44 lbs per surface.

White stained oak	002.473.70
Black-brown	902.459.46
White	002.458.42
Dark gray	605.385.97



BESTÅ Frame 23%×15%×50%". For safety reasons this shelf unit shall not be hung on the wall. May be completed with BESTÅ legs, 4pcs. May be completed with BESTÅ interior fittings, sold separately. Max load for the frame is 44 lbs per surface.

White stained oak	602.473.67
Black-brown	402.459.44
White	402.458.40
Dark gray	005.385.95



BESTÅ Frame 23%×15¾×25¼". You can choose to place the frame on the floor or mount it on the wall to free up floor space. To be completed with BESTÅ suspension rail if you choose to mount the frame on the wall. This frame requires one suspension rail, sold separately. May be completed with BESTÅ legs, 4pcs. May be completed with BESTÅ interior fittings, sold separately. Max load for the frame is 44 lbs per surface if placed on the floor. The max load for a wall-hung frame depends on the wall material.

White stained oak	102.473.79
Black-brown	202.459.64
White	302.458.50
Dark gray	605.386.01



BESTÅ Frame 47½×15½×25½". You can choose to place the frame on the floor or mount it on the wall. To be completed with BESTÅ suspension rail if you choose to mount the frame on the wall. This frame requires two suspension rails, sold separately. May be completed with BESTÅ legs, sold separately. This frame require four legs and one BESTÅ supporting leg. May be completed with interior fittings, sold separately. Max load for the frame is 44 lbs per surface if placed on the floor. The max load for a wall-hung frame depends on the wall material.

White stained oak	902.473.75
Black-brown	502.459.53
White	102.458.46
Dark gray	305.385.89




BESTÅ frame 23%×15¾×15". You can choose to place the frame on the floor or mount it on the wall to free up floor space. To be completed with BESTÅ suspension rail if you choose to mount the frame on the wall. This frame requires one suspension rail, sold separately. May be completed with BESTÅ legs, 4pcs. May be completed with BESTÅ interior fittings, sold separately. Max load for the frame is 44 lbs per surface if placed on the floor. The max load for a wall-hung frame depends on the wall material.

White stained oak	502.473.77
Black-brown	602.459.62
White	702.458.48
Dark gray	205.385.99



BESTÅ Frame 47¼×15¾×15". You can choose to place the frame on the floor or mount it on the wall. To be completed with BESTÅ suspension rail if you choose to mount the frame on the wall. This frame requires two suspension rails, sold separately. May be completed with BESTÅ legs, sold separately. This frame require four legs and one BESTÅ supporting leg. May be completed with interior fittings, sold separately. Max load for the frame is 44 lbs per surface if placed on the floor. The max load for a wall-hung frame depends on the wall material.

White stained oak	402.473.73
Black-brown	702.459.52
White	602.458.44
Dark gray	605.385.83



White stained oak	802.474.08
Black-brown	602.459.57
White	002.459.17
Dark gray	905 385 91

material.

BESTÅ Frame 23%×7%×25%". You can choose to place the frame on the floor or mount it on the wall to free up floor space. To be completed with BESTÅ suspension rail if you choose to mount the frame on the wall. This frame requires one suspension rail, sold separately. May be completed with BESTÅ legs, 4pcs. May be completed with BESTÅ interior fittings, sold separately. Max load for the frame is 44 lbs per surface if placed on the floor. The max load for a wall-hung frame depends on the wall material.

White stained oak	802.474.13
Black-brown	202.459.59
White	602.459.19
Dark gray	505.385.93

BESTÅ TV UNITS

Width×Depth×Height. Floor-standing furniture must be secured to the wall with the enclosed wall fastener. Different wall materials require different types of hardware. Use hardware (sold separately) suitable for the walls in your home.



BESTÅ TV unit 70%×15¾×25¼". For safety reasons this shelf unit shall not be hung on the wall. May be completed with interior fittings, sold separately. This TV unit require eight legs or four legs and two BESTÅ supporting legs. This TV unit can take a max load of 55 lbs.

White stained oak	605.760.04
Black-brown	005.660.36
White	805.660.37
Dark gray	205.752.28



BESTÅ TV unit 47½×15¾×25½". For safety reasons this shelf unit shall not be hung on the wall. May be completed with interior fittings, sold separately. This TV unit require six legs or four legs and one BESTÅ supporting leg. Max load for the TV unit is 35 lbs.

White stained oak	805.760.03
Black-brown	505.660.34
White	205.660.35
Dark gray	605.752.26



BESTÅ TV unit 70%×15¾×15". You can choose to place the TV unit on the floor or mount it on the wall to free up floor space. Fittings for wall mounting are included. May be completed with interior fittings, sold separately. This TV unit require eight legs or four legs and two BESTÅ supporting legs. Max load for the TV unit is 66 lbs if placed on the floor. The max load for a wall-hung TV unit depends on the wall material.

White stained oak	205.760.01
Black-brown	405.657.75
White	005.657.77
Dark gray	405.752.27



BESTÅ TV unit 47¼×15¾×15". You can choose to place the TV unit on the floor or mount it on the wall to free up floor space. Fittings for wall mounting are included. May be completed with interior fittings, sold separately. This TV unit require six legs or four legs and one BESTÅ supporting leg. Max load for the TV unit is 35 lbs if placed on the floor. The max load for a wall-hung TV unit depends on the wall material.

White stained oak	005.760.02
Black-brown	905.660.32
White	705.660.33
Dark gray	805.752.25

BESTÅ LEGS

BESTÅ legs raise your BESTÅ combination from the floor, giving a light, airy look and making it easy to clean the floor underneath. **23%" wide frames** require four legs.

47¼" wide frames and TV units require four legs and one BESTÅ supporting leg.

70%" wide frames and TV units require four legs and two BESTÅ supporting legs.



STUBBARP Legs H3%–4%". Adjustable feet; stands steady on an uneven floor. You can use the included connection plate to connect two frames and only have one leg between them, giving a cleaner, less cluttered look.

White stained oak Black-brown	202.935.68	2pk 2pk
	602.935.66	
White	102.935.64	2pk
Dark gray	705.139.16	2pk



look.

White 004.899.10 2pk

KABBARP Legs H3%-4%". Adjustable. You can use the

connection plate to connect two frames and only have

one leg between them, giving a cleaner, less cluttered

SIGGARP Legs H3%". You can use the included



included connection plate to connect two frames and only have one leg between them, giving a cleaner, less cluttered look.

White	704.729.30	2pk



MEJARP Legs H3%". You can use the included connection plate to connect two frames and only have one leg between them, giving a cleaner, less cluttered look.

Birch	704.899.16	2pk
Dark brown	404.899.13	2pk
-		



ÖSARP Legs H3% –4%". Adjustable feet; stands steady on an uneven floor. You can use the included connection plate to connect two frames and only have one leg between them, giving a cleaner, less cluttered look.

Brass-color	904.899.01	2pk
Stainless steel-color	304.899.04	2pk

BESTÅ Supporting leg H3%–4%". Adjustable. The supporting leg mounts under BESTÅ frame/TV unit in order to give stability to the BESTÅ combination without being visible from the front.

Width×Height. Doors and drawer fronts keep your belongings hidden and free from dust. Knobs and handles are sold separately.

	LAPPVIKEN Door 23½×2 with BESTÅ hinges, sold completed with knobs or	separately. May be		SELSVIKEN Door 23½×25½". I with BESTÅ hinges, sold separ completed with knobs or han	ately. May be
	Black-brown	802.916.70		High-gloss black	002.916.26
	White	502.916.76		High-gloss white	802.916.32
	White stained oak	402.916.91		High-gloss beige	602.981.11
	Dark gray	505.388.09		High-gloss dark olive-green	204.907.00
	used as a door or as a dr with BESTÅ hinges if use To be completed with BE	Å drawer runner if used as		SELSVIKEN Door/drawer from be used as a door or as a draw completed with BESTÅ hinges separately. To be completed with frame 23%×9%×15%" and BES if used as drawer front, sold sompleted with knobs or han	ver front. To be s if used as door, sold with BESTÅ drawer TÅ drawer runner separately. May be
	Black-brown	402.916.67		High-gloss black	502.916.24
	White	002.916.74		High-gloss white	202.916.30
	White stained oak	902.916.84		High-gloss beige	902.948.66
	Dark gray	105.388.11		High-gloss dark olive-green	904.907.06
	•	nt 23½×10". To be rawer frame 23%×5¾×15¾" er. May be completed with		SELSVIKEN Drawer front 233 with BESTÅ drawer frame 235 drawer runner. May be compl handles.	×5%×15¾" and BESTÅ
	Black-brown	402.916.72		High-gloss black	402.916.29
	White	102.916.78		High-gloss white	102.916.35
	White stained oak	302.916.96		High-gloss beige	702.948.67
	Dark gray	505.388.14		High-gloss dark olive-green	604.907.17
HANVIKEN	HANVIKEN Door 23½×2 with BESTÅ hinges, sold	separately. May be	KALLVIKEN	KALLVIKEN Door 23½×25%".	The slightly textured
HANVIKEN		separately. May be r handles. 502.947.93	KALLVIKEN	surface creates a concrete effe with BESTÅ hinges, sold separ	ct. Must be completed rately. May be
HANVIKEN	with BESTÅ hinges, sold completed with knobs or	separately. May be r handles.	KALLVIKEN	surface creates a concrete effe with BESTÅ hinges, sold separ completed with knobs or hand	ct. Must be completed rately. May be dles.
HANVIKEN	with BESTÅ hinges, sold completed with knobs of Black-brown White HANVIKEN Door/drawe used as a door or as a dr with BESTÅ hinges if use To be completed with BE	separately. May be r handles. 502.947.93 602.918.45 er front 23½×15". May be awer front. To be completed d as door. Sold separately. STÅ drawer frame Å drawer runner if used as	KALLVIKEN	surface creates a concrete effe with BESTÅ hinges, sold separ completed with knobs or hand Dark gray concrete effect KALLVIKEN Door/drawer fro be used as a door or as a draw completed with BESTÅ hinges separately. To be completed v frame 23%×9%×15¾" and BES if used as drawer front. Sold s completed with knobs or hand	nt 23½×15". May ver front. To be if used as door, sold with BESTÅ drawer TÅ drawer runner eparately. May be dles.
HANVIKEN	with BESTÅ hinges, sold completed with knobs of Black-brown White HANVIKEN Door/drawe used as a door or as a dr with BESTÅ hinges if use To be completed with BE 23%×9%×15¾" and BEST drawer front. Sold separ with knobs or handles. Black-brown	separately. May be r handles. 502.947.93 602.918.45 er front 23½×15". May be awer front. To be completed d as door. Sold separately. STÅ drawer frame Å drawer runner if used as ately. May be completed	KALLVIKEN	surface creates a concrete effe with BESTÅ hinges, sold separ completed with knobs or hand Dark gray concrete effect KALLVIKEN Door/drawer from be used as a door or as a draw completed with BESTÅ hinges separately. To be completed with grame 23%×9%×15¾" and BES if used as drawer front. Sold s	nt 23½×15". May ver front. To be if used as door, sold with BESTÅ drawer TÅ drawer runner eparately. May be
HANVIKEN	with BESTÅ hinges, sold completed with knobs or Black-brown White HANVIKEN Door/drawe used as a door or as a dr with BESTÅ hinges if use To be completed with BE 23%×9%×15¾" and BEST drawer front. Sold separ with knobs or handles. Black-brown White HANVIKEN Drawer fron	separately. May be r handles. 502.947.93 602.918.45 er front 23½×15". May be awer front. To be completed d as door. Sold separately. STÅ drawer frame Å drawer runner if used as ately. May be completed 002.947.95 002.918.48 et 23½×10". To be completed e 23%×5¾×15¾" and BESTÅ	KALLVIKEN	surface creates a concrete effe with BESTÅ hinges, sold separ completed with knobs or hand Dark gray concrete effect KALLVIKEN Door/drawer fro be used as a door or as a draw completed with BESTÅ hinges separately. To be completed v frame 23%×9%×15¾" and BES if used as drawer front. Sold s completed with knobs or hand	nt 23½×15". May be dles. 103.645.23 nt 23½×15". May ver front. To be if used as door, sold with BESTÅ drawer TÅ drawer runner eparately. May be dles. 504.259.87 ½×10". To be frame 23½×5¾×15¾" d separately. May be
HANVIKEN	with BESTÅ hinges, sold completed with knobs of Black-brown White HANVIKEN Door/drawe used as a door or as a dr with BESTÅ hinges if use To be completed with BE 23%×9%×15¾" and BEST drawer front. Sold separ with knobs or handles. Black-brown White HANVIKEN Drawer from with BESTÅ drawer from drawer runner. May be completed with selections or handles.	separately. May be r handles. 502.947.93 602.918.45 er front 23½×15". May be awer front. To be completed d as door. Sold separately. STÅ drawer frame Å drawer runner if used as ately. May be completed 002.947.95 002.918.48 et 23½×10". To be completed e 23%×5¾×15¾" and BESTÅ	KALLVIKEN	surface creates a concrete effer with BESTÅ hinges, sold separ completed with knobs or hand Dark gray concrete effect KALLVIKEN Door/drawer from the used as a door or as a draw completed with BESTÅ hinges separately. To be completed with gest and BES if used as drawer front. Sold scompleted with knobs or hand Dark gray concrete effect KALLVIKEN Drawer front 23' completed with BESTÅ drawer and BESTÅ drawer and BESTÅ drawer runner. Sol	nt 23½×15". May be dles. 103.645.23 nt 23½×15". May ver front. To be if used as door, sold with BESTÅ drawer TÅ drawer runner eparately. May be dles. 504.259.87 ½×10". To be frame 23½×5¾×15¾" d separately. May be

Width×Height. Doors and drawer fronts keep your belongings hidden and free from dust. Knobs and handles are sold separately.

LAXVIKEN



LAXVIKEN Door 231/2×251/8". The textured surface creates an effect with patterns of shadows and light. Must be completed with BESTÅ hinges (1pk). Sold separately. May be completed with BILLSBRO handles. Other knobs or handles are not recommended for this door.



LAXVIKEN Door/drawer front 231/2×15".

May be used as a door or as a drawer front. To be completed with BESTÅ hinges if used as door, sold separately. To be completed with BESTÅ door/ drawer frame 23%×9%×15¾" and BESTÅ drawer runner if used as drawer front, sold separately. May be completed with BILLSBRO handles. Other knobs or handles are not recommended for this

White 803.419.86



LAXVIKEN Drawer front 231/2×10". May be completed with BILLSBRO handles. Other knobs or handles are not recommended for this door. To be completed with BESTÅ drawer frame 23%×5%×15%" and BESTÅ drawer runner, sold separately.

White 203.419.89





SINDVIK Glass door 23½×25½". The remote control works through the glass, so you can control your electronic equipment with the door closed. Must be completed with BESTÅ hinges, sold separately. May be completed with knobs or handles.

White stained oak	102.963.17
Black-brown	002.963.13
White	902.918.58
Dark gray	105.388.06

SINDVIK Glass door 231/2×15". To be completed with BESTÅ hinges, sold separately. May be completed with knobs or handles.

White stained oak	502.963.15
Black-brown	402.963.11
White	802.918.54
Dark gray	805.388.03



OSTVIK



OSTVIK Glass door 231/2×251/8". Blends perfectly with our SMEVIKEN white front. The remote control works through the glass, so you can control your electronic equipment with the door closed. Must be completed with BESTA hinges, old separately. May be completed with knobs or handles.

White/clear glass 804.696.54



OSTVIK Glass door 231/2×15". The remote control works through the glass, so you can control your electronic equipment with the door closed. To be completed with BESTÅ hinges, sold separately. May be completed with knobs or handles.

White/clear glass 104.727.06

GLASSVIK



GLASSVIK Glass door 23½×25%". The remote control works through the glass, so you can control your electronic equipment with the door closed. Must be completed with BESTÅ hinges, sold separately. Handles included.

White/clear glass	405.409.02
White/frosted glass	905.409.28
Black/clear glass	302.916.58
Black/smoked glass	902.916.60
Dark olive green/clear glass	604.907.36



GLASSVIK Glass door 231/2×15". Must be completed with BESTÅ hinges, sold separately. Handles included.

White/clear glass	605.408.97
White/frosted glass	805.409.00
Black/clear glass	002.916.50
Black/smoked glass	602.916.52
Dark olive green/clear glass	304.907.33

RIKSVIKEN



RIKSVIKEN Door 231/2×251/8". Striking light bronze color with a metallic finish. Must be completed with BESTÅ hinges (1pk), sold separately.

Light bronze-effect 704.415.66

RIKSVIKEN Door/drawer front 23½×15". Must be completed with BESTÅ hinges (1pk) if used as a door, sold separately. May be completed with BESTÅ drawer frame 23%×9%×15¾" and BESTÅ drawer runner if used as drawer front. sold separately.

Light bronze-effect 904.881.76

RIKSVIKEN Door/drawer front 231/2×10". To be completed with BESTÅ drawer frame 23%×5%×15%" and BESTÅ drawer runner, sold separately. May be completed with knobs or handles, sold separately.

Light bronze-effect 704.881.77

Width×Height. Doors and drawer fronts keep your belongings hidden and free from dust. Knobs and handles are sold separately.

SMEVIKEN			BERGSVIKEN		
	attention to details a gives a traditional to front has the same of door; combine them and display solution.	2×25%". This framed front with dds a high quality feel and uch to your storage. SMEVIKEN plor and style as OSTVIK glass to form a complete storage Must be completed with BESTÅ ely. May be completed with		BERGSVIKEN Door 23½×25 and marble expression cre- in the home. Must be comp sold separately. May be con- handles, sold separately. Black marble effect	ate a sophisticated look deted with BESTÅ hinges,
	White	104.682.43		BERGSVIKEN Door/drawe used as a door or as a draw	
	used as a door or as with BESTÅ hinges if To be completed witl 23%×9%×15%" and B	wer front 23½×15". May be a drawer front. To be completed used as door, sold separately. h BESTÅ drawer frame ESTÅ drawer runner if used as parately. May be completed		with BESTÅ hinges if used a To be completed with BEST 23%×9%×15¾" and BESTÅ o drawer front. Sold separate with knobs or handles, sold Black marble effect	as door. Sold separately. Å drawer frame Irawer runner if used as ely. May be completed
	White	804.728.78		BERGSVIKEN Drawer fron completed with BESTÅ drav	
	with BESTÅ drawer fi	ront 23½×10". To be completed rame 23½×5¾×15¾" and BESTÅ		and BESTÅ drawer runner. knobs or handles, sold sep	May be completed with
	drawer runner. May handles, sold separa	be completed with knobs or tely.		Black marble effect	004.909.42
	White	604.728.79	HEDEVIKEN		
SUTTERVIKEN	gives a seaside cotta brings a traditional to be completed with B May be completed w	23½×25%". The subtle details ge feel to your home and ouch to your storage. Must ESTÅ hinges, sold separately. ith knobs or handles, sold		HEDEVIKEN Door 23½×253 gives you the same look, fe wood with unique variation texture. Must be completed sold separately. May be conhandles, sold separately. Oak veneer Dark brown stained oak veneer	el and beauty as solid as in grain, color and d with BESTÅ hinges, npleted with knobs or 704.916.98
	separately. White	304.682.37			
	SUTTERVIKEN Door, used as a door or as with BESTÅ hinges if To be completed with	/drawer front 23½×15". May be a drawer front. To be completed used as door. Sold separately. □ BESTÅ drawer frame ESTÅ drawer runner if used as		used as a door or as a draw with BESTÅ hinges if used a To be completed with BEST 23%×9%×15¾" and BESTÅ c drawer front. Sold separate with knobs or handles, sold	er front. To be completed is door. Sold separately. Å drawer frame Irawer runner if used as ely. May be completed
		parately. May be completed		Oak veneer	004.917.05
	White	304.728.90		Dark brown stained oak ver	neer /04.91/.02
	SUTTERVIKEN Draw completed with BEST and BESTÅ drawer ru knobs or handles, so	er front 23½×10". To be Å drawer frame 23%×5¾×15¾" inner. May be completed with ld separately.		HEDEVIKEN Drawer front completed with BESTÅ draw and BESTÅ drawer runner. knobs or handles, sold sep. Oak veneer Dark brown stained oak ven	ver frame 23%×5%×15%" May be completed with arately. 804.917.11
	White	104.728.91		2 a. K. S. O. W. I. Stallica Oak Vel	

Width×Height. Doors and drawer fronts keep your belongings hidden and free from dust. Knobs and handles are sold separately.


BJÖRKÖVIKEN





BJÖRKÖVIKEN Door 231/2×251/8". Made of light birch veneer, a natural material with a vibrant and clean expression, perfect for those who like modern Scandinavian design. A strong sense of quality and finish. Must be completed with BESTÅ hinges, sold separately. May be completed with knobs or handles, sold separately.

Birch veneer	804.909.57	
Brown stained oak veneer	704.909.48	



BJÖRKÖVIKEN Door/drawer front 231/2×15". May be used as a door or as a drawer front. To be completed with BESTÅ hinges if used as door. Sold separately. To be completed with BESTA drawer frame 23%×9%×15¾" and BESTÅ drawer runner if used as drawer front. Sold separately. May be completed with knobs or handles, sold separately.

Birch veneer	204.909.60
Brown stained oak veneer	104.909.51


BJÖRKÖVIKEN Drawer front 231/2×10". To be completed with BESTÅ drawer frame 23%×5%×15%" and BESTÅ drawer runner. May be completed with knobs or handles, sold separately.

Birch veneer	604.909.63
Brown stained oak veneer	504.909.54



FÄLLSVIK Door 23½×25½". FÄLLSVIK reeded glass front in deep anthracite gray creates shifting light effects and adds an interesting look to your BESTÅ. Feel free to add integrated lighting to enhance the elegant expression. Must be completed with BESTÅ hinges, sold separately. May be completed with knobs or handles, sold separately.

Anthracite/reede	ed glass	705.403.21



Anthracite/reeded glass	505.403.22



Anthracite	005.903.62
Beige	005.903.76

completed with BESTÅ hinges, sold separately.

HAMMARSMED Door/drawer front 231/2×15". May be used as a door or as a drawer front. To be completed with BESTÅ hinges if used as door. Sold separately. To be completed with BESTA drawer frame 23%×9%×15¾" and BESTÅ drawer runner if used as drawer front. Sold separately.

Anthracite	705.903.73
Beige	805.903.77

HAMMARSMED Drawer front 231/2×10". To be completed with BESTÅ drawer frame 23%×5%×15%" and BESTÅ drawer runner. May be completed with

KITODS OF Harriages, Solo	i separatery.
Anthracite	505.903.69
Beige	605.903.78

MÖRTVIKEN



MÖRTVIKEN Door 23½×25½". The functional MÖRTVIKEN front hides what you store but allows the signal from a remote control through. A modern design in metal with included handles that is suitable for various TV/media solutions. Handle included.

Black	604.970.35
White	204.908.23
Dark grav	805 388 22

MÖRTVIKEN Door 23½×15". The functional MÖRTVIKEN front hides what you store but allows the signal from a remote control through. A modern design in metal with included handles that is suitable for various TV/media solutions. Handle included.

Black	404.908.17
White	504.908.26
Dark gray	405.388.19





BESTÅ ACCESSORIES

BESTÅ Suspension rail 23%". You need a suspension rail to be able to wall mount BESTÅ frames. The suspension rail works as reinforcement and makes it both easy and safe to mount BESTÅ frames to a wall. The rail needs to be attached to a wall stud. It has several holes so that it can be placed over a stud and still be located where you want to place your BESTÅ frame. The included connector makes it easy to hang several frames next to each other and align them at exactly the same height. 23%" wide frames require one BESTÅ suspension rail. 471/4" wide frames require two BESTÅ suspension rails. Note! The suspension rail cannot be used with BESTÅ TV units. Ensure that you have a minimum of 2" between the top of the frame and the ceiling. This is needed to be able to mount the frame to the suspension rail. Included in the price in all wall-mounted combinations.

Aluminum

704.883.18

BESTÅ TV top panel 47%×15¾". Tempered glass. A glass panel protects the top of the TV unit and gives it a different look. Cable outlet for easy cable management. Safety fittings included.

White glass

105.407.72

BESTÅ TV top panel 70%×15¾". Tempered glass. A glass panel protects the top of the TV unit and gives it a different look. Cable outlet for easy cable management. Safety fittings included.

White glass

505.407.65

BESTÅ Top panel 70%×16½". A top panel with a surface made from natural wood veneer that gives your storage a warm and natural look.

Oak veneer

004.729.19

BESTÅ Top panel 47¼×16½". A top panel with a surface made from natural wood veneer that gives your storage a warm and natural look.

Oak veneer

204.729.18

BESTÅ TV top panel 47½×16½". A natural wood veneer panel protects the top of the TV unit and gives it a different look. Cable outlet for easy cable management. Safety fittings included.

Oak veneer

504.963.62

BESTÅ TV top panel 70%×16½". A natural wood veneer panel protects the top of the TV unit and gives it a different look. Cable outlet for easy cable management. Safety fittings included.

Oak veneer

804.963.65



BESTÅ Soft-closing/push-open hinges Hinges with both push-open and soft-closing functions, so the door opens with just a light push and closes slowly, silently and softly. You can open the door with the included push opener, or by complementing your BESTÅ with a knob or handle. Knobs or handles are sold separately.

802.612.58

2pk

KNOBS AND HANDLES

HACKÅS Handles L3¹⁵/₁₆"

303.424.79

Anthracite

	BAGGANÄS Handle	s L5%".		40	HACKÅS Knobs L%6"		
	Black	803.384.13	2pk	<u> </u>	Anthracite	803.397.90	
	Brass-color	003.384.07	2pk	U	Antinacite	003.337.30	
	Stainless steel	703.384.18	2pk				
	Beige	805.880.01	2pk	\sim	VINNÄSET Knobs Ø17	16"	
	Deep green	405.880.03	2pk	\mathcal{C}	Solid beech	504.342.94	
	Gray-green	605.880.02	2pk				
	BAGGANÄS Handle	s L13 ³ / ₁₆ ".			NYDALA Handles L6½	16"	
	Black	603.384.14	2pk		Bronze-color	204.057.59	
	Brass-color	203.384.11	2pk				
	Stainless steel	503.384.19	2pk				
				©	NYDALA Knobs Ø%"		
3	BAGGANÄS Knobs @	Ø ¹³ / ₁₆ ".		Ü	Bronze-color	404.057.58	
A A	Black	903.384.17	2pk		W.W.GGTODD W. I		
	Brass-color	003.384.12	2pk		KLINGSTORP Knobs		
	Stainless steel	903.384.22	2pk	(()	%" White	605.428.58	
					Black	305.652.81	
	ÖSTERNÄS Handles	. 1. 207 !!			DIACK	303.032.81	
369					13/16"		
70	Tanned leather	203.488.96	2pk		White	605.536.82	
					Black	905.652.83	
	ÖSTERNÄS Leather	handles L6".			<u> </u>		
	Tanned leather	403.488.95	2pk		White	905.536.85	
			<u> </u>		Black	405.652.85	
\bigcap	ENERYDA Knobs Ø1	1/16".					
\sim	Black	803.475.06	2pk				
\cup	Brass-color	403.475.08	2pk				
	Chrome plated	003.475.10	2pk				
	GUBBARP Handles	L4 ⁹ ⁄16".					
	White	003.364.32	2pk				
10							
10	GUBBARP Knobs Ø ¹	³ /16".					
$\bar{\Box}$	White	803.364.33	2pk				

2pk

BESTÅ INTERIORS AND FITTINGS



BESTÅ Drawer frame 23%×5%×15¾". To be completed with a drawer front (23½×10") from the BESTÅ system. To be completed with BESTÅ drawer runners, sold separately. The drawer can not be used behind doors with hinges. Max load 22 lbs.

White stained oak	503.515.14
Black-brown	403.512.46
White	703.515.13
Dark gray	105.389.48



BESTÅ Drawer frame 23%×9%×15¾". To be completed with a drawer front (23½×15") from the BESTÅ system. To be completed with BESTÅ drawer runners, sold separately. The drawer can not be used behind doors with hinges. Max load 22 lbs.

White stained oak	603.515.18
Black-brown	003.512.48
White	803.515.17
Dark gray	505.389.51



BESTÅ Drawer runners soft-closing. The drawer slide makes the drawer close slowly, silently and softly. Complete your drawer with knobs or handles.

403.487.15	2pk
------------	-----




BESTÅ Drawer runners push open. The drawer slides have integrated push openers, so you don't need handles or knobs and can open the door with just a light push.

304.88	3.15	2pk

BESTÅ Shelf 22×6¼". Max load 29 lbs. Fits BESTÅ shelf units, 7%" deep.

White stained oak	202.955.48	
Black-brown	802.955.26	
White	402.955.52	
Dark gray	805.386.24	
Glass (max load 11 lbs)	002.955.30	



White stained oak	002.955.49	
Black-brown	402.955.28	
White	002.955.54	
Dark gray	105.386.27	
Glass (max load 22 lbs)	602.955.32	

INTEGRATED LIGHTING

Conventional or connected smart IKEA lighting?

Good lighting makes life easier and helps you set the right mood. The options here are made for furniture like BESTÅ. They let you light up your favorite pictures and collections, and enjoy the cozy reflected light. And of course lighting makes finding things easier, on shelves or even inside cabinets. The TRÅDFRI LED driver makes MITTLED, MYRVARV, TVÄRDRAG and YTBERG smart and gives it the ability to be wirelessly dimmed with the TRADFRI wireless dimmer and to be connected to the DIRIGERA hub.

When you use the DIRIGERA hub, you can control TRADFRI connected lighting from the IKEA Home smart app in different ways together with other TRADFRI lighting in your home. The smart remote control lets you dim and change the color temperature from colder to warmer light without moving from your sofa! All our lighting is energy-efficient LED, saving money on your electricity bills.

White

12" (requires 2-AA batteries)



MITTLED LED spotlight 3", 2.2 W. Provides a focused light that is good for lighting smaller areas. To be completed with TRADFRI LED driver and ANSLUTA power supply cord. Dimmable with TRÅDFRI wireless dimmer and DIRIGERA hub, sold separately.

Black	504.721.39
White	404.536.45



TVARDRAG LED cabinet lighting A lovely traditional cabinet lamp. The metal shade creates a direct light that illuminates your cabinets. If you want the lamp's light to be directed into your display cabinet, just angle the lamp head inwards. You can turn up to 6 light sources on and off simultaneously if you complete with ANSLUTA driver. If you also want to be able to dim, choose TRÅDFRI driver and remote control instead, sold separately.

Black, 1.5 W	405.168.4



STRIMSÄV LED spotlights Perfect for illuminating cabinets and bookcases. Easy to mount with the gel-pad. The gel-pad is easy to roll-off by hand, wash with water and reattach to the lamp. Cable management clips are included - and you turn it on and off by just pressing the lamp. LED life approximately 25,000 hrs. 15W.

Black	005.653.72
White	805.705.67



lighting's passive infrared sensor (PIR) reacts to body movements and heat and automatically turns the light on when you open the door or drawer. You can even choose to switch on/off manually. Batteries are sold separately. IKEA recommends LADDA rechargeable 2450 mAh HR6 AA 1.2V batteries. Easy to charge. You just remove the lighting, charge the batteries with a USB-C cable and click it back in place.

KOLVATTEN LED lighting strip with sensor The



ROLFSTORP LED light dimmable Slim and easy to fix in place wherever you need some light. It's also simple to dim and has built-in LED lighting that lasts a long, long time. Three light levels, charges by connecting to a USB port or with batteries. USB port and batteries sold separately.

White	605.199.28
White	605.199.28



20" (requires 3-AA batteries) 305.719.51 28" (requires 4-AA batteries) 505.719.74 12" (requires 2-AA batteries) 705.991.37 20" (requires 3-AA batteries) 705.991.40 28" (requires 4-AA batteries) 705.991.42

705.653.40



ORMANAS LED flexible light strip Unleash your creativity and decorate with light! You can cut this LED lighting strip to your desired length and easily control it using the IKEA Home Smart app. Download the IKEA Home smart app for free via Google Play or App Store. Must be completed with STRYBAR remote control (804.883.70), sold separately.

L13'1", 12W	205.413.23
	203.413.23

INTEGRATED LIGHTING

White



YTBERG LED cabinet lighting 2W. Built-in LED light source. You can bend, angle and move this slim lamp sideways to direct the soft light precisely over your cabinet or wardrobe. A perfect choice if there is little space between the top and the ceiling.

105.278.98

505.168.31

 _		6

	ก	
	<u> </u>	

RODRET wireless dimmer/power switch

With RODRET wireless dimmer, you can dim your lighting without a wired-in installation. You can add up to 10 LED light sources so that they all switch on, off or are dimmed at the same time.

White	805.598.00



STYRBAR Remote control With STYRBAR remote control you can dim your TRÅDFRI connected lighting without a wired installation. A magnet makes it easy to attach the remote control to the wall bracket. Requires 2-AA batteries. IKEA recommends our sustainable LADDA rechargeable batteries. Batteries are sold separately. Works with IKEA Home smart.

White	804.883.70
Stainless steel	504.636.15



ANSLUTA LED driver with cord You can connect up to six units to the LED driver, as long as the total wattage does not exceed 19 W. Power consumption standby/off mode: <0.75 W.

L2%"	904.058.45



TRADFRI LED driver Now it's really easy for anyone to use smart lighting. This driver allows you to connect your integrated lighting from IKEA — turn on, turn off and dim so you always have the right light and mood at home. When you add the DIRIGERA hub and IKEA Home smart app, you can create several groups of light sources and control them in different ways. Use the wireless dimmer to dim, turn on/off up to 10 light sources — all will behave in the same way. Helps lower your electric bill because dimming the lights saves energy. Must be completed with ANSLUTA power supply cord, sold separately.

Up to 10W, connect up to 3 fixtures	103.561.89
Up to 30W, connect up to 9 fixtures	603.426.61



With DIRIGERA hub and app you can control each light source individually, create different types of lighting settings, and control them by the IKEA Home smart app or personal assistent via Apple HomeKit, Amazon Alexa or Google Home.

White	505.034.14



ANSLUTA Power supply cord Main power supply connector for IKEA integrated lighting products using the TRÅDFRI driver. Turn them all on and off simultaneously with a single cord switch.





ANSLUTA Intermediate connection cord Can be used as a direct connection between TRÅDFRI LED drivers, e.g. between two sections of wall cabinets, with one single connection to the main supply.

28"	401.199.26
79"	601.199.25

ACCESSORIES



BESTÅ Box Perfect for storing anything, from magazines and remote controls to DVDs, toys or hobby supplies. Easy to pull out and lift as the box has cut-out handles. Soft felt protects your things and keeps them neatly in place. Fits BESTÅ shelf units and BESTÅ drawers. Two boxes fit perfectly on a BESTÅ shelf or in a BESTÅ drawer. Max load 11 lbs. Gray 9¾×12¼×5¾"



BESTÅ Box Perfect for storing anything, from magazines and remote controls to DVDs, toys or hobby supplies. Easy to pull out and lift as the box has cut-out handles. Soft felt protects your things and keeps them in place so they don't slip when you pull out the box. Fits BESTÅ shelf units. Max load 11 lbs. Gray

12%×20%×8¼" 803.075.53



RAGGISAR Tray Dark gray

15¾×11¾×2¾" 103.480.19



TJENA Storage box with lid The size is perfect for everything from papers and collectables to shoes and clothes. White

13¾×9¾×7¾" 603.954.28



TJENA Storage box with lid White

13¾×12½×12½" 404.693.02



TJENA Magazine files White

9¾×4×11¾" 103.954.16 2pk



HÄSTVISKARE Magazine files Oak effect 9¾×4×11¾" 505.760.14 2pk







KUGGIS Box with lid The KUGGIS series of boxes make it easy to get organized and hide what you want out of sight, whether it's big or small — while still keeping it close at hand. You can easily stack boxes of different sizes, as they're made to fit each other. *Box and lid are sold/picked up separately.

White/white lid*

5×7×3¼"	995.611.53
7×10¼×3¼"	095.611.57
10¼×13¾×6"	595.611.88
7×10¼×6"	495.611.55
14½×21¼×8¼"	895.612.00

White/bamboo lid*

5×7×3¼"	695.612.82
7×10¼×3¼"	795.612.86
10¼×13¾×6"	395.612.88
7×10¼×6"	295.612.84
14½×21¼×8¼"	795.612.91

Black/black lid*

5×7×3¼"	095.612.37	
7×10¼×3¼"	095.612.42	
10¼×13¾×6"	295.612.03	
7×10¼×6"	495.612.40	
14½×21¼×8¼"	695.612.44	

Black/bamboo lid*

Diddin barriboo na		
5×7×3¼"	395.612.93	
7×10¼×3¼"	495.612.97	_
10¼×13¾×6"	095.612.99	
7×10¼×6"	895.612.95	
14½×21¼×8¼"	295.613.02	



KUGGIS Insert with eight compartments The compartments gives you a good overview and helps you to find what you need, when you need it. If you want to keep both smaller and larger items in the same box, combine the insert with KUGGIS box.

20¾×14¼×2¼" 002.802.08



BULLIG Box Bamboo brown. This stackable box is just as decorative as practical and is great for everything from papers and charging cables to small things that you want to hide away. The felt pads underneath protect the surface below against scratches.

12½×13¾×13" 304.745.92



DRÖNA Box 9¾×13¾×9¾". This velvet-like fabric box creates a soft impression — regardless if you place it in your walk-in closet or in the living room. Ideal in BILLY bookcase (depth 11") and BESTÅ storage (depth 15¾").

Black	904.670.65
White	504.670.67

SERVICES

IKEA products are designed to be taken home and assembled by you. That way, you'll save the most money. But if you would like some help, we can offer a range of services. Assembly and delivery services fulfilled by an Independent Service Provider. Contact your local IKEA store or visit the IKEA website for details: IKEA-USA.com/services



DELIVERY SERVICE

Whether you're shopping in the store or online, and no matter how big the purchase, we can help do the heavy lifting and arrange delivery, by an Independent Service Provider, to your home or business.



TASKRABBIT ASSEMBLY SERVICE

All IKEA products are designed to be assembled by you, but you don't have to. We've partnered with TaskRabbit to connect you with a network of independent 'Taskers' who can provide quick and convenient assembly and mounting services for your IKEA purchases made online and in stores. You can schedule assembly service for as soon as the same day, with the Tasker of your choice. Visit TaskRabbit.com/IKEA or see a co-worker for more details.

Services and prices may vary, please see IKEA-USA.com/services or talk to us in your local IKEA store.



IKEA Projekt Credit Card

Your dream home is now within reach and more affordable than ever. With the IKEA Projekt Credit Card*, you don't have to put off loving every room in your home.

*Credit card offers are subject to approval. IKEA Projekt Credit Card Accounts are issued by Comenity Capital Bank.

To learn more visit IKEA-USA.com/creditcard or drop by your local IKEA store.